

Quiz review

Started on	Monday, 15 January 2024, 7:50 PM
State	Finished
Completed on	Monday, 15 January 2024, 7:55 PM
Time taken	5 mins 32 secs
Marks	2.00/2.00
Grade	100.00 out of 100.00

45099

45099



Question 1

Correct

Mark 1.00 out of
1.00

Select the appropriate code snippet for the given problem statement provided as pseudocode.

Problem Statement :

Dinner Plan

Five friends plan to go out for dinner. They plan to order equal number of dishes. Each row specifies individual cost. Find the total amount each person needs to pay.

Assume the values for this matrix for 3 dishes are

12 23 18

45 32 60

42 39 23

54 42 60

25 84 30

The output will be

Amount to be paid by person 1 is 53

Amount to be paid by person 2 is 137

Amount to be paid by person 3 is 104

Amount to be paid by person 4 is 156

Amount to be paid by person 3 is 139

Explanation : Output is the sum of each row

Code:

BEGIN

DECLARE variable arr[5][20], n, sum=0

```
FOR j IN 0 to n-1 DO
  READ arr[i][j]
END FOR
END FOR
FOR i IN 0 TO 4 DO
  SET sum = 0
  FOR j IN 0 TO n-1 DO
    sum = sum + arr[i][j]
  END FOR
  PRINT "Amount to be paid by person " + (i+1) + " is " + sum
END FOR
END
```

- ☒ a. FOR i IN 0 to 4 DO ✓
- ☐ b. FOR i IN 0 to 3 DO
- ☐ c. FOR i IN 0 to 5 DO
- ☐ d. FOR i IN 0 to n DO

Your answer is correct.

The correct answer is:

FOR i IN 0 to 4 DO

Question 2

Correct

Mark 1.00 out of
1.00

Choose the correct pseudocode for the below problem statement.

Problem Statement :

Find Maximum value

Choose a pseudo code to find the maximum values in each row of a matrix. Assume it is a 3x3 matrix.

Explanation : Matrix will be with index

(0,0) (0,1) (0,2)

(1,0) (1,1) (1,2)

(2,0) (2,1) (2,2)

Assume the values for this matrix are

12 23 18

45 32 60

42 39 23

The output will be

Max value in row 1 is 23

Max value in row 2 is 60

Max value in row 3 is 42

☐ a. BEGIN

DECLARE variable arr[3][3]

FOR i IN 0 to 2 DO

```
    FOR j IN 0 to 2 DO
    READ arr[i][j]
    END FOR
  END FOR
  FOR i IN 0 TO 2 DO
    SET max = arr[i][0]
    FOR j IN 0 TO 2 DO
      IF arr[i][j]>max THEN
        max = arr[i][j]
      END IF
    END FOR
  END FOR
  PRINT "Max value in row "+(i+1)+" is "+max
END
```

☐ b.

```
BEGIN
  DECLARE variable arr[3][3]
  FOR i IN 0 to 2 DO
    FOR j IN 0 to 2 DO
      READ arr[i][j]
    END FOR
  END FOR
  SET max = arr[i][0]
```

```
FOR i IN 0 TO 2 DO
  FOR j IN 0 TO 2 DO
    IF arr[i][j]>max THEN
      max = arr[i][j]
    END IF
  END FOR
  PRINT "Max value in row "+(i+1)+" is "+max
END FOR
END
```

☒ c.



BEGIN

DECLARE variable arr[3][3]

FOR i IN 0 to 2 DO

FOR j IN 0 to 2 DO

READ arr[i][j]

END FOR

END FOR

FOR i IN 0 TO 2 DO

SET max = arr[i][0]

FOR j IN 0 TO 2 DO

IF arr[i][j]>max THEN

max = arr[i][j]

END IF

```
END FOR
PRINT "Max value in row "+(i+1)+" is "+max
END FOR
END
```

- ☐ d. BEGIN
- ```
DECLARE variable arr[3][3]
FOR i IN 0 to 2 DO
 FOR j IN 0 to 2 DO
 END FOR
 END FOR

 FOR i IN 0 TO 2 DO
 READ arr[i][j]
 SET max = arr[i][0]
 FOR j IN 0 TO 2 DO
 IF arr[i][j]>max THEN
 max = arr[i][j]
 END IF
 END FOR
 PRINT "Max value in row "+(i+1)+" is "+max
 END FOR
END
```

Your answer is correct.

The correct answer is:

BEGIN

DECLARE variable arr[3][3]

FOR i IN 0 to 2 DO

FOR j IN 0 to 2 DO

READ arr[i][j]

END FOR

END FOR

FOR i IN 0 TO 2 DO

SET max = arr[i][0]

FOR j IN 0 TO 2 DO

IF arr[i][j]>max THEN

max = arr[i][j]

END IF

END FOR

PRINT "Max value in row "+(i+1)+" is "+max

END FOR

END



◀ Find the order

Jump to...

Check Your Understanding ▶

45099

45099

45099