Topic: Composite functions

Question: Find the composite function.

$$f(x) = \frac{1}{x^2}$$

$$g(x) = \sqrt{x - 3}$$

Answer choices:

$$\mathbf{A} \qquad g(f(x)) = \frac{1}{x - 3}$$

$$\mathsf{B} \qquad g(f(x)) = \sqrt{\frac{1}{x^2} - 3}$$

C
$$g(f(x)) = \sqrt{\frac{1}{(x-3)^2}}$$

$$D g(f(x)) = \frac{1}{\sqrt{x-3}}$$



Solution: B

When we take the composite g(f(x)), it means that we plug f(x) into g(x), which means that we take the entire f(x) function and plug it into g(x) wherever x exists in g(x).

$$g(f(x)) = \sqrt{\frac{1}{x^2} - 3}$$



Topic: Composite functions

Question: Find g(h(x)).

$$g(x) = x^2 - x - 4$$

$$h(x) = x\sqrt{2} + 1$$

Answer choices:

A
$$\sqrt{2}(x^2 - x - 4) + 1$$

B
$$2x^2 + x\sqrt{2} - 4$$

C
$$\sqrt{2}x^2 - 2x + 3$$

D
$$2x^2 + 3x\sqrt{2} + 5$$

Solution: B

To find g(h(x)), we have to plug h(x) into g(x). Given

$$g(x) = x^2 - x - 4$$

$$h(x) = x\sqrt{2} + 1$$

we get

$$g(h(x)) = \left(x\sqrt{2} + 1\right)^2 - \left(x\sqrt{2} + 1\right) - 4$$

$$g(h(x)) = 2x^2 + 2x\sqrt{2} + 1 - x\sqrt{2} - 1 - 4$$

$$g(h(x)) = 2x^2 + x\sqrt{2} - 4$$