Rajalakshmi Engineering College

Name: Shreenidhi Th

Email: 240701503@rajalakshmi.edu.in

Roll no: 240701503 Phone: 9150942326

Branch: REC

Department: I CSE FE

Batch: 2028

Degree: B.E - CSE



NeoColab_REC_CS23231_DATA STRUCTURES

REC_DS using C_Week 6_MCQ_Updated_1

Attempt : 1 Total Mark : 20

Marks Obtained: 20

Section 1: MCQ

1. Which of the following is true about Quicksort?

Answer

It is an in-place sorting algorithm

Status: Correct Marks: 1/1

2. Which of the following modifications can help Quicksort perform better on small subarrays?

Answer

Switching to Insertion Sort for small subarrays

Status: Correct Marks: 1/1

order? Answer To the left of the pivot Status: Correct Marks: 1/1 4. Merge sort is _____. Answer Comparison-based sorting algorithm Status: Correct Marks: 5. What happens when Merge Sort is applied to a single-element array? Answer The array remains unchanged and no merging is required Status: Correct Marks: 1/1 6. Which of the following is not true about QuickSort? Answer It can be implemented as a stable sort Status: Correct Marks: 1/1

3. In a quick sort algorithm, where are smaller elements placed to the pivot during the partition process, assuming we are sorting in increasing

7. Consider the Quick Sort algorithm, which sorts elements in ascending order using the first element as a pivot. Then which of the following input sequences will require the maximum number of comparisons when this algorithm is applied to it?

Answer

Status: Correct Marks: 1/1

8. What happens during the merge step in Merge Sort?

Answer

Two sorted subarrays are combined into one sorted array

Status: Correct Marks: 1/1

9. What is the main advantage of Quicksort over Merge Sort?

Answer

Quicksort requires less auxiliary space

Status: Correct Marks: 1/1

10. Which of the following methods is used for sorting in merge sort?

Answer

merging

Status: Correct Marks: 1/1

11. Which of the following strategies is used to improve the efficiency of Quicksort in practical implementations?

Answer

Choosing the pivot randomly or using the median-of-three method

Status: Correct Marks: 1/1

12. Which of the following sorting algorithms is based on the divide and conquer method?

Answer

Status: Correct Marks: 1/1

13. Let P be a quick sort program to sort numbers in ascending order using the first element as a pivot. Let t1 and t2 be the number of comparisons made by P for the inputs {1, 2, 3, 4, 5} and {4, 1, 5, 3, 2}, respectively. Which one of the following holds?

Answer

t1 > t2

Status: Correct Marks: 1/1

14. Which of the following scenarios is Merge Sort preferred over Quick Sort?

Answer

When sorting linked lists

Status: Correct Marks: 1/1

15. The following code snippet is an example of a quick sort. What do the 'low' and 'high' parameters represent in this code?

```
void quickSort(int arr[], int low, int high) {
   if (low < high) {
     int pivot = partition(arr, low, high);
     quickSort(arr, low, pivot - 1);
     quickSort(arr, pivot + 1, high);
   }
}</pre>
```

Answer

The range of elements to sort within the array

Status: Correct Marks: 1/1

16. Is Merge Sort a stable sorting algorithm? Answer Yes, always stable. Status: Correct Marks: 1/1 17. What is the best sorting algorithm to use for the elements in an array that are more than 1 million in general? **Answer** Ouick sort. Marks : 1/1 Status: Correct 18. In a quick sort algorithm, what role does the pivot element play? Answer It is used to partition the array Status: Correct Marks: 1/1 19. Why is Merge Sort preferred for sorting large datasets compared to **Quick Sort? Answer** Merge Sort has better worst-case time complexity Status: Correct Marks: 1/1

20. Which of the following statements is true about the merge sort algorithm?

Answer

It requires additional memory for merging

Status: Correct Marks: 1/1