

Code No: 113AH

JAWAHARLAL NEHRU TECHNOLOGICAL UNIVERSITY HYDERABAD

B.Tech II Year I Semester Examinations, November/December - 2018

MATHEMATICS – III

(Common to EEE, ECE, EIE, ETM, AGE)

Time: 3 Hours

Max. Marks: 75

Note: This question paper contains two parts A and B.

Part A is compulsory which carries 25 marks. Answer all questions in Part A.

Part B consists of 5 Units. Answer any one full question from each unit.

Each question carries 10 marks and may have a, b, c as sub questions.

PART- A**(25 Marks)**

- 1.a) Find the complementary function of $x^2 \frac{d^2 y}{dx^2} - x \frac{dy}{dx} - 3y = x^2 \log x$. [2]
- b) Find the P.I of $(3x+2)^2 \frac{d^2 y}{dx^2} + 3(3x+2) \frac{dy}{dx} - 36y = 3x^2 + 4x + 1$. [3]
- c) Prove that $P_n(-x) = (-1)^n P_n(x)$. [2]
- d) Evaluate $\int x^{-1} J_4(x) dx$. [3]
- e) Prove that $u = y^3 - 3x^2 y$ is a harmonic function. [2]
- f) Evaluate $\int_c \frac{z+2}{z} dz$ where C is the semi circle $z = 2e^{i\theta}, 0 \leq \theta \leq \pi$. [3]
- g) Expand $\frac{1}{z^2}$ where $|z+1| < 1$. [2]
- h) Evaluate $\int_c \frac{2e^z}{z(z-3)} dz$ where $c: |z|=2$. [3]
- i) Define cross ratio of four points. [2]
- j) Prove that $f(z) = \bar{z}$ is not conformal. [3]

PART-B**(50 Marks)**

2. Solve $\frac{d^2 y}{dx^2} + xy = 0$ by power series. [10]

OR

3. Solve in series the equation $x \frac{d^2 y}{dx^2} + x \frac{dy}{dx} - y = 0$. [10]

4.a) Show that $p_5^{-1}(x) = 9p_4(x) + 5p_2(x) + p_0(x)$.

b) Show that $\frac{1-z^2}{(1-2xz+z^2)^{3/2}} = \sum_{n=0}^{\infty} (2n+1)z^n p_n(x)$. [5+5]

OR

5. If α and β are the roots of $J_n(x) = 0$ then prove that:

$$\int_0^1 x J_n(\alpha x) J_n(\beta x) dx = \begin{cases} 0, & \text{if } \alpha \neq \beta \\ \frac{1}{2} J_{n+1}^2(\alpha), & \text{if } \alpha = \beta \end{cases} \quad [10]$$

6. If $u + v = \frac{2 \sin 2x}{e^{2y} + e^{-2y} - 2 \cos 2x}$ and $f(z) = u + iv$ is analytic function of z then find $f(z)$. [10]

OR

7.a) Prove that $\int_c \frac{\sin^2 z}{\left(z - \frac{\pi}{6}\right)^3} dz = \pi i$ if $c: |z| = 1$.

b) If $F(a) = \int_c \frac{3z^2 + 7z + 1}{z - a} dz$ where c is the circle $|z| = 2$ find the value of $F(1)$, $F(3)$, $F'(1-i)$ and $F''(1-i)$. [5+5]

8.a) Find the Taylor's and Laurent's series which represent the function $\frac{z^2 - 1}{(z+2)(z+3)}$ in $2 < |z| < 3$.

b) Evaluate $\int_c \frac{e^z}{(z^2 + \pi^2)^2} dz$ where $c: |z| = 4$ by residue theory. [5+5]

OR

9. Evaluate $\int_{-\infty}^{\infty} \frac{\cos mx}{(a^2 + x^2)} dx$ ($a > 0, b > 0$). [10]

10.a) Show that the transformation $w = \frac{2z+3}{z-4}$ changes the circle $x^2 + y^2 - 4x = 0$ into the straight line $4u + 3 = 0$.

b) Determine the region of the w -plane into which the region $\frac{1}{2} \leq x \leq 1$ and $\frac{1}{2} \leq y \leq 1$ is mapped by the transformation $w = z^2$. [5+5]

OR

11.a) Show that the relation $w = \frac{5-4z}{4z-2}$ transform the circle $|z| = 1$ into a circle of radius unity in the w -plane.

b) Find the bilinear transformation that maps the points $1, i, -1$ into the points $2, i, -2$. [5+5]