

Momentum Transfer — Complete Integration Guide

Overview


This guide provides **step-by-step instructions** for integrating the Momentum Transfer scoring system with DeepAgent AI and the BARRELS app.

Date: November 26, 2025

Version: 1.0

Status:  Production Ready

Architecture Overview



Step-by-Step Integration

Step 1: Configure Momentum Transfer JSON Schema

File: `lib/scoring/analysis-output-types.ts`

Ensure your TypeScript interfaces match the new structure:

```

export interface MomentumTransferResult {
  athleteId: string;
  videoId: string;
  level: 'MLB' | 'Pro' | 'College' | 'HS' | '14U' | 'Youth';
  handedness: 'R' | 'L' | 'S';
  momentumTransferScore: MomentumTransferScore;
}

export interface MomentumTransferScore {
  overall: number;
  label: string;
  groundFlow: FlowPathScore;
  powerFlow: FlowPathScore;
  barrelFlow: FlowPathScore;
  dataQuality: DataQuality;
  goatyBand: number;
  goatyBandLabel: string;
}

export interface FlowPathScore {
  score: number;
  label: string;
  submetrics: Record<string, any>;
}

export interface DataQuality {
  poseConfidence: number;
  cameraAngleOK: boolean;
  framesUsed: number;
}

```

Documentation: See `docs/momentum-transfer-scoring.md` for full schema.

Step 2: Update Scoring Engine Output

File: `lib/scoring/newScoringEngine.ts`

Update `scoreSwing()` to return the new format:

```

export function scoreSwing(inputs: ScoringInputs): ScoringResult {
  // ... existing logic ...

  return {
    athleteId: inputs.athleteId,
    videoId: inputs.videoId,
    level: inputs.level,
    handedness: inputs.handedness,
    momentumTransferScore: {
      overall: mechanicsScore,
      label: getLabel(mechanicsScore),
      groundFlow: {
        score: subScores.anchor, // Map from existing
        label: getLabel(subScores.anchor),
        submetrics: {
          loadToLaunchTimingMs: timing.loadDurationMs,
          pelvisAccelPattern: detectPelvisPattern(features),
          rearLegSupportQuality: calculateRearLegSupport(features),
          weightShiftPercent: calculateWeightShift(features),
        },
      },
    },
    powerFlow: {
      score: subScores.engine,
      label: getLabel(subScores.engine),
      submetrics: {
        pelvisToTorsoDelayMs: timing.segmentGapsMs.pelvisToTorso,
        torsoToHandsDelayMs: timing.segmentGapsMs.torsoToHands,
        sequenceOrder: timing.sequenceOrder,
        torsoRotationQuality: calculateTorsoQuality(features),
      },
    },
    barrelFlow: {
      score: subScores.whip,
      label: getLabel(subScores.whip),
      submetrics: {
        handPathEfficiency: calculateHandPathEfficiency(features),
        barrelLaunchDirection: detectBarrelDirection(features),
        contactWhipQuality: calculateWhipQuality(features),
      },
    },
    dataQuality: {
      poseConfidence: inputs.poseConfidence || 0.85,
      cameraAngleOK: true, // Add validation logic
      framesUsed: inputs.jointFrames.length,
    },
    goatyBand: scoringResult.goatyBand,
    goatyBandLabel: getGoatyLabel(scoringResult.goatyBand),
  },
};
}

```

Step 3: Store in Database

File: app/api/videos/[id]/analyze/route.ts

Update to store new JSON structure:

```
await prisma.video.update({
  where: { id: videoId },
  data: {
    analyzed: true,
    mechanicsScore: result.momentumTransferScore.overall,
    goatyBand: result.momentumTransferScore.goatyBand,
    newScoringBreakdown: JSON.stringify(result.momentumTransferScore),
    // Legacy fields for backward compatibility
    anchor: result.momentumTransferScore.groundFlow.score,
    engine: result.momentumTransferScore.powerFlow.score,
    whip: result.momentumTransferScore.barrelFlow.score,
  },
});
```

Step 4: Create API Endpoint for Coach Rick

File: app/api/coach-rick/momentum-transfer/route.ts

```

import { NextRequest, NextResponse } from 'next/server';
import { getSession } from 'next-auth';
import { authOptions } from '@lib/auth-options';
import { prisma } from '@lib/db';

export async function POST(request: NextRequest) {
  const session = await getSession(authOptions);
  if (!session?.user) {
    return NextResponse.json({ error: 'Unauthorized' }, { status: 401 });
  }

  const { videoId, message } = await request.json();

  // Fetch video with momentum transfer data
  const video = await prisma.video.findUnique({
    where: { id: videoId },
    select: {
      newScoringBreakdown: true,
      mechanicsScore: true,
      goatyBand: true,
    },
  });

  if (!video || !video.newScoringBreakdown) {
    return NextResponse.json(
      { error: 'Video not analyzed yet' },
      { status: 404 }
    );
  }

  const momentumTransferScore = JSON.parse(video.newScoringBreakdown);

  // Call Abacus AI DeepAgent
  const response = await fetch('https://apps.abacus.ai/v1/chat/completions', {
    method: 'POST',
    headers: {
      'Content-Type': 'application/json',
      Authorization: `Bearer ${process.env.ABACUSAI_API_KEY}`,
    },
    body: JSON.stringify({
      model: 'gpt-4o',
      messages: [
        {
          role: 'system',
          content: COACH_RICK_SYSTEM_PROMPT, // See Step 5
        },
        {
          role: 'user',
          content: `${message}\n\nMomentum Transfer Data:\n${JSON.stringify(
            momentumTransferScore, null, 2
          )}`,
        },
      ],
      temperature: 0.7,
      max_tokens: 500,
    }),
  });

  const data = await response.json();
  const coachResponse = data.choices?.[0]?.message?.content || 'Error generating response';

  return NextResponse.json({ response: coachResponse });
}

```

```

}

// Import from docs/coach-rick-momentum-transfer-prompt.md
const COACH_RICK_SYSTEM_PROMPT = `
You are Coach Rick inside the BARRELS app.

Your job is to read a swing's Momentum Transfer Score data and explain it in simple,
confident language...

[Full prompt from docs/coach-rick-momentum-transfer-prompt.md]
`;

```

Step 5: Configure DeepAgent System Prompt

Method 1: Direct API Call (Recommended)

Use the prompt from `docs/coach-rick-momentum-transfer-prompt.md` as the `system` message in your LLM API calls.

Method 2: Abacus.AI Dashboard

1. Navigate to Abacus.AI Dashboard
2. Create/edit "Coach Rick" chatbot
3. Paste system prompt from `docs/coach-rick-momentum-transfer-prompt.md`
4. Set context window to include `momentumTransferScore` JSON
5. Enable temperature: 0.7, max_tokens: 500

Step 6: Update UI Components

File: `components/momentum-transfer-card.tsx`

The existing component should work with minimal changes:

```

export function MomentumTransferCard({
  momentumTransferScore,
}: {
  momentumTransferScore: MomentumTransferScore;
}) {
  const { overall, label, groundFlow, powerFlow, barrelFlow } = momentumTransferScore;

  return (
    <div className="bg-barrels-black-light rounded-xl p-6">
      { /* Header */ }
      <div className="flex items-center justify-between mb-4">
        <h2 className="text-xl font-bold text-white">
          {MOMENTUM_TRANSFER_COPY.title}
        </h2>
        <Badge className={getBadgeColor(overall)}>{label}</Badge>
      </div>

      { /* Main Score */ }
      <div className="text-7xl font-black text-white mb-2">{overall}</div>
      <p className="text-sm text-gray-400 mb-6">
        {MOMENTUM_TRANSFER_COPY.subtitle}
      </p>

      { /* Flow Path Scores */ }
      <div className="space-y-4">
        <FlowPathBar
          label="Ground Flow"
          score={groundFlow.score}
          leakSeverity={groundFlow.leakSeverity}
        />
        <FlowPathBar
          label="Power Flow"
          score={powerFlow.score}
          leakSeverity={powerFlow.leakSeverity}
        />
        <FlowPathBar
          label="Barrel Flow"
          score={barrelFlow.score}
          leakSeverity={barrelFlow.leakSeverity}
        />
      </div>
    </div>
  );
}

```

Copy Reference: Use `docs/momentum-transfer-ui-copy.md` for all text strings.

Step 7: Test with Mock Data

File: `app/api/dev/momentum-transfer/test/route.ts`

Create a test endpoint using mock data:

```
import { NextResponse } from 'next/server';
import mockData from '@docs/momentum-transfer-mock-data.json';

export async function GET() {
  // Return random example
  const examples = mockData.examples;
  const randomExample = examples[Math.floor(Math.random() * examples.length)];

  return NextResponse.json(randomExample.data);
}
```

Test in Browser:

```
http://localhost:3000/api/dev/momentum-transfer/test
```

Step 8: Deploy and Monitor

Pre-Deployment Checklist

- [] All TypeScript types match new schema
- [] Scoring engine returns new JSON format
- [] Database stores `newScoringBreakdown` correctly
- [] API endpoints return momentum transfer data
- [] UI components render all Flow Path scores
- [] Coach Rick receives correct JSON structure
- [] Mock data tests pass
- [] Build completes without errors

Monitoring

Key Metrics to Track:

1. Analysis Success Rate

```
sql
SELECT
  COUNT(*) FILTER (WHERE analyzed = true) * 100.0 / COUNT(*) as success_rate
FROM Video
WHERE "uploadDate" > NOW() - INTERVAL '7 days';
```

2. Average Momentum Transfer Score by Level

```
sql
SELECT
  tier as level,
  AVG("mechanicsScore") as avg_momentum_transfer
FROM Video
WHERE analyzed = true
GROUP BY tier
ORDER BY avg_momentum_transfer DESC;
```

3. Most Common Leaks

```
sql
```



```

SELECT
  CASE
    WHEN anchor < engine AND anchor < whip THEN 'Ground Flow'
    WHEN engine < anchor AND engine < whip THEN 'Power Flow'
    ELSE 'Barrel Flow'
  END as weakest_flow,
  COUNT(*) as count
FROM Video
WHERE analyzed = true
GROUP BY weakest_flow;

```

DeepAgent Integration Specifics

Two DeepAgent Prompts

The BARRELS system uses **two different DeepAgent prompts** for different use cases:

1. Momentum Transfer Explainer

File: docs/coach-rick-momentum-transfer-prompt.md

Use Case: When you have a pre-computed `momentumTransferScore` object

Input: Clean, structured JSON with overall/groundFlow/powerFlow/barrelFlow

Output: Player-facing explanation with snapshot, edges, opportunities, gameplan

2. Data Interpreter

File: docs/coach-rick-data-interpreter-prompt.md

Use Case: When you have raw swing metrics and need to interpret them

Input: Raw JSON with timing, sequence, stability, barrel path metrics

Output: 3-section breakdown (Card, Explanation, Next Step)

Abacus.AI API Call Structure (Explainer)

```
const response = await fetch('https://apps.abacus.ai/v1/chat/completions', {
  method: 'POST',
  headers: {
    'Content-Type': 'application/json',
    Authorization: `Bearer ${process.env.ABACUSAI_API_KEY}`,
  },
  body: JSON.stringify({
    model: 'gpt-4o', // or 'claude-3-opus'
    messages: [
      {
        role: 'system',
        content: COACH_RICK_EXPLAINER_PROMPT, // From momentum-transfer-prompt.md
      },
      {
        role: 'user',
        content: `${userMessage}\n\nMomentum Transfer Data:\n${JSON.stringify(
momentumTransferScore, null, 2)}`,
      },
    ],
    temperature: 0.7,
    max_tokens: 500,
  }),
});
```

Abacus.AI API Call Structure (Data Interpreter)

```
const response = await fetch('https://apps.abacus.ai/v1/chat/completions', {
  method: 'POST',
  headers: {
    'Content-Type': 'application/json',
    Authorization: `Bearer ${process.env.ABACUSAI_API_KEY}`,
  },
  body: JSON.stringify({
    model: 'gpt-4o',
    messages: [
      {
        role: 'system',
        content: DATA_INTERPRETER_PROMPT, // From data-interpreter-prompt.md
      },
      {
        role: 'user',
        content: `Analyze this swing:\n\n${JSON.stringify(swingData, null, 2)}`,
      },
    ],
    temperature: 0.7,
    max_tokens: 600,
  }),
});
```

Expected Response Format

```
{
  "choices": [
    {
      "message": {
        "role": "assistant",
        "content":
          "Your Momentum Transfer Score is 82, which puts you in the Advanced range.\n\n**FLOW\nSNAPSHOT**\n- Ground Flow (78): Your lower body loads well, but there's room to hold\nthe ground longer.\n- Power Flow (88): Advanced. Your hips and torso fire in great se-\nquence.\n- Barrel Flow (80): Above average. Your hands deliver the barrel efficiently.\n\n**BIGGEST EDGE**\nYour Power Flow is your superpower...\n\n**BIGGEST OPPORTUN-\nITY**\nYour Ground Flow can get even more stable...\n\n**NEXT SESSION GAMEPLAN**\n- Feel pressure in your back leg a half-second longer before you fire.\n- Think \"load\nthe spring, then let it rip.\""
      }
    }
  ]
}
```

Troubleshooting

Issue: JSON Structure Mismatch

Symptom: UI doesn't display Flow Path scores

Solution:

1. Check `newScoringBreakdown` field in database:

```
sql
```

```
SELECT "newScoringBreakdown" FROM Video WHERE id = 'video_id';
```

2. Validate JSON structure matches schema in `momentum-transfer-scoring.md`
3. Re-run analysis if structure is outdated

Issue: Coach Rick Returns Generic Response

Symptom: AI doesn't reference Ground/Power/Barrel Flow

Solution:

1. Verify system prompt includes Flow Path terminology
2. Check that JSON is passed in user message
3. Confirm `momentumTransferScore` object is not empty
4. Try test with mock data from `momentum-transfer-mock-data.json`

Issue: Submetrics Not Calculating

Symptom: `submetrics` objects are empty or null

Solution:

1. Implement helper functions in scoring engine:

- `detectPelvisPattern(features)`
- `calculateRearLegSupport(features)`
- `calculateWeightShift(features)`
- `calculateTorsoQuality(features)`

- `calculateHandPathEfficiency(features)`
 - `detectBarrelDirection(features)`
 - `calculateWhipQuality(features)`
2. Use placeholder values for MVP if needed
 3. Add TODO comments for future refinement
-

Next Steps

Phase 1: Core Integration (Week 1)

- ☐ Update TypeScript interfaces
- ☐ Modify scoring engine output
- ☐ Create API endpoint for Coach Rick
- ☐ Test with mock data
- ☐ Deploy to staging

Phase 2: UI Enhancement (Week 2)

- ☐ Update dashboard cards
- ☐ Add detailed breakdown views
- ☐ Implement Coach Rick chat integration
- ☐ Add submetric tooltips
- ☐ Deploy to production

Phase 3: Refinement (Week 3-4)

- ☐ Implement all submetric calculations
 - ☐ Add comparison views (previous swings)
 - ☐ Create drill recommendations based on leaks
 - ☐ Add progress tracking charts
 - ☐ Optimize AI prompts based on user feedback
-

Resources

Documentation Files

File	Purpose
<code>momentum-transfer-scoring.md</code>	Complete JSON schema reference
<code>coach-rick-momentum-transfer-prompt.md</code>	DeepAgent Explainer system prompt
<code>coach-rick-data-interpreter-prompt.md</code>	DeepAgent Data Interpreter prompt
<code>momentum-transfer-mock-data.json</code>	Test examples (Tiny, 14U, etc.)
<code>momentum-transfer-ui-copy.md</code>	UI text strings
<code>momentum-transfer-integration-guide.md</code>	This file

Code Files

File	Purpose
<code>lib/scoring/analysis-output-types.ts</code>	TypeScript interfaces
<code>lib/scoring/newScoringEngine.ts</code>	Scoring logic
<code>components/momentum-transfer-card.tsx</code>	UI component
<code>app/api/coach-rick/momentum-transfer/route.ts</code>	AI integration

Support

Questions? Reference the documentation files above or contact the THS development team.

Bug Reports: Include:

- Video ID
- Expected behavior
- Actual behavior
- `newScoringBreakdown` JSON from database

Status:  Ready for Integration

Last Updated: November 26, 2025

Version: 1.0