

## STUDY

Date: \_\_\_/\_\_\_/202\_\_ Time: \_\_\_:\_\_\_ to \_\_\_:\_\_\_ Project \_\_\_\_\_ Experiment \_\_\_\_\_

Researcher(s): \_\_\_\_\_ | \_\_\_\_\_ | \_\_\_\_\_ | \_\_\_\_\_ | \_\_\_\_\_ Site/Lab: \_\_\_\_\_

## PARTICIPANT

Subject #: \_\_\_\_\_ ID: \_\_\_\_\_ Visit: \_\_\_\_\_ Consent ☐ Safety ☐

Height: \_\_\_\_\_ cm Weight: \_\_\_\_\_ kg Arm length: \_\_\_\_\_ cm Span: \_\_\_\_\_ cm Ear-finger: \_\_\_\_\_ cm

Nasion-inion: \_\_\_\_\_ cm L-R pre-auricular: \_\_\_\_\_ cm Circumference: \_\_\_\_\_ cm

Ethnicity: \_\_\_\_\_ Medications: \_\_\_\_\_ Nicotine: \_\_\_\_\_ Alcohol: \_\_\_\_\_

Hours awake: \_\_\_\_\_ Well-rested? No | OK | Yes Handed: L | Mixed | R Sex: F | Inter | M

Movement skills: \_\_\_\_\_ Hours per week: \_\_\_\_\_

## BRAIN STIMULATION

Make: Magstim, MagVenture, Mag&More, Dantec, \_\_\_\_\_ NeuroNav: 10/20, MNI, MRI, \_\_\_\_\_

Model: 200, BiStim, Rapid | MagPro R\_\_\_\_, PowerMag \_\_\_\_\_ | Other: \_\_\_\_\_

Coil shape: Round | Figure 8 | Double-Cone | H-coil Handle: Flat | Branding iron

Coil size: 50 | 70 | 90 | 100 | 110 | Other: \_\_\_\_\_ mm Diameter: Inner | Mean | Outer

## NERVE STIMULATION

Hardware: ADInstruments | CED | Digitimer Model: BioAmp | D\_\_\_\_ | Other \_\_\_\_\_

## ELECTROMYOGRAPHY

Hardware: ADInstruments | Digitimer Model: BioAmp | D\_\_\_\_ | Other \_\_\_\_\_

Acquisition: Sampling Hz: \_\_\_\_\_ k | Low-pass: \_\_\_\_\_ Hz | High-pass: \_\_\_\_\_ Hz Notch: N / Y

## MUSCLES

#	Hand	Forearm	Upper arm	Trunk	Leg	Other	Side
1	TE FDI ADM FDSEDCFCR/U ECR/UBR	BB TB DEL PEC Trap	FHB EDB TA	_____	L   R		
2	TE FDI ADM FDSEDCFCR/U ECR/UBR	BB TB DEL PEC Trap	FHB EDB TA	_____	L   R		
3	TE FDI ADM FDSEDCFCR/U ECR/UBR	BB TB DEL PEC Trap	FHB EDB TA	_____	L   R		
4	TE FDI ADM FDSEDCFCR/U ECR/UBR	BB TB DEL PEC Trap	FHB EDB TA	_____	L   R		

----- TMS THRESHOLD LOCATIONS -----

#	Location (eg, M1-FDI)	Hemi- sphere	Reference	Distance		Orientation	Notes
				Right (cm)	Forward (cm)		
1	_____	L   M   R	Cz   Oz   _____	_____	_____	○	_____
2	_____	L   M   R	Cz   Oz   _____	_____	_____	○	_____
3	_____	L   M   R	Cz   Oz   _____	_____	_____	○	_____
4	_____	L   M   R	Cz   Oz   _____	_____	_____	○	_____

----- TMS THRESHOLDS -----

**Method:** MEPs, Twitch, Other \_\_\_\_\_ **Algorithm:** Frequency, PEST, Other \_\_\_\_\_

#	Muscle	Body side	State	MVC (%)	Motor-evoked potentials (MEPs)			Threshold (%MSO)	Notes
					Criterion (mV)	Hits	Total		
1	_____	L   M   R	Rest   Iso   Moving	_____	0.05   0.20   _____	_____	_____	_____	_____
2	_____	L   M   R	Rest   Iso   Moving	_____	0.05   0.20   _____	_____	_____	_____	_____
3	_____	L   M   R	Rest   Iso   Moving	_____	0.05   0.20   _____	_____	_____	_____	_____
4	_____	L   M   R	Rest   Iso   Moving	_____	0.05   0.20   _____	_____	_____	_____	_____

----- PERIPHERAL NERVE THRESHOLDS -----

**Pulse shape:** Square | Other \_\_\_\_\_ **Duration:** \_\_\_\_\_  $\mu$ s

#	Nerve	Location	Side	Reference (e.g. finger, toe)	Distance (cm)	Thresholds (mA)		
						Sensory	M-wave	Twitch
1	_____	_____	L   R	_____	_____	_____	_____	_____
2	_____	_____	L   R	_____	_____	_____	_____	_____
3	_____	_____	L   R	_____	_____	_____	_____	_____
4	_____	_____	L   R	_____	_____	_____	_____	_____

- - - - - TMS LOCATIONS - - - - -

#	Location (eg, M1-FDI)	Hemi- sphere	Reference	Distance		Orientation	MNI (x, y, z)	Notes
				Right (cm)	Forward (cm)			
1	_____	L   M   R	Cz   Oz   _____	_____	_____	○	(____, ____, ____)	
2	_____	L   M   R	Cz   Oz   _____	_____	_____	○	(____, ____, ____)	
3	_____	L   M   R	Cz   Oz   _____	_____	_____	○	(____, ____, ____)	
4	_____	L   M   R	Cz   Oz   _____	_____	_____	○	(____, ____, ____)	

- - - - - TMS PULSES - - - - -

**TMS train type:** Single | Paired | Triple | Quadruple | rTMS: \_\_\_\_ Hz, \_\_\_\_ s | \_\_\_\_\_

**TMS coil 1:** Fig8 \_\_\_\_mm Flat | BI      **TMS coil 2:** Fig8 \_\_\_\_mm Flat | BI (in order of pulses)

#	Coil	Intensity			Notes (eg, intensity changes, coil swaps)
		Machine (% MSO)	Participant (% RMT)	Participant (% AMT)	
1	1   2	_____	_____	_____	_____
2	1   2	_____	_____	_____	_____
3	1   2	_____	_____	_____	_____
4	1   2	_____	_____	_____	_____

**Total N blocks:** \_\_\_\_ **N trials per block:** \_\_\_\_ **N pulses per trial:** \_\_\_\_ **Total pulses:** \_\_\_\_

- - - - - NERVE PULSES - - - - -

#	Nerve	Location	Side	Intensity			Notes
				Machine (mA)	Participant (% sensory)	Participant (% motor)	
1	_____	_____	L   R	_____	_____	_____	_____
2	_____	_____	L   R	_____	_____	_____	_____
3	_____	_____	L   R	_____	_____	_____	_____
4	_____	_____	L   R	_____	_____	_____	_____

**Total N blocks:** \_\_\_\_ **N trials per block:** \_\_\_\_ **N pulses per trial:** \_\_\_\_ **Total pulses:** \_\_\_\_

**ELECTROENCEPHALOGRAPHY**

Hardware: \_\_\_\_\_ Sampling rate: \_\_\_\_\_ kHz Filtering, Low: \_\_\_\_\_ Hz High: \_\_\_\_\_ Hz

Electrodes 1: \_\_\_\_\_ / \_\_\_\_\_ 2: \_\_\_\_\_ / \_\_\_\_\_ 3: \_\_\_\_\_ / \_\_\_\_\_ 4: \_\_\_\_\_ / \_\_\_\_\_ Reference: \_\_\_\_\_

Nerve: \_\_\_\_\_ Side: L,R; Duration: \_\_\_\_\_ ms Intensity: \_\_\_\_\_ mA; Frequency: \_\_\_\_\_ Hz Reps: \_\_\_\_\_

NOTES: \_\_\_\_\_

**NOTES****BIOMETRICS REFERENCE – LABORATORY NORMS (FEBDUARY 2026)**