2022-2026-CSE-B

Aim:

Consider a linked list consisting of name of a person and gender as a node. Arrange the linked list using 'Ladies first' principle. You may create new linked lists if necessary.

Note: Add node at the beginning.

Source Code:

rearrangeList.c

```
#include <stdio.h>
#include <stdlib.h>
#include <string.h>
 struct Node
    int data;
    char name[20];
      char gender;
       struct Node *next;
 };
 void segregateEvenOdd(struct Node **head_ref)
    struct Node *end = *head ref;
     struct Node *prev = NULL;
      struct Node *curr = *head_ref;
       while (end->next != NULL)
         end = end->next;
           struct Node *new_end = end;
             while (curr->data %2 != 0 && curr != end)
                new_end->next = curr;
                 curr = curr->next;
                  new_end->next->next = NULL;
                   new_end = new_end->next;
              }
                if (curr->data%2 == 0)
                   *head_ref = curr;
                     while (curr != end)
                         if ( (curr->data)%2 == 0 )
                            prev = curr;
                             curr = curr->next;
                           else
```

```
prev->next = curr->next;
                               curr->next = NULL;
                                  new_end->next = curr;
                                    new_end = curr;
                                      curr = prev->next;
                          }
                    }
               }
                else
                prev = curr;
                 if (new_end!=end && (end->data)%2 != 0)
                    prev->next = end->next;
                     end->next = NULL;
                      new end->next = end;
                   return;
}
void push(struct Node** head_ref, char new_name[20], char new_gender)
 {
     struct Node* new_node = (struct Node*) malloc(sizeof(struct Node));
      strcpy(new_node->name, new_name);
       new_node->gender = new_gender;
        if (new_gender == 'F')
        new_node->data = 0;
         else if (new_gender == 'M')
         new_node->data = 1;
          new_node->next = (*head_ref);
           (*head_ref) = new_node;
 }
 void printList(struct Node *node)
     while (node!=NULL)
        printf("%s (%c)", node->name, node->gender);
         node = node->next;
          if (node!=NULL)
          printf(" --> ");
      }
 }
  int main()
     struct Node* head = NULL;
      char name[20];
       char gender;
        int noOfInputs, i;
         int option;
          printf("Insert Data\n");
           do
```

```
printf("Enter Name: ");
             scanf(" %s", name);
              printf("Enter Gender: ");
               scanf(" %c", &gender);
                push(&head, name, gender);
                 printf("1 : Insert into Linked List\n");
                  printf("0 : Exit\n");
                   printf("Enter your option: ");
                    scanf(" %d", &option);
          } while(option == 1);
            printf("Original Linked list \n");
             printList(head);
              segregateEvenOdd(&head);
               printf("\nModified Linked list \n");
                printList(head);
                 printf("\n");
                  return 0;
}
```

Execution Results - All test cases have succeeded!

```
Test Case - 1
User Output
Insert Data Ganga
Enter Name: Ganga
Enter Gender: F
1 : Insert into Linked List 1
0 : Exit 1
Enter your option: 1
Enter Name: Yamuna
Enter Gender: F
1 : Insert into Linked List 1
0 : Exit 1
Enter your option: 1
Enter Name: Raj
Enter Gender: M
1 : Insert into Linked List 1
0 : Exit 1
Enter your option: 1
```

```
Enter Name: Veer
Enter Gender: M
1 : Insert into Linked List 1
0 : Exit 1
Enter your option: 1
Enter Name: Narmada
Enter Gender: F
1 : Insert into Linked List 1
0 : Exit 1
Enter your option: 1
Enter Name: Amar
Enter Gender: M
1 : Insert into Linked List 0
0 : Exit 0
Enter your option: 0
Original Linked list
Amar (M) --> Narmada (F) --> Veer (M) --> Raj (M) --> Yamuna (F) --> Ganga (F)
Modified Linked list
Narmada (F) --> Yamuna (F) --> Ganga (F) --> Amar (M) --> Veer (M) --> Raj (M)
```

```
Test Case - 2
User Output
Insert Data Ganga
Enter Name: Ganga
Enter Gender: F
1 : Insert into Linked List 1
0 : Exit 1
Enter your option: 1
Enter Name: Yamuna
Enter Gender: F
1 : Insert into Linked List 1
0 : Exit 1
Enter your option: 1
Enter Name: Narmada
Enter Gender: F
1 : Insert into Linked List 0
0 : Exit 0
Enter your option: 0
Original Linked list
Narmada (F) --> Yamuna (F) --> Ganga (F)
Modified Linked list
Narmada (F) --> Yamuna (F) --> Ganga (F)
```

Test Case - 3		
Jser Output		
Insert Data Raj		
nter Name: Raj		
nter Gender: M		
l : Insert into Linked List 1		
e : Exit 1		
nter your option: 1		

Enter Name: Veer	
Enter Gender: M	
1 : Insert into Linked List 1	
0 : Exit 1	
Enter your option: 1	
Enter Name: Amar	
Enter Gender: M	
1 : Insert into Linked List 0	
0 : Exit 0	
Enter your option: 0	
Original Linked list	
Amar (M)> Veer (M)> Raj (M)	
Modified Linked list	
Amar (M)> Veer (M)> Raj (M)	