# ML for Demand Systems

```
Greg Lewis (MSR + NBER) Matt Taddy (MSR + Chicago) Kui Tang (Columbia)

Jason Hartford (UBC) Richard Li (UW) Mengting Wan (UCSD) James Zou (Stanford)

Matt Goldman (MSFT) Justin Rao (MSR) Di Wang (MSR)
```

### What is a demand system?

Suppose that you have transactions 't' on products 'j'. Write the quantity bought 'q' as

$$q_{tj} = \alpha_j(\boldsymbol{d}_t) + \gamma_j \log p_{tj} + \varepsilon_{tj}$$

a function of utility we can  $(\alpha_j(\mathbf{d}_t))$  and can't  $(\varepsilon_{tj})$  see, plus price  $p_{tj}$ .

You need to have a model like this to target customers or set prices.

### Where does price come from?

Recall  $q_{tj} = \alpha_j(\boldsymbol{d}_t) + \gamma_j \log p_{tj} + \varepsilon_{tj}$ Write a similar equation for price

$$\log p_{tj} = \varphi_t(\mathbf{c}_j) + \beta_j q_{tj}^* + \nu_{tj}$$

and the *demand system* is in equilibrium when  $q_{tj}^{\star}=q_{tj}$ 

This equilibrium introduces `price endogeneity':  $\mathbb{E}[p_{tj}\varepsilon_{tj}] \neq 0$ 

#### Measuring demand can be tough

- we don't know anything about  $\varepsilon_{ti}$  and price is endogenous
- $oldsymbol{d}_t$  could be really high dimensional and  $lpha_j$  tough to specify
- demand for *j* depends on cost of substitutes and complements

#### Utility models let us estimate pieces of simplified systems

- Discreet choice of BLP and McFadden for one-hot selections
- Hedonics of Rosen and Bajari+Benkard model prices directly
- Almost Ideal and Translog systems for budget shares
- Anything that admits an Instrumental Variable strategy

What can stat/machine/deep learning offer?

## Sometimes it's just regression

If we treat  $\varepsilon_{tj}$  as independent this is a simple prediction problem e.g., model store transactions with covariates  $x_{tj}$  as


$$\mathbb{E} \log q_{tj} = \mathbf{x}'_{tj} \mathbf{\beta} + \log p_{tj} \mathbf{x}'_{tj} \mathbf{\gamma}$$

#### **Elasticities:**


one shared:  $x_{ti} = 1$ 

$$\frac{dq}{dp}\frac{p}{q} = -0.23$$

brand-specific:  $x_{tjk} = \mathbb{1}_{[k=j]}$ 



 $x_{ti}$  = featurized description




#### Cross-Product Sales Effects

Products move together

We can fit a graph of conditional dependencies (i.e., the precision) as a function of distance in both observables and latent space.

(using roll-outs for identification)






### Deep Hedonics

Hedonic regression models prices from product characteristics

If the characteristic space is continuous and low-D then you can invert this to get demand for characteristics

We use auto-encoders to learn low-D latent characteristics



### Product Co-occurrence

$$q_{tj} = \alpha_j(\boldsymbol{d}_t) + \gamma_j \log p_{tj} + \varepsilon_{tj}$$

Ignoring price (and demand shifters), a market with many products yields many big J-vectors of correlated quantities  $\mathbf{q}_t = [q_{t1} \cdots q_{tJ}]'$ .

Classic "data mining" seeks association rules in market baskets:

Find 
$$j \neq k$$
 pairs so that  $\mathbb{E}[q_{tj}q_{tk}] \gg \mathbb{E}q_{tj}\mathbb{E}q_{tk}$ 

Contemporary ML (e.g., from NLP) has much better tools for this.

### Word Embedding in NLP

Tools like word2vec and glove map from the J-dimensional discrete vocabulary word-occurrence space to [two] vector *embeddings* in  $\mathbb{R}^S$ , and  $S \ll J$ 

Say  $q_{tj} = 1$ [word j occurs in sentence/window t]


$$\max \left\{ \sum_{t} \sum_{j,k} q_{tj} q_{tk} \boldsymbol{u}_{j}' \boldsymbol{v}_{k} - A(\boldsymbol{U}, \boldsymbol{V}, \boldsymbol{C}) \right\}$$

where  $c_{jk} = \sum_{t} q_{tj} q_{tk}$  and  $A(\cdot)$  is a normalizing constant

Word2vec uses A from binomial logit models (Poisson model works nicely also) Glove uses A for the WLS obj.  $\sum_{j,k} w_{jk} \left(c_{jk} - u_i'v_k\right)^2$  with  $w_{jk} = \mathbb{1}[c_{jk} > 0]$ 


### Product Embeddings

words are like products and sentences are like baskets



substitutes (synonyms) are close in the same vector space complements (topical words) are close across vector spaces

Supermarkets products are organized into narrowly defined modules If we believe that modules contain mostly substitutes, then same-space embedding neighbors should often be in the same module



## Moving inside a demand system (AIDS)

It's almost ideal:

$$\mathbf{s}_t = \boldsymbol{\alpha} + \Gamma \log(\boldsymbol{p}_t) + \boldsymbol{\beta} \log \frac{e_t}{\phi_t} + \boldsymbol{\varepsilon}_t$$

 $s_{tj}$  is the budget share for product j in basket t and  $e_t$  is the budget

$$(e_t = \sum_j \$_{tj} \text{ and } s_{tj} = \$_{tj}/e_t)$$

 $\phi_t$  is the translog price index  $\sum_j \log p_{tj} \left[ \alpha_j + \sum_k \gamma_{jk}^* \log p_{tk} \right]$ 

(which we will replace with a plug-in for estimation)

Crucial: the errors are independent from price under certain assumptions! We can actually estimate this thing, and it is meaningful after aggregation

## Factorizing $\Gamma$

The price terms are key to finding complements and substitutes

$$\mathbb{E}s_{tj} = \alpha_j + \sum_k \gamma_{jk} \log p_{tj} + \beta_j \frac{e_t}{\phi_t}$$

 $\Gamma$  is  $J \times J$ , so we need to reduce dimension if J is going to go big

One option: square matrix factorizations from word/prod embedding Rewrite  $\Gamma = UV' + D$  where  $u_i, v_j$  are S-vectors and D is J-diagonal

## Embedding lunch on the cape

Γ	coke	pepsi	burger	fries	oyster
coke	-0.25	0.25	0.000	0.000	0.0
pepsi	0.25	-0.25	0.000	0.000	0.0
burger	0.00	0.00	0.125	-0.125	0.0
fries	0.00	0.00	-0.125	0.125	0.0
oyster	0.00	0.00	0.000	0.000	0.0

	coke	pepsi	burger	fries	oyster
alpha	0.15	0.15	0.50	0.1	0.10
beta	0.02	0.02	-0.15	0.1	0.01
mean price	0.50	0.50	3.00	1.0	0.50

coke fries



pepsi

burger

### Back to beer


Translate the  $\gamma_{jk}$  values into [compensated] elasticities as

$$\frac{\gamma_{jk}}{\overline{S_j}} - \overline{S_k} - \mathbb{1}_{[k=j]}$$

and you can also get income effects, uncomp. elast., etc.

udweisen

#### Elasticity matrix (omitting diagonal)



### Just a start

We're doing all this to scale up to Really Big J Products, keeping things fast enough to have parameters change for subgroups of transactions.

AIDS implies restrictions:  $\gamma_{jk} = \gamma_{kj}$ ,  $\sum_{j} \gamma_{jk} = \sum_{j} \gamma_{kj} = \sum_{j} \beta_{j} = 0$ We're going to use these (esp. symmetric matrix factorization).

The big agenda: bring ML into models that Econ says are measurable