

Inspiring Excellence

Course Title: Database Management

Course Code: CSE 370 Lab Assignment no: 03

> Name: Tahmid Iqbal Student ID; 21201701 Section: 06

Using the bank database, write MySQL queries for the following tasks: 1. Find the name and loan number of all customers having a loan at the Downtown branch. [2]

Command:

```
select c.customer_name, l.loan_number from customer c, borrower b, loan l, branch br where c.customer_id = b.customer_id and b.loan_number = l.loan_number and l.branch_name = br.branch_name and br.branch_name = 'Downtown';
```

```
-- 1. Find the name and loan number of all customers having a loan at the Downtown branch.
122
123
         select c.customer_name, 1.loan_number
124 •
         from customer c, borrower b, loan 1, branch br
125
         where c.customer_id = b.customer_id
126
         and b.loan number = 1.loan number
         and 1.branch name = br.branch name
128
129
         and br.branch_name = 'Downtown';
                                               Export: Wrap Cell Content: IA
Result Grid
               Filter Rows:
   customer_name
                   loan_number
   Johnson
                  L-14
   Jones
                  L-17
   Williams
                  L-17
```

2. Find all the possible pairs of customers who are from the same city. show in the format Customer1, Customer2, City. [2]

Command:

```
select distinct c1.customer_name as customer1, c2.customer_name as customer2, c1.customer_city as city
from customer c1, customer c2
where c1.customer_city = c2.customer_city
and c1.customer_id < c2.customer_id;
```

```
139

⊖ /* 2. Find all the possible pairs of customers who are from the same city.

              show in the format Customer1, Customer2, City. */
140
141
142 •
         select distinct c1.customer_name as customer1, c2.customer_name as customer2, c1.customer_city as city
143
         from customer c1, customer c2
         where c1.customer_city = c2.customer_city
144
         and c1.customer_id < c2.customer_id;
145
                                              Export: Wrap Cell Content: 1A
customer1 customer2
                         city
   Jones
                         Harrison
              Hayes
   Smith
              Curry
                         Rye
   Lindsay
              Adams
                         Pittsfield
                         Stamford
   Turner
              Green
```

3. If the bank gives out 4% interest to all accounts, show the total interest across each branch. Print Branch_name, Total_Interest [1]

Command:

select a.branch name, sum(a.balance * 0.04) as total interest from account a group by a.branch name; 152 branch. Print Branch_name, Total_Interest */ select a.branch_name, sum(a.balance * 0.04) as total_interest 154 • from account a 155 group by a.branch_name; 156 Export: Wrap Cell Content: \$\frac{1}{4}\$ Result Grid Filter Rows: branch_name total_interest 20.00 Downtown Perryridge 16.00 Brighton 66.00 Mianus 28.00

4. Find account numbers with the highest balances for each city in the database [1]

Command:

Redwood

Round Hill

28.00

14.00


```
select a.branch name, a.account number, a.balance
from account a
where (a.branch name, a.balance) in (
  select branch name, max(balance)
  from account
  group by branch name
);
```

```
/* Find account numbers with the highest balances for each city in the database */
158
159
         select a.branch_name, a.account_number, a.balance
160 •
         from account a
162
      where (a.branch_name, a.balance) in (
             select branch_name, max(balance)
163
             from account
164
165
             group by branch_name
         );
166
                                               Edit: 🚄 🖶 Export/Import: 识 🐻 | Wrap Cell C
Result Grid
                Filter Rows:
   branch_name
                 account_number
                                  balance
   Downtown
                 A-101
                                 500
   Perryridge
                 A-102
                                 400
   Brighton
                 A-201
                                 900
   Mianus
                 A-215
                                 700
   Redwood
                 A-222
                                 700
   Round Hill
                 A-305
                                 350
  NULL
                NULL
                                 NULL
```

5. Show the loan number, loan amount, and name of customers who have the top 5 highest loan amounts. The data should be sorted by increasing amounts, then decreasing loan numbers in case of the same loan amount. [Hint for top 5 check the "limit" keyword in mysql] [2]

Command:

```
select l.loan_number, l.amount, c.customer_name from loan l
join borrower b on l.loan_number = b.loan_number
join customer c on b.customer_id = c.customer_id
order by l.amount asc, l.loan_number desc
limit 5;
```



6. Find the names of customers with an account and also a loan at the Perryridge branch. [2]

Command:

select distinct c.customer_name
from customer c
inner join depositor d on c.customer_id = d.customer_id
inner join account a on d.account_number = a.account_number
inner join borrower b on c.customer_id = b.customer_id
inner join loan l on b.loan_number = l.loan_number
where a.branch_name = 'Perryridge' and l.branch_name = 'Perryridge';

```
191
         -- Find the names of customers with an account and also a loan at the Perryridge branch.
192
         select distinct c.customer_name
193 •
194
         from customer c
         inner join depositor d on c.customer_id = d.customer_id
195
         inner join account a on d.account_number = a.account_number
196
         inner join borrower b on c.customer_id = b.customer_id
197
         inner join loan 1 on b.loan_number = 1.loan_number
198
199
         where a.branch_name = 'Perryridge' and l.branch_name = 'Perryridge';
Result Grid
               Filter Rows:
                                               Export: Wrap Cell Content: IA
   customer_name
  Hayes
```

7. Find the total loan amount of all customers having at least 2 loans from the bank. Show in format customer name, total_loan. [2]

Command:

```
select c.customer_name, sum(l.amount) as total_loan from customer c join borrower b on c.customer_id = b.customer_id join loan l on b.loan_number = l.loan_number group by c.customer_name having count(l.loan_number) >= 2;
```

```
/* Find the total loan amount of all customers having at least 2 loans from the bank.
        Show in format customer name, total_loan. */
223
224
225 0
         select c.customer_name, sum(l.amount) as total_loan
         from customer c
226
         join borrower b on c.customer_id = b.customer_id
227
         join loan 1 on b.loan_number = 1.loan_number
228
229
         group by c.customer_name
230
         having count(1.loan_number) >= 2;
                                               Export: Wrap Cell Content: IA
Result Grid
               Filter Rows:
   customer name
                   total loan
   Smith
                  2900
```