

**Gold Sponsors** 







slalom



#### **Platinum Sponsors**

ScrumSimple.com

Scrum. Simple.





Silver Sponsor

atmosera




**Attendee Party Sponsor** 

Swag Sponsor



### Who is Chad Green

- chadgreen@chadgreen.com
- TaleLearnCode
- ChadGreen.com
- ChadGreen & TaleLearnCode
- in ChadwickEGreen



# Preamble

**Building Event-Driven Microservices** 





## **Monolith**

Enterprise Architecture

UI

Order Processing

Payment Processing

**Inventory Management** 

Notification

**Fulfillment** 


Database






# Microservices

**Enterprise Architecture** 



### **Process Flow**

#### Microservices



**Building Event-Driven Microservices** 









A software architecture pattern promoting the production, detection, consumption of, and reaction to events.

- Wikipedia -











Event-driven architecture (EDA) is a design paradigm in which a software component executes in response to receiving one or more event notifications.

EDA is more loosely coupled than client/server paradigm because the component that sends the notification doesn't know the identity of the receiving components at the time of compiling

- Garner -








Event-driven architecture (EDA) is a design paradigm in which a software component executes in response to receiving one or more event notifications.

EDA is more loosely coupled than client/server paradigm because the component that sends the notification doesn't know the identity of the receiving components at the time of compiling

- Garner -











### **Process Flow**


#### Microservices







# Not Queue Based Processing



# **Event Consumption Models**


Event-Driven Architecture

Pub/Sub **Event Streaming Event Consumer Event Producer Event Ingestion Event Consumer Event Consumer** 





# **Consumer Processing Variations**





### **External Event Sources**


**Event-Driven Architecture** 

**Event Consumer Event Producer Event Ingestion Event Consumer Event Consumer** 





# Multiple Consumer Instances





#### When to use this architecture

Event-Driven Architecture

Multiple Subsystems


**Real-Time Processing** 

Complex Event Processing

High Volume/Velocity
Data



# **Benefits**

















# Drawbacks










# Limitations

Event-Driven Architecture

**Guaranteed Delivery** 





# Implementation Options

**Building Event-Driven Microservices** 





# Implementation Options









































# **Implementation Options**








### **Azure Event Hubs**

Simple, secure, and scalable real-time data ingestion




Fully managed, realtime data ingestion service that is simple, trusted, and scalable



# Why choose Event Hubs?

Azure Event Hubs














**Azure Event Hubs** 










**Azure Event Hubs** 







#### **Partitions**





**Azure Event Hubs** 







# **Consumer Groups**





**Azure Event Hubs** 







**Throughput Units** 



**Azure Event Hubs** 





**Event Receivers** 





# Demonstration

**Building Event-Driven Microservices** 






















#### Resident Move-In






#### Resident Move-In






#### Resident Move-In




### **Upgrade Care**








### **Upgrade Care**







### **Upgrade Care**







# Summary

**Building Event-Driven Microservices** 





# **Event-Driven Architecture**

Summary



Event-driven architecture (EDA) is a design paradigm in which a software component executes in response to receiving one or more event notifications.

EDA is more loosely coupled than client/server paradigm because the component that sends the notification doesn't know the identity of the receiving components at the time of compiling

- Garner -





#### Summary

### **Strengths**

- Decoupling
- Encapsulation
- Responsive
- Scalable / Distributed
- Independence





#### Summary

#### **Strengths**

- Decoupling
- Encapsulation
- Responsive
- Scalable / Distributed
- Independence

#### Weaknesses

- Steep Learning Curve
- Complexity
- Loss of Transactionality
- Linage



#### Summary

#### **Strengths**

- Decoupling
- Encapsulation
- Responsive
- Scalable / Distributed
- Independence

#### Weaknesses

- Steep LearningCurve
- Complexity
- Loss of Transactionality
- Linage

#### **Opportunities**

- MultipleSubsystems
- Real-TimeProcessing
- Complex Event Processing
- High Volume / Velocity Data



Summary

#### **Strengths**

- Decoupling
- Encapsulation
- Responsive
- Scalable / Distributed
- Independence

#### Weaknesses

- Steep Learning Curve
- Complexity
- Loss of Transactionality
- Linage

#### **Opportunities**

- MultipleSubsystems
- Real-TimeProcessing
- Complex Event Processing
- High Volume / Velocity Data

#### **Threats**

- No Guaranteed Delivery
- Potential Sequencing Issues





Summary

#### **Strengths**

- Decoupling
- Encapsulation
- Responsive
- Scalable / Distributed
- Independence

#### Weaknesses

- Steep Learning Curve
- Complexity
- Loss of Transactionality
- Linage

#### **Opportunities**

- MultipleSubsystems
- Real-TimeProcessing
- Complex Event Processing
- High Volume / Velocity Data

#### **Threats**


- No Guaranteed Delivery
- Potential Sequencing Issues





### **Event-Driven Architecture**


Summary





### **Azure Event Hubs**

Summary




Fully managed, real-time data ingestion service that is simple, trusted, and scalable

Simple Secure Scalable Oper



## **Real-World Demonstrations**





# Thank You

- chadgreen@chadgreen.com
- TaleLearnCode
- ChadGreen.com
- ChadGreen & TaleLearnCode
- in ChadwickEGreen

