```
Start here X 1.c X
     1
          #include<stdio.h>
          int main ()
     2
     3
              printf("1,2,3,4,5,6,7,8,9,10,11,12,13,14,15,16,17,18,19,20");
     4
     5
              printf("21,22,23,24,25,26,27,28,29,30,31,32,33,34,35,36,37,38,39,40");
     6
              printf("41,42,43,44,45,46,47,48,49,50,51,52,53,54,55,56,57,58,59,60");
     7
              printf("61,62,63,64,65,66,67,68,69,70,71,72,73,74,75,76,77,78,79,80");
     8
              printf("81,82,83,84,85,86,87,88,89,90,91,92,93,94,95,96,97,98,99,100");
     9
              return 0;
    10
    11
```

```
1,2,3,4,5,6,7,8,9,10,11,12,13,14,15,16,17,18,19,2021,22,23,24,25,26,27,28,29,30,31,32,33,34,35,36,37,38,39,4041,42,43,44,45,46,47,48,49,50,51,52,53,54,55,56,57,58,59,6061,62,63,64,65,66,67,68,69,70,71,72,73,74,75,76,77,78,79,8081,82,83,84,85,86,87,88,89,90,91,92,93,94,95,96,97,98,99,100

Process returned 0 (0x0) execution time : 0.054 s

Press any key to continue.
```

```
Start here X 2.c X 3.c X
             #include<stdio.h>
       1
       2
             int main()
       3
       4
                  int t=100;
       5
                  do {
       6
                       printf("%d ",t);
       7
                       t--;
       8
       9
                  while (t!=0);
      10
      11
```

```
100 99 98 97 96 95 94 93 92 91 90 89 88 87 86 85 84 83 82 81 80 79 78 77 76 75 74 73 72 71 70 69 68 67 6 65 64 63 62 61 60 59 58 57 56 55 54 53 52 51 50 49 48 47 46 45 44 43 42 41 40 39 38 37 36 35 34 33 32 31 30 29 28 27 26 25 24 23 22 21 20 19 18 17 16 15 14 13 12 11 10 9 8 7 6 5 4 3 2 1 Process returned 0 (0x0) execution time : 0.063 s

Press any key to continue.
```

```
Start here X 2.c X 3.c X 4.c X
             #include<stdio.h>
       1
       2
             int main()
       3
            \exists \{
       4
                  int n=1, s=0;
       5
                  while (n<=10) {
       6
                       s=s+n;
       7
                       n++;
       8
       9
                  printf("%d",s);
                  return 0;
      10
      11
      12
```

```
55
Process returned 0 (0x0) execution time: 0.031 s
Press any key to continue.
```

```
Start here X 2.c X 3.c X 4.c X 5.c X
            #include<stdio.h>
       1
       2
            int main()
       3
           ∃ {
       4
                 int n, i=1, s=0;
       5
                 while(i<=3) {
       6
                      scanf("%d",&n);
       7
                      i++;
       8
                      s=s+n;
       9
                 printf("%d",s);
     10
     11
     12
```

```
5
7
8
20
Process returned 0 (0x0) execution time : 5.605 s
Press any key to continue.
```

```
Start here X 2.c X 3.c X 4.c X 5.c X 6.c X
            #include<stdio.h>
       1
       2
             int main()
       3
       4
                  int n, i=0;
       5
                  scanf ("%d", &n);
       6
                  while (n>0) {
       7
                       //n%10==0;
       8
                       n=n/10;
       9
                       i++;
      10
                  printf("%d",i);
      11
      12
      13
```

```
4567
4
Process returned 0 (0x0) execution time : 4.763 s
Press any key to continue.
```

```
Start here X 2.c X 3.c X 4.c X 5.c X 6.c X 7.c X
             #include<stdio.h>
       1
       2
            int main()
       3
       4
                  int n, r=0, v;
       5
                  scanf ("%d", &n);
       6
                  while (n>0) {
       7
                       v=n%10;
       8
                       n=n/10;
       9
                       r=r*10+v;
     10
                  printf("%d",r);
     11
     12
      13
```

```
4656767
7676564
Process returned 0 (0x0) execution time : 4.275 s
Press any key to continue.
```

```
Start here X 2.c X 3.c X 4.c X 5.c X 6.c X 7.c X *8.c X 9.c X
             #include<stdio.h>
       1
       2
             int main()
       3
            \exists \{
                   int n, s=0, m;
       4
       5
                   scanf("%d",&n);
       6
                   while (n>0) {
       7
                        m = n % 10;
       8
                        n=n/10;
       9
                        s=s+m;
      10
                  printf("%d",s);
      11
      12
      13
```

```
5789
29
Process returned 0 (0x0) execution time : 5.157 s
Press any key to continue.
```

```
Start here X 2.c X *3.c X
            #include<stdio.h>
       1
            int main()
       3
       4
                 int n=1;
       5
                 do {
       6
                      printf("%d ",n);
       7
                      n++;
       8
                 while (n!=101);
       9
     10
                 return 0;
     11
     12
```

```
1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 28 29 30 31 32 33 34 35 36 37 38 39 40 41 42 43 44 45 46 47 48 49 50 51 52 53 54 55 56 57 58 59 60 61 62 63 64 65 66 67 68 69 70 71 72 73 74 75 76 77 78 79 80 81 82 83 84 85 86 87 88 89 90 91 92 93 94 95 96 97 98 99 100 Process returned 0 (0x0) execution time : 0.035 s
```