







(b) A continuous random variable,  $X$ , has a cumulative distribution function,  $F(x)$ , given by:

$$F(x) = \begin{cases} 0 & x < 0 \\ \frac{1}{2}x^2 & 0 \leq x < 2 \\ 1 & x \geq 2 \end{cases}$$

(i) Find  $P(0 \leq X \leq 1)$ . [~15% marks]

(ii) Find an expression for the probability density function  $f(x)$ . [~10% marks]

(iii) Given  $P(X \leq 1) = \frac{1}{3}$  find  $P(X > 1)$ . [~30% marks]












B4

- (a) An ecologist wants to study the impact of lake acidification, resulting from industrial pollution, on the abundance of zooplankton. Lakes that have been polluted for long periods of time also suffer a loss of calcium (Ca), which by itself might affect zooplankton. To disentangle the effect of acidity (pH) and Ca concentration, the ecologist sets up a number of microcosms which have a combination of high (alkaline) or low pH (acid), and low or high Ca concentration (10 for each combination of treatment levels). After one week, he estimates the mean number of zooplankton per litre (N / litre) in each mesocosm:



He fits a linear model of the interaction between the two predictors, and compares it with an additive model:

	Res. Df	RSS	Df	SS	F
Additive	37	135.95			
Interaction	??	119.05	1	??	??

Complete the table (i.e. the cells with the symbol ??). Is the interaction significant? (show your work)

[~20% marks]





















