## 1

## Assignment 1

## EE22BTECH11053 - Tanmay Vishwasrao

Question 1.5.9

Find the other points of contact  $E_3$  and  $F_3$ .

Solution

From the previous references we have the value of Incentre I is

$$\mathbf{I} = \begin{pmatrix} -1.4775 \\ -0.7949 \end{pmatrix} \tag{1}$$

And the value of inradius r is 1.8969.

The parametric equation of line is:

$$= \mathbf{A} + k\mathbf{m} \tag{2}$$

The equation of Incircle is given by:

$$\|\mathbf{x} - \mathbf{I}\|^2 = r^2 \tag{3}$$

Since its a parametric equation we can substitute (3) as  $\mathbf{x}$  in (4).

$$\|\mathbf{A} + k\mathbf{m} - \mathbf{I}\|^2 = r^2 \tag{4}$$

$$(\mathbf{A} + k\mathbf{m} - \mathbf{I})^{\tau}(\mathbf{A} + k\mathbf{m} - \mathbf{I}) = r^{2}$$
 (5)

On simplifying the above equation:

$$k^{2} ||\mathbf{m}||^{2} + 2k(\mathbf{m})^{T} (\mathbf{A} - \mathbf{I}) + ||\mathbf{I}||^{2} + ||\mathbf{A}||^{2} - 2(\mathbf{A}^{T}\mathbf{I}) - r^{2} = 0$$
 (6)

1) Finding the point  $\mathbf{E}_3$ .

The equation of  $\mathbf{E}_3$ :

$$\mathbf{E}_3 = \mathbf{A} + k(\mathbf{m}) \tag{7}$$

where  $\mathbf{m} = \mathbf{A} - \mathbf{B}$ 

Now putting the values of A, m, I in eq. (7)

$$74k^2 + 27.6463k + 2.5821 = 0 (8)$$

Discriminant of the above equation is:

$$D = (27.6463)^2 - 4(74)(2.5821) \tag{9}$$

$$D = 764.3179 - 764.3179 \tag{10}$$

$$D = 0 \tag{11}$$

Since the discriminant is 0. The value of k will be -b/2a.

$$\therefore k = -\frac{27.6463}{148} \tag{12}$$

$$k = -0.1867 \tag{13}$$

Now we can find  $\mathbf{E}_3$  using above results:

$$\mathbf{E}_3 = \begin{pmatrix} 1 \\ -1 \end{pmatrix} - 0.1867 \begin{pmatrix} 5 \\ -7 \end{pmatrix} \tag{14}$$

$$\mathbf{E}_3 = \begin{pmatrix} 0.066 \\ 0.307 \end{pmatrix} \tag{15}$$

2) Finding the point  $\mathbf{F}_3$ .

For the point  $\mathbf{F}_3$  the value of  $\mathbf{m} = \mathbf{A} - \mathbf{C}$ .

$$\mathbf{F}_3 = \mathbf{A} + k(\mathbf{m}) \tag{16}$$

Now putting the values of A, m, I in eq. (7)

$$32k^2 + 18.1801k + 2.5821 = 0$$
 (17)

Discriminant of the above equation is:

$$D = (18.1801)^2 - 4(32)(2.5821) \tag{18}$$

$$D = 330.51 - 330.51 \tag{19}$$

$$D = 0 \tag{20}$$

Since the discriminant is 0. The value of k will be -b/2a. Using equation (8) we can find the value of k.

$$\therefore k = -\frac{18.1801}{64} \tag{21}$$

$$k = -0.2840 \tag{22}$$

Now we can find  $\mathbf{F}_3$  using above results:

$$\mathbf{F}_3 = \begin{pmatrix} 1 \\ -1 \end{pmatrix} - 0.2840 \begin{pmatrix} 4 \\ 4 \end{pmatrix} \tag{23}$$

$$\mathbf{F}_3 = \begin{pmatrix} -0.136 \\ -2.136 \end{pmatrix} \tag{24}$$




Fig. 2. Points  $\mathbf{E}_3$  and  $\mathbf{F}_3$  plotted using python