

TUNKU ABDUL RAHMAN UNIVERSITY OF MANAGEMENT AND TECHNOLOGY

FACULTY OF COMPUTING AND INFORMATION TECHNOLOGY

ACADEMIC YEAR 2023/2024

JANUARY EXAMINATION

AACS1074 PROGRAMMING CONCEPTS AND DESIGN I

WEDNESDAY, 10 JANUARY 2024

TIME: 2.00 PM – 4.00 PM (2 HOURS)

DIPLOMA IN COMPUTER SCIENCE

DIPLOMA IN INFORMATION TECHNOLOGY

DIPLOMA IN INFORMATION SYSTEMS

Instructions to Candidates:

Answer **ALL** questions. All questions carry equal marks.

AACS1074 PROGRAMMING CONCEPTS AND DESIGN I**Question 1**

a) Identify the data type for the following literal constants.

- (i) 12345
- (ii) "12345"
- (iii) 123.45f
- (iv) 123.45
- (v) '5'

(5 marks)

b) Identify whether the following identifiers are valid or invalid according to C language and Camel Case Naming Convention. Provide reason if it is invalid.

No	Identifier	Valid/Invalid	Reason if identifier is invalid
(i)	_error		
(ii)	2save		
(iii)	double		
(iv)	GST RATE		
(v)	serviceStatus		
(vi)	include		
(vii)	payment2023		
(viii)	for		
(ix)	interest\$		

(14 marks)

c) Write C statement according to the following.

- (i) Declare price of a PC which is initialised to 3500.00.
- (ii) Declare grade of a student and initialise to value 'A'.
- (iii) Declare a variable PI as a memory constant with value 3.142.

(6 marks)

[Total: 25 marks]

AACS1074 PROGRAMMING CONCEPTS AND DESIGN I**Question 2**

- a) Given the following printf statements, show the output for each of the statements. Use □ to indicate one blank space in your output.

- (i) `printf("%5d\n", 123);`
- (ii) `printf("%8.2f\n", 123.456);`
- (iii) `printf("%-8.2f\n", 123.456);`
- (iv) `printf("%5s\n", "cat");`
- (v) `printf("%8.6s\n", "beautiful");`

(5 marks)

- b) Given `int a = 2, b = 30`; what is the output produced by the following code segment? (Hint: (i) to (iv) are inter-related)

- (i) `printf("a = %d, b = %d\n", a++, b++);`
- (ii) `printf("a = %d, b = %d\n", ++a, ++b);`
- (iii) `printf("a = %d, b = %d\n", --a, b--);`
- (iv) `printf("a = %d, b = %d\n", a--, b--);`

(8 marks)

- c) Convert the following algorithm that is written in pseudocode into a complete flowchart:

```

BEGIN
  Set female = 0, male = 0
  Read number of students
  WHILE number of student not equal to 0
    Read student's gender
    IF gender is equivalent to 'F' THEN
      female increased by 1
    ELSE
      male increased by 1
    END IF
    number of student decreased by 1
  END WHILE
END

```

(12 marks)

[Total: 25 marks]

AACS1074 PROGRAMMING CONCEPTS AND DESIGN I**Question 3**

- a) Convert the following formula into C programming code.

$$x = \sqrt{2a(b + c)} + 2y^3 \quad (5 \text{ marks})$$

- b) (i) Write a **Menu()** function by using C programming code, this function will produce the following output and return user input as an end result.

```

*****
Membership Menu
*****
[1] Gold

[2] Silver

[3] Classic

[4] EXIT

*****
Enter option [1-4]:

```

(8 marks)

- (ii) Write in C programming code to implement a menu validation, in which it will repeat calling the **Menu()** function in Question 3 b) (i) until the user input is a valid option. A message will be displayed based on user input as shown in the table below (Hint: use do-while loop for menu validation and case structure to handle user selection).

User Input	Message displayed
1	You are entitled of 50 percent discount
2	You are entitled of 20 percent discount
3	You are entitled of 10 percent discount
4	Good Bye!!
others	Invalid Option!! Please try again!

(12 marks)

[Total: 25 marks]

AACS1074 PROGRAMMING CONCEPTS AND DESIGN I**Question 4**

- a) (i) Declare and initialise an array (named **intArray**) to 0, this array can store up to 10 integers. (3 marks)
- (ii) Write in C programming code to prompt and get 10 integers from user and store those integers into the array **intArray**. (5 marks)
- (iii) Write a C programming statement to add 5 into the fourth integer of **intArray**. (2 marks)
- (iv) Write in C programming code to find the highest integer in **intArray**. (5 marks)
- b) (i) Declare a 2-D array (named **myArray**, with 4 rows and 3 columns) of type integer and initialise the 2-D array to 0. (3 marks)
- (ii) Write C programming statements to prompt and input 12 integers into **myArray**. (5 marks)
- c) Write a C programming statement to compare the strings s1 with s2 and print the result. (2 marks)

[Total: 25 marks]