# Assignment 5 - Q55, June 2018

## Tarandeep Singh

### Github Link

https://github.com/Tarandeep97/AI5030

#### 1 Problem

(Q55, June 2018) Consider the problem of estimation of a parameter  $\theta$  on the basis of X, where  $X \sim N(\theta,1)$  and  $-\infty < \theta < \infty$ . Under squared error loss, X has uniformly smaller risk than that of kX, for

- 1) k < 0
- 2) 0 < k < 1
- 3) k > 1
- 4) no value of k

### 2 Solution

Let  $\hat{\theta}$  be the estimated mean for parameter  $\theta$ , then squared loss is given by,

$$L(\theta, \hat{\theta}) = (\theta - \hat{\theta})^2 \tag{2.0.1}$$

The Risk of the estimator for X is,

$$R(\theta, \hat{\theta}) = E[L(\theta, \hat{\theta})] \tag{2.0.2}$$

$$= E[(\theta - \hat{\theta})^2] \tag{2.0.3}$$

Let Y = kX then,

$$E[Y] = E[kX] = kE[X]$$
 (2.0.4)

$$E[Y] = k\theta \tag{2.0.5}$$

The Risk of estimator for kX is,

$$R(k\theta, k\hat{\theta}) = E[L(k\theta, k\hat{\theta})]$$
 (2.0.6)

$$= E[(k\theta - k\hat{\theta})^2] \tag{2.0.7}$$

$$= k^2 . E[(\theta - \hat{\theta})^2]$$
 (2.0.8)

From equation 2.0.3 and 2.0.8, for k > 1, X has uniformly smaller risk than kX. Hence, option 3 is correct.

1