RCS

RCS stands for Rich Communication Services. It is a next-generation messaging protocol that enables advanced messaging features such as group chats, high-resolution media sharing, read receipts and more. It is designed to replace the traditional SMS/MMS messaging system and provide a more interactive and engaging messaging experience.

RCS uses a so-called Agent to send RCS messages. It is sometimes called a Bot.

Google is behind the RCS-protocol. In Norway two operators support RCS, Telenor and Telia. ice does not support RCS at this moment (May 2025). RCS is only supported by Android smartphones, not iPhones, but this may change soon.

After the agent is set up, you can start making your **campaign**. One agent can have several campaigns.


You may start using the RCS-campaign immediately after saving, there is no buffer or cache time.

There are three basic types of steps in an RCS-message:
- Text
- Card
- Carousel

Text is the most basic, with just a caption with up to 12 buttons below and 2000 characters of text. Example:



Card may include one media file, either picture or video, some text (max 2000 characters) with up to 4 buttons below. Example:



Notice the bottom button has a globe. That indicates this button leads to an url. The phone will open a browser and lead the user to the website defined in this step.

Carousel may include up to 10 elements each including media file, text and up to 4 buttons each. Example:




A carousel is essentially multiple cards next to each other. Also see point 4 in the section below.


Best practices for using RCS

1. Give the end user a few, concise and clear actions. Frontload information your users care about. Avoid prompting for free text as reply, provide buttons instead.

DO.



DON'T.



2. Keep a good rhythm: Using diverse types of information in conversations keeps users engaged and interacting with your agent but be careful to not overwhelm your users. Keep messages within engaging, digestible lengths that let the user see the whole message onscreen at once.

3. The font size is determined by the user's handset. Be mindful that some users may have large text set on their phone. Try to make the text in one step fit on one screen, to prevent scrolling.

4. When using the carousel type of RCS, Google will truncate the card(s) if the cards have long texts or titles. Google does it in this order:

1. Reduce the description to one line.
2. Reduce the title to one line.
3. Omit suggestions that do not fit in the card, starting from the end of the defined list.
4. Omit the description.
5. Omit the title.

See also: https://developers.google.com/business-communications/rcs-business-messaging/guides/build/messages/send#truncation-carousel

Exactly how much is truncated depends on the font size, resolution etc. on the handset. The best way to avoid truncation, is to keep cards within carousel short and concise.

5. Don't create dead ends. Each suggested reply should lead to a meaningful conversation thread with the user. For example: Do not make a carousel with only media, but no buttons. How is the end user supposed to reply?

6. As a rule of thumb, a picture should be twice as wide as high. When using media (images and video), be respectful of the user's resources. Images will be scaled up or down to fit the handset of the user. The **optimal** resolution for the media is 1440x720 px (horizontal) and 768x1024 px (vertical) with a **maximum** recommended file size of 2 MB for images and 10 MB for video. The optimal resolution for the media's thumbnail is 770x335 px with a recommended file size of 40 kB and a recommended maximum size of 100 kB.

7. Remember that when using images, the system does not leave any space around the actual picture. Bear that in mind, so you leave some "air" around your image, especially charts and illustrations containing text, to prevent a cramped layout.

8. Telenor and Telia allow you to change the colour of the font itself, but not the buttons. The buttons are always light grey. Please provide Strex/Target365 with a colour-code for your font, in RGB format (#000000 is black).

9. Respect when the user does not want messages. Your agent must understand when users reply "STOP" and react appropriately. This means that if the user replies STOP (or STOPP in

Norwegian) at any time, the agent should send an end message and cease to send additional message.

10. No elements are required, but think through your flow, and avoid illogical steps or dead ends (also see point 5)

11. One agent can have multiple campaigns. Be mindful so that two or more campaigns do not overlap. Each reply from the user includes a campaign-specific ID, so one button/reply should not be interpreted as a reply to another campaign. However, be wary when you switch from one campaign to another, as users can take days or weeks to reply to one agent.

Payment as an activity in the RCS Flow Editor

If you want to include payment as part of an RCS conversation, the **Checkout** module must be activated on your account. The keyword configuration is managed within the Checkout services, where you link a payment point in the RCS dialogue to the keyword of your choice. Reporting and revenue tracking will be associated with the selected keyword and not with the analytics of the RCS dialogue itself.

Please also note that for one-time payments, you can override the price configured on the keyword directly within the RCS setup. This is not possible for recurring payments. If you need multiple amounts for recurring payments, you must create a separate keyword in Checkout for each amount.