Real_data_example_Binomial-MGWR

May 19, 2020

Notebook Outline:

- Section 0.0.1
- Section 0.0.2
- Section 0.0.3
 - Section 0.0.4
 - Section 0.0.3
- Section 0.0.4
 - Section 0.0.3
 - Section 0.0.4
- Section 0.0.5

0.0.1 Set up Cells

```
In [1]: import sys
        sys.path.append("C:/Users/msachde1/Downloads/Research/Development/mgwr")
In [2]: import warnings
        warnings.filterwarnings("ignore")
        import pandas as pd
        import numpy as np
        from mgwr.gwr import GWR
        from spglm.family import Gaussian, Binomial, Poisson
        from mgwr.gwr import MGWR
        from mgwr.sel_bw import Sel_BW
        import multiprocessing as mp
        pool = mp.Pool()
        from scipy import linalg
        import numpy.linalg as la
        from scipy import sparse as sp
        from scipy.sparse import linalg as spla
        from spreg.utils import spdot, spmultiply
        from scipy import special
        import libpysal as ps
```

```
import seaborn as sns
import matplotlib.pyplot as plt
from copy import deepcopy
import copy
from collections import namedtuple
import spglm
```

0.0.2 Clearwater Landslides Dataset

Clearwater data - downloaded from link: https://sgsup.asu.edu/sparc/multiscale-gwr

```
In [3]: data_p = pd.read_csv("C:/Users/msachde1/Downloads/logistic_mgwr_data/landslides.csv")
In [4]: data_p.head()
Out [4]:
          UserID
                           Х
                                      Y
                                            Elev
                                                     Slope SinAspct CosAspct \
               1 616168.5625 5201076.5 1450.475 27.44172 0.409126 -0.912478
       0
       1
               2 624923.8125 5201008.5 1567.476
                                                  21.88343 -0.919245 -0.393685
               3 615672.0000 5199187.5 1515.065 38.81030 -0.535024 -0.844837
               4 615209.3125 5199112.0 1459.827
                                                  26.71631 -0.828548 -0.559918
               5 616354.6875 5198945.5 1379.442 27.55271 -0.872281 -0.489005
          AbsSouth Landslid DistStrm
       0
           24.1499
                          1
                                8.506
       1 66.8160
                          1
                              15.561
                              41.238
       2 32.3455
                          1
         55.9499
                               17.539
           60.7248
                               35.023
```

0.0.3 Univariate example

GWR Binomial model with independent variable, x = slope

```
In [5]: coords = list(zip(data_p['X'],data_p['Y']))
    y = np.array(data_p['Landslid']).reshape((-1,1))
    elev = np.array(data_p['Elev']).reshape((-1,1))
    slope = np.array(data_p['Slope']).reshape((-1,1))
    SinAspct = np.array(data_p['SinAspct']).reshape(-1,1)
    CosAspct = np.array(data_p['CosAspct']).reshape(-1,1)
    X = np.hstack([elev,slope,SinAspct,CosAspct])
    x = CosAspct

    X_std = (X-X.mean(axis=0))/X.std(axis=0)
    x_std = (x-x.mean(axis=0))/x.std(axis=0)
    y_std = (y-y.mean(axis=0))/y.std(axis=0)

In [6]: bw=Sel_BW(coords,y,x_std,family=Binomial(),constant=False).search()
    gwr_mod=GWR(coords,y,x_std,bw=bw,family=Binomial(),constant=False).fit()
    bw
Out[6]: 108.0
```

Running the function with family = Binomial()

Bandwidths check

Parameter check

Bandwidth check

selector.search(verbose=True)

```
Current iteration: 1 ,SOC: 0.116124
Bandwidths: 43.0, 62.0, 191.0, 100.0, 108.0
Current iteration: 2 ,SOC: 0.0266811
Bandwidths: 43.0, 106.0, 210.0, 100.0, 184.0
Current iteration: 3 ,SOC: 0.0008147
Bandwidths: 43.0, 106.0, 210.0, 100.0, 184.0
Current iteration: 4 ,SOC: 5.28e-05
Bandwidths: 43.0, 106.0, 210.0, 100.0, 184.0
Current iteration: 5 ,SOC: 5.3e-06
Bandwidths: 43.0, 106.0, 210.0, 100.0, 184.0
Out[13]: array([ 43., 106., 210., 100., 184.])
In [14]: mgwr_mod = MGWR(coords, y,X_std,selector,family=Binomial(),constant=True).fit()
HBox(children=(IntProgress(value=0, description='Inference', max=1), HTML(value='')))
AIC, AICc, BIC check
In [15]: gwr_mod.aicc, mgwr_mod.aicc
Out [15]: (264.9819711678866, 251.85376815296377)
0.0.5 Global model check
In [16]: selector=Sel_BW(coords,y,X_std,multi=True,family=Binomial(),constant=True)
         selector.search(verbose=True,multi_bw_min=[239,239,239,239,239], multi_bw_max=[239,239]
Current iteration: 1 ,SOC: 0.6120513
Bandwidths: 239.0, 239.0, 239.0, 239.0, 239.0
Current iteration: 2 ,SOC: 0.0594775
Bandwidths: 239.0, 239.0, 239.0, 239.0, 239.0
Current iteration: 3 ,SOC: 0.0025897
Bandwidths: 239.0, 239.0, 239.0, 239.0, 239.0
Current iteration: 4 ,SOC: 0.0001289
Bandwidths: 239.0, 239.0, 239.0, 239.0, 239.0
Current iteration: 5 ,SOC: 1.17e-05
Bandwidths: 239.0, 239.0, 239.0, 239.0, 239.0
Current iteration: 6 ,SOC: 1.2e-06
Bandwidths: 239.0, 239.0, 239.0, 239.0, 239.0
```

In [13]: selector = Sel_BW(coords,y,X_std,family=Binomial(),multi=True,constant=True)

```
Out[16]: array([239., 239., 239., 239., 239.])
In [17]: mgwr_mod = MGWR(coords, y,X_std,selector,family=Binomial(),constant=True).fit()
HBox(children=(IntProgress(value=0, description='Inference', max=1), HTML(value='')))
In [18]: gwr_mod.summary()
_____
Model type
                                                              Binomial
Number of observations:
                                                                   239
Number of covariates:
Global Regression Results
Deviance:
                                                               266.246
Log-likelihood:
                                                              -133.123
AIC:
                                                               276.246
AICc:
                                                               276.504
BIC:
                                                             -1015.246
Percent deviance explained:
                                                                 0.182
Adj. percent deviance explained:
                                                                 0.168
                                  Est. SE t(Est/SE) p-value
Variable
0.389 0.150 2.591 0.010
XΟ

      -0.784
      0.166
      -4.715
      0.000

      0.654
      0.168
      3.881
      0.000

      0.039
      0.149
      0.264
      0.792

      -0.371
      0.156
      -2.381
      0.017

Х1
X2
Х3
Х4
Geographically Weighted Regression (GWR) Results
______
Spatial kernel:
                                                      Adaptive bisquare
Bandwidth used:
                                                               121.000
Diagnostic information
______
Effective number of parameters (trace(S)):
                                                                23.263
Degree of freedom (n - trace(S)):
                                                               215.737
Log-likelihood:
                                                              -106.599
AIC:
                                                               259.725
AICc:
                                                               264.982
BIC:
                                                               340.598
```

Percent deviance explained:

0.345

Adjusted percent deviance explained:	0.274
Adj. alpha (95%):	0.011
Adj. critical t value (95%):	2.571

Summary Statistics For GWR Parameter Estimates

X0 0.459 0.360 -0.360 0.436 1.232 X1 -0.824 0.479 -2.128 -0.729 -0.095 X2 0.567 0.390 -0.030 0.600 1.328 X3 0.103 0.270 -0.473 0.183 0.565 X4 -0.331 0.247 -1.118 -0.287 0.096	Variable	Mean	STD	Min	Median	Max
	X1	-0.824	0.479	-2.128	-0.729	-0.095
	X2	0.567	0.390	-0.030	0.600	1.328
	X3	0.103	0.270	-0.473	0.183	0.565

In [19]: np.mean(mgwr_mod.params,axis=0)

Out[19]: array([0.19936242, -0.3251776 , 0.32069312, 0.04295657, -0.20408904])

In [20]: mgwr_mod.bic, gwr_mod.bic

Out[20]: (303.9521120546862, 340.5982180538755)