amended



1/15

CHALLENGE PLUS

 Version 2 / GB
 Revision Date: 30.08.2025

 102000034695
 Print Date: 12.09.2025

SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1 Product identifier

Trade name CHALLENGE PLUS

Product code (UVP) 86261421

UFI DHM0-20F5-500C-0DC1 (for Northern Ireland only)

1.2 Relevant identified uses of the substance or mixture and uses advised against

Use Herbicide

1.3 Details of the supplier of the safety data sheet

Supplier Bayer CropScience Limited

PO Box 1582

CB1 0FE Cambridge United Kingdom

Telephone +44(0)1223 226500

FOR NORTHERN IRELAND: Bayer CropScience Ltd

Bayer Ltd

1st Floor, The Grange Offices The Grange, Brewery Road

Stillorgan Co. Dublin A94 H2K7 Ireland

Telephone +353 1 216 3300

Responsible Department Email: gb-bcs-crop-regulatory-affairs@bayer.com

1.4 Emergency telephone no.

Emergency telephone no. 0330 678 3382 (24 hr)

For Medical Professionals:

You can also contact the relevant NPIS.

For Members to the Public:

You can contact NHS111 (for GB) or your local GP (for Northern

Ireland)

National Poisons Information Centre UK: 0344 892 0111 National Poisons Information Centre Dublin: +353 1 809 2166

amended



2/15

CHALLENGE PLUS

 Version 2 / GB
 Revision Date: 30.08.2025

 102000034695
 Print Date: 12.09.2025

SECTION 2: HAZARDS IDENTIFICATION

2.1 Classification of the substance or mixture

Classification in accordance with Regulation (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures, as amended.

Carcinogenicity: Category 2

H351 Suspected of causing cancer.

Skin sensitisation: Category 1B

H317 May cause an allergic skin reaction.

Short-term (acute) aquatic hazard: Category 1 H400 Very toxic to aquatic life.

Long-term (chronic) aquatic hazard: Category 1

H410 Very toxic to aquatic life with long lasting effects.

2.2 Label elements

Labelling in accordance with Regulation (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures, as amended.

Hazard label for supply/use required.

Hazardous components which must be listed on the label:

- Aclonifen
- Flufenacet
- Diflufenican







Signal word: Warning Hazard statements

H351 Suspected of causing cancer.
H317 May cause an allergic skin reaction.

H410 Very toxic to aquatic life with long lasting effects.

EUH401 To avoid risks to human health and the environment, comply with the instructions for

use.

Precautionary statements

P201 Obtain special instructions before use.

P280 Wear protective gloves/ protective clothing/ eye protection/ face protection.
P308 + P311 IF exposed or concerned: Call a POISON CENTER/ doctor/ physician.

P391 Collect spillage.

P501 Dispose of contents/container to a licensed hazardous-waste disposal contractor or

collection site except for empty clean containers which can be disposed of as non-

hazardous waste.

2.3 Other hazards

No additional hazards known beside those mentioned.

Diflufenican: This substance is not considered to be persistent, bioaccumulative and toxic (PBT). This substance is not considered to be very persistent and very bioaccumulative (vPvB). Flufenacet: This



3/15

CHALLENGE PLUS

Version 2 / GB Revision Date: 30.08.2025 102000034695 Print Date: 12.09.2025

substance is not considered to be persistent, bioaccumulative and toxic (PBT). This substance is not considered to be very persistent and very bioaccumulative (vPvB). Aclonifen: This substance is not considered to be persistent, bioaccumulative and toxic (PBT). This substance is not considered to be very persistent and very bioaccumulative (vPvB).

Ecological information: The substance/mixture does not contain components considered to

have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission

Regulation (EU) 2018/605 at levels of 0.1% or higher.

Toxicological information: The substance/mixture does not contain components considered to

have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission

Regulation (EU) 2018/605 at levels of 0.1% or higher.

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

3.2 Mixtures

Chemical nature

Suspension concentrate (=flowable concentrate)(SC) Aclonifen 450 g/l; Diflufenican 30 g/l; Flufenacet 90 g/l

Hazardous components

Hazard statements according to Regulation (EC) No. 1272/2008

Name	CAS-No. /	Classification	Conc. [%]
	EC-No. / REACH Reg. No.	REGULATION (EC) No 1272/2008	
Aclonifen	74070-46-5	Carc. 2, H351 Aquatic Acute 1, H400 Aquatic Chronic 1, H410 Skin Sens. 1A, H317	36.9
Flufenacet	142459-58-3	Aquatic Acute 1, H400 STOT RE 2, H373 Skin Sens. 1, H317 Acute Tox. 4, H302 Aquatic Chronic 1, H410	7.38
Diflufenican	83164-33-4	Aquatic Chronic 1, H410 Aquatic Acute 1, H400	2.46
Alkylnaphthalenesulfonic acid, polymer with formaldehyde, sodium salt	68425-94-5	Eye Irrit. 2, H319	>= 1.0 - < 10
1,2-Benzisothiazol-3(2H)- one	2634-33-5 01-2120761540-60-XXXX	Acute Tox. 4, H302 Acute Tox. 2, H330 Skin Irrit. 2, H315 Eye Dam. 1, H318 Skin Sens. 1A, H317 Aquatic Acute 1, H400 Aquatic Chronic 1, H410	>= 0.036 - < 0.1
reaction mass of 5-chloro- 2- methyl-2H-isothiazol-3-	55965-84-9 01-2120764691-48-XXXX	Acute Tox. 3, H301 Acute Tox. 2, H310	>= 0.00015 - < 0.0015



4/15

CHALLENGE PLUS

 Version 2 / GB
 Revision Date: 30.08.2025

 102000034695
 Print Date: 12.09.2025

one and 2-methyl-2H- isothiazol-3- one (3:1)		Acute Tox. 2, H330 Skin Corr. 1C, H314 Eye Dam. 1, H318 Skin Sens. 1A, H317 Aquatic Acute 1, H400 Aquatic Chronic 1, H410	
Glycerine	56-81-5 01-2119471987-18-XXXX	Not classified	>= 1

Further information

1,2-Benzisothiazol- 3(2H)-one	2634-33-5	SCL: Skin Sens. 1A; H317: SCL >= 0.036 %
reaction mass of 5- chloro-2- methyl-2H- isothiazol-3-one and 2- methyl-2H-isothiazol-3- one (3:1)	55965-84-9	SCL: Skin Corr. 1C; H314: SCL >= 0.6 %
reaction mass of 5- chloro-2- methyl-2H- isothiazol-3-one and 2- methyl-2H-isothiazol-3- one (3:1)	55965-84-9	SCL: Skin Irrit. 2; H315: SCL 0.06 - < 0.6 %
reaction mass of 5- chloro-2- methyl-2H- isothiazol-3-one and 2- methyl-2H-isothiazol-3- one (3:1)	55965-84-9	SCL: Eye Irrit. 2; H319: SCL 0.06 - < 0.6 %
reaction mass of 5- chloro-2- methyl-2H- isothiazol-3-one and 2- methyl-2H-isothiazol-3- one (3:1)	55965-84-9	SCL: Skin Sens. 1A; H317: SCL >= 0.0015 %
reaction mass of 5- chloro-2- methyl-2H- isothiazol-3-one and 2- methyl-2H-isothiazol-3- one (3:1)	55965-84-9	SCL: Eye Dam. 1; H318: SCL >= 0.6 %

For the full text of the H-Statements mentioned in this Section, see Section 16.

Particle characteristics

This substance/ mixture does not contain nanoforms (according to REACH Regulation)

SECTION 4: FIRST AID MEASURES

4.1 Description of first aid measures

General advice Move out of dangerous area. Place and transport victim in stable

position (lying sideways). Remove contaminated clothing immediately

and dispose of safely.

amended



5/15

CHALLENGE PLUS

Version 2/GB Revision Date: 30.08.2025 102000034695 Print Date: 12.09.2025

Inhalation Move to fresh air. Keep patient warm and at rest. Call a physician or

poison control center immediately.

Skin contact Wash off thoroughly with plenty of soap and water, if available with

polyethyleneglycol 400, subsequently rinse with water. Call a physician

or poison control center immediately.

Rinse immediately with plenty of water, also under the eyelids, for at Eye contact

least 15 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a physician or poison control

center immediately.

Ingestion Rinse mouth. Induce vomiting only, if: 1. patient is fully conscious, 2.

> medical aid is not readily available, 3. a significant amount (more than a mouthful) has been ingested and 4. time since ingestion is less than 1 hour. (Vomit should not get into the respiratory tract.) Call a

physician or poison control center immediately.

4.2 Most important symptoms and effects, both acute and delayed

Symptoms If large amounts are ingested, the following symptoms may occur:

Shortness of breath, Drowsiness, Cyanosis, Headache, Tiredness,

Dizziness, Nausea

Symptoms and hazards refer to effects observed after intake of

significant amounts of the active ingredient(s).

The absorption of this product into the body may lead to the formation of methaemoglobine that, in sufficient concentration, causes cyanosis.

4.3 Indication of any immediate medical attention and special treatment needed

Risks Danger of formation of methaemoglobin.

Treatment Treat symptomatically. In case of methaemoglobinemia, oxygen and

> specific antidotes (methylene blue/ toluidine blue) should be given. In case of ingestion gastric lavage should be considered in cases of significant ingestions only within the first 2 hours. However, the application of activated charcoal and sodium sulphate is always

> advisable. Follow-up measures: Strict abstinence from alcohol for 48h.

SECTION 5: FIREFIGHTING MEASURES

5.1 Extinguishing media

Suitable Use water spray, alcohol-resistant foam, dry chemical or carbon

dioxide.

5.2 Special hazards arising

from the substance or

mixture

In the event of fire the following may be released:, Hydrogen chloride (HCI), Hydrogen cyanide (hydrocyanic acid), Hydrogen fluoride, Carbon monoxide (CO), Nitrogen oxides (NOx), Sulphur oxides

5.3 Advice for firefighters

Special protective

equipment for firefighters

In the event of fire and/or explosion do not breathe fumes. Wear self-

contained breathing apparatus and protective suit.

Further information Contain the spread of the fire-fighting media. Do not allow run-off from

fire fighting to enter drains or water courses.

amended



6/15

CHALLENGE PLUS

 Version 2 / GB
 Revision Date: 30.08.2025

 102000034695
 Print Date: 12.09.2025

SECTION 6: ACCIDENTAL RELEASE MEASURES

6.1 Personal precautions, protective equipment and emergency procedures

Precautions Avoid contact with spilled product or contaminated surfaces. Use

personal protective equipment.

6.2 Environmental

precautions

Do not allow to get into surface water, drains and ground water.

6.3 Methods and materials for containment and cleaning up

Methods for cleaning upSoak up with inert absorbent material (e.g. sand, silica gel, acid

binder, universal binder, sawdust). Clean contaminated floors and objects thoroughly, observing environmental regulations. Keep in

suitable, closed containers for disposal.

6.4 Reference to other

sections

Information regarding safe handling, see section 7.

Information regarding personal protective equipment, see section 8.

Information regarding waste disposal, see section 13.

SECTION 7: HANDLING AND STORAGE

7.1 Precautions for safe handling

Advice on safe handling Use only in area provided with appropriate exhaust ventilation.

Advice on protection against fire and explosion

Keep away from heat and sources of ignition.

Hygiene measures Avoid contact with skin, eyes and clothing. Keep working clothes

separately. Wash thoroughly with soap and water after handling. Wash hands immediately after work, if necessary take a shower. Remove soiled clothing immediately and clean thoroughly before using again.

Garments that cannot be cleaned must be destroyed (burnt).

7.2 Conditions for safe storage, including any incompatibilities

Requirements for storage areas and containers

Store in a place accessible by authorized persons only. Store in original container. Keep containers tightly closed in a dry, cool and well-

ventilated place. Protect from frost. Keep away from direct sunlight.

Advice on common storage Keep away from food, drink and animal feedingstuffs.

Suitable materials HDPE (high density polyethylene)

Coex HDPE/EVOH/HDPE

7.3 Specific end use(s) Refer to the label and/or leaflet.

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1 Control parameters

Components	CAS-No.	Control parameters	Update	Basis

amended



7/15

CHALLENGE PLUS

Version 2 / GB Revision Date: 30.08.2025 102000034695 Print Date: 12.09.2025

Diflufenican	83164-33-4	5.5 mg/m3 (TWA)		OES BCS*
Flufenacet	142459-58-3	0.3 mg/m3 (SK-SEN)		OES BCS*
Glycerine (Mist.)	56-81-5	10 mg/m3 (TWA)	2007	EH40 WEL
Aclonifen	74070-46-5	2 mg/m3 (SK-SEN)		OES BCS*

^{*}OES BCS: Internal Bayer AG, Crop Science Division "Occupational Exposure Standard"

8.2 Exposure controls

Refer to COSHH assessment (Control of Substances Hazardous to Health (Amendment) Regulations 2004). Engineering controls should be used in preference to personal protective equipment wherever practicable. Refer also to COSHH Essentials.

Personal protective equipment

In normal use and handling conditions please refer to the label and/or leaflet. In all other cases the following recommendations would apply.

Respiratory protection

Respiratory protection is not required under anticipated circumstances of exposure.

Respiratory protection should only be used to control residual risk of short duration activities, when all reasonably practicable steps have been taken to reduce exposure at source e.g. containment and/or local extract ventilation. Always follow respirator manufacturer's instructions regarding wearing and maintenance.

Hand protection

Please observe the instructions regarding permeability and breakthrough time which are provided by the supplier of the gloves. Also take into consideration the specific local conditions under which the product is used, such as the danger of cuts, abrasion, and the contact time.

Wash gloves when contaminated. Dispose of when contaminated inside, when perforated or when contamination on the outside cannot be removed. Wash hands frequently and always before eating, drinking, smoking or using the toilet

drinking, smoking or using the toilet.

MaterialNitrile rubberRate of permeability> 480 minGlove thickness> 0.4 mmProtective indexClass 6

Directive Protective gloves complying with EN

374.

Eye protection

Skin and body protection

Wear goggles (conforming to EN166, Field of Use = 5 or equivalent).

Wear standard coveralls and Category 3 Type 4 suit.

If there is a risk of significant exposure, consider a higher protective type suit.

Wear two layers of clothing wherever possible. Polyester/cotton or cotton overalls should be worn under chemical protection suit and should be professionally laundered frequently.

If chemical protection suit is splashed, sprayed or significantly contaminated, decontaminate as far as possible, then carefully remove and dispose of as advised by manufacturer.

amended



8/15

CHALLENGE PLUS

 Version 2 / GB
 Revision Date: 30.08.2025

 102000034695
 Print Date: 12.09.2025

General protective measures If product is handled while not enclosed, and if contact may occur:

Complete suit protecting against chemicals

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

9.1 Information on basic physical and chemical properties

Form suspension
Colour yellow
Odour odourless

Odour Threshold

Melting point/ range

Boiling Point

No data available

Upper explosion limit

No data available

No data available

Flash point > 100 °C Auto-ignition temperature 440 °C

Self-accelarating decomposition temperature

(SADT)

No data available

pH 5.0 - 7.0 (100 %) (23 °C)

Viscosity, dynamic No data available

Viscosity, kinematic 247 mm²/s (20 °C) Shear rate of 20/sec

158 mm²/s (20 °C) Shear rate of 100/sec

Water solubility suspensive

Partition coefficient: n-

octanol/water

Diflufenican: log Pow: 4.2

Flufenacet: log Pow: 3.2

Aclonifen: log Pow: 4.37

Surface tension 30 mN/m (25 °C)

Determined in the undiluted form.

Vapour pressure No data available

Density ca. 1.22 g/cm³ (20 °C)

Relative density 1.218

amended



9/15

CHALLENGE PLUS

Version 2 / GB Revision Date: 30.08.2025 102000034695 Print Date: 12.09.2025

Relative vapour density No data available

Assessment nano particles
This substance/ mixture does not contain nanoforms (according to

REACH Regulation)

Particle size No data available

9.2 Other information

Explosivity Not explosive

Regulation (EC) No. 440/2008, Annex, A.14

Oxidizing properties No oxidizing properties

Evaporation rate No data available

Other physico-chemical

properties

Further safety related physical-chemical data are not known.

SECTION 10: STABILITY AND REACTIVITY

10.1 Reactivity Stable under normal conditions.

10.2 Chemical stability Stable under recommended storage conditions.

10.3 Possibility ofNo hazardous reactions when stored and handled according to

hazardous reactions prescribed instructions.

10.4 Conditions to avoid Extremes of temperature and direct sunlight.

10.5 Incompatible materials Store only in the original container.

SECTION 11: TOXICOLOGICAL INFORMATION

11.1 Information on hazard classes as defined in regulation (EC) No 1272/2008

Acute oral toxicity LD50 (Rat) > 2,000 mg/kg

Test conducted with a similar formulation.

Acute inhalation toxicity LC50 (Rat) > 2.43 mg/l

Exposure time: 4 h

Determined in the form of a respirable aerosol.

Highest attainable concentration.

No deaths

Test conducted with a similar formulation.

Acute dermal toxicity LD50 (Rat) > 2,000 mg/kg

Test conducted with a similar formulation.

Skin corrosion/irritation No skin irritation (Rabbit)

Test conducted with a similar formulation.

Serious eye damage/eye No eye irritation (Rabbit)

amended



10/15

CHALLENGE PLUS

Version 2 / GB Revision Date: 30.08.2025 102000034695 Print Date: 12.09.2025

irritation Test conducted with a similar formulation.

Respiratory or skin Skin: Sensitising (Mouse)

sensitisation OECD Test Guideline 429, local lymph node assay (LLNA)

Test conducted with a similar formulation.

Assessment STOT Specific target organ toxicity - single exposure

Diflufenican: Based on available data, the classification criteria are not met. Flufenacet: Based on available data, the classification criteria are not met. Aclonifen: Based on available data, the classification criteria are not met.

Assessment STOT Specific target organ toxicity – repeated exposure

Diflufenican did not cause specific target organ toxicity in experimental animal studies. Flufenacet caused neurobehavioral effects and/or neuropathological changes in animal studies. Aclonifen did not cause specific target organ toxicity in experimental animal studies.

Assessment mutagenicity

Diflufenican was not mutagenic or genotoxic in a battery of in vitro and in vivo tests. Flufenacet was not mutagenic or genotoxic in a battery of in vitro and in vivo tests. Aclonifen was not mutagenic or genotoxic in a battery of in vitro and in vivo tests.

Assessment carcinogenicity

Diflufenican was not carcinogenic in lifetime feeding studies in rats and mice. Flufenacet was not carcinogenic in lifetime feeding studies in rats and mice. Aclonifen caused an increased incidence of tumours in rats in the following organ(s): Brain.

Assessment toxicity to reproduction

Diffusenican did not cause reproductive toxicity in a two-generation study in rats. Flusenacet did not cause reproductive toxicity in a two-generation study in rats. Aclonifen did not cause reproductive toxicity in a two-generation study in rats.

Assessment developmental toxicity

Diflufenican did not cause developmental toxicity in rats and rabbits.

Flufenacet caused developmental toxicity only at dose levels toxic to the dams. The developmental effects seen with Flufenacet are related to maternal toxicity.

Aclonifen did not cause developmental toxicity in rats and rabbits.

Aspiration hazard

Based on available data, the classification criteria are not met.

11.2 Information on other hazards

Endocrine disrupting properties

Assessment The substance/mixture does not contain components considered to have

endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission

Regulation (EU) 2018/605 at levels of 0.1% or higher.

SECTION 12: ECOLOGICAL INFORMATION

amended



11/15

CHALLENGE PLUS

Version 2 / GB Revision Date: 30.08.2025 102000034695 Print Date: 12.09.2025

Toxicity to fish LC50 (Oncorhynchus mykiss (rainbow trout)) 1.71 mg/l

Exposure time: 96 h

Test conducted with a similar formulation.

Chronic toxicity to fish Oncorhynchus mykiss (rainbow trout)

NOEC: 0.194 mg/l Exposure time: 96 h

Test conducted with a similar formulation.

Toxicity to aquatic invertebrates

EC50 (Daphnia magna (Water flea)) 2.49 mg/l

Exposure time: 48 h

Test conducted with a similar formulation.

Chronic toxicity to aquatic

invertebrates

NOEC (Daphnia magna (Water flea)): 0.854 mg/l

Exposure time: 48 h

Test conducted with a similar formulation.

Growth rate; Exposure time: 72 h

Test conducted with a similar formulation.

NOEC (Raphidocelis subcapitata (freshwater green alga)) 1,28 μg/l

Growth rate; Exposure time: 72 h

Test conducted with a similar formulation.

ErC50 (Lemna gibba (gibbous duckweed)) 43,1 µg/l

Growth rate; Exposure time: 7 d

Test conducted with a similar formulation.

12.2 Persistence and degradability

Biodegradability Diflufenican:

Not rapidly biodegradable

Flufenacet:

Not rapidly biodegradable

Aclonifen:

Not rapidly biodegradable

Koc Diflufenican: Koc: 3417

Flufenacet: Koc: 202

Aclonifen: Koc: 5318 - 10612

12.3 Bioaccumulative potential

Bioaccumulation Diffufenican: Bioconcentration factor (BCF) 1,596

Does not bioaccumulate.

Flufenacet: Bioconcentration factor (BCF) 71

Does not bioaccumulate.

Aclonifen: Bioconcentration factor (BCF) 2,896

Potential bioaccumulation

12.4 Mobility in soil

Mobility in soil Diflufenican: criterion of mobility not fulfilled

Flufenacet: mobile in soil

Aclonifen: criterion of mobility not fulfilled

12.5 Results of PBT and vPvB assessment

PBT and vPvB assessment Diflufenican: This substance is not considered to be persistent,

bioaccumulative and toxic (PBT). This substance is not considered to be

amended



12/15

CHALLENGE PLUS

Version 2 / GB Revision Date: 30.08.2025 102000034695 Print Date: 12.09.2025

very persistent and very bioaccumulative (vPvB).

Flufenacet: This substance is not considered to be persistent.

bioaccumulative and toxic (PBT). This substance is not considered to be

very persistent and very bioaccumulative (vPvB).

Aclonifen: This substance is not considered to be persistent,

bioaccumulative and toxic (PBT). This substance is not considered to be

very persistent and very bioaccumulative (vPvB).

12.6 Endocrine disrupting properties

Assessment The substance/mixture does not contain components considered to have

endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission

Regulation (EU) 2018/605 at levels of 0.1% or higher.

12.7 Other adverse effects

Additional ecological

information

No other effects to be mentioned.

SECTION 13: DISPOSAL CONSIDERATIONS

13.1 Waste treatment methods

Product In accordance with current regulations and, if necessary, after

consultation with the site operator and/or with the responsible authority, the product may be taken to a waste disposal site or incineration plant.

Contaminated packaging Triple rinse containers.

Do not re-use empty containers.

Not completely emptied packagings should be disposed of as

hazardous waste.

SECTION 14: TRANSPORT INFORMATION

ADR/RID/ADN

14.1 UN number **3082**

14.2 Proper shipping name ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,

N.O.S.

(ACLONIFEN, FLUFENACET SOLUTION)

14.3 Transport hazard class(es) 9
14.4 Packaging Group III

14.5 Environm. Hazardous Mark YES Hazard no. 90
Tunnel Code -

This classification is in principle not valid for carriage by tank vessel on inland waterways. Please refer to the manufacturer for further information.

IMDG

14.1 UN number **308**

14.2 Proper shipping name ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,

N.O.S.

(ACLONIFEN, FLUFENACET SOLUTION)

amended



13/15

CHALLENGE PLUS

 Version 2 / GB
 Revision Date: 30.08.2025

 102000034695
 Print Date: 12.09.2025

14.3 Transport hazard class(es)914.4 Packaging Group14.5 Marine pollutantYES

IATA

14.1 UN number **3082**

14.2 Proper shipping name ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,

N.O.S

(ACLONIFEN, FLUFENACET SOLUTION)

14.3 Transport hazard class(es) 9
14.4 Packaging Group III
14.5 Environm. Hazardous Mark YES

UK 'Carriage' Regulations

14.1 UN number **3082**

14.2 Proper shipping name ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,

N.O.S.

(ACLONIFEN, FLUFENACET SOLUTION)

14.3 Transport hazard class(es)914.4 Packaging GroupIII14.5 Environm. Hazardous MarkYESEmergency action code3Z

14.6 Special precautions for user

See sections 6 to 8 of this Safety Data Sheet.

14.7 Transport in bulk according to IMO instruments

No transport in bulk according to the IBC Code.

SECTION 15: REGULATORY INFORMATION

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

UK and Northern Ireland Regulatory References

This material may be subject to some or all of the following regulations (and any subsequent amendments). Users must ensure that any uses and restrictions as indicated on the label and/or leaflet are followed.

Transport

Carriage of Dangerous Goods and Use of Transportable Pressure Equipment Regulations 2009 (SI 2009 No 1348)

Merchant Shipping (Dangerous Goods and Marine Pollutants) Regulations 1997 (SI 1997 No 2367) Air Navigation Dangerous Goods Regulations 2002 (SI 2002 No 2786)

Supply and Use

Chemical (Hazard Information and Packaging for Supply) Regulations 2009 (SI 2009 No 716) Chemical (Hazard Information and Packaging for Supply) (Northern Ireland) Regulations 2009 Control of Substances Hazardous to Health Regulations 2002 (SI 2002 No 2677) EH40 Occupational Exposure Limits - Table 1 List of approved workplace exposure limits Control of Pesticide Regulations 1986

Dangerous Substances and Explosive Atmospheres Regulations 2002

amended



14/15

CHALLENGE PLUS

 Version 2 / GB
 Revision Date: 30.08.2025

 102000034695
 Print Date: 12.09.2025

Waste Treatment

Environmental Protection Act 1990, Part II

Environmental Protection (Duty of Care) Regulations 1991

The Waste Management Licensing Regulations 1994 (as amended)

Hazardous Waste Regulations 2005 (Replacing Special Waste Regulations 1996 as amended)

Landfill Directive

Regulation on Substances That Deplete the Ozone Layer 1994 (EEC/3093/94)

Water Resources Act 1991

Anti-Pollution Works Regulations 1999

Further information

WHO-classification: III (Slightly hazardous)

SECTION 16: OTHER INFORMATION

Text of the hazard statements mentioned in Section 3

H301	l oxic if swallowed.
H302	Harmful if swallowed.
H310	Fatal in contact with skin.
H314	Causes severe skin burns and eye damage.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H318	Causes serious eye damage.
H319	Causes serious eye irritation.
H330	Fatal if inhaled.
H351	Suspected of causing cancer.
H373	May cause damage to organs through prolonged or repeated exposure.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.

Abbreviations and acronyms

ADN European Agreement concerning the International Carriage of Dangerous Goods by

Inland Waterways

ADR European Agreement concerning the International Carriage of Dangerous Goods by

Road

ATE Acute toxicity estimate

CAS-Nr. Chemical Abstracts Service number

Conc. Concentration

EC-No. European community number ECx Effective concentration to x % Worker Exposure Limit

EINECS European inventory of existing commercial substances

ELINCS European list of notified chemical substances

EN European Standard EU European Union

IATA International Air Transport Association

IBC International Code for the Construction and Equipment of Ships Carrying Dangerous

Chemicals in Bulk (IBC Code)

ICx Inhibition concentration to x %

amended



15/15

CHALLENGE PLUS

 Version 2 / GB
 Revision Date: 30.08.2025

 102000034695
 Print Date: 12.09.2025

IMDG International Maritime Dangerous Goods

LCx Lethal concentration to x %

LDx Lethal dose to x %

LOEC/LOEL Lowest observed effect concentration/level

MARPOL: International Convention for the prevention of marine pollution from ships

N.O.S. Not otherwise specified

NOEC/NOEL No observed effect concentration/level

OECD Organization for Economic Co-operation and Development

RID Regulations concerning the International Carriage of Dangerous Goods by Rail

SI Statutory Instrument
TWA Time weighted average

UN United Nations

WHO World health organisation

The above information is intended to give general health and safety guidance on the storage and transport of the product.

It is not intended to apply to the use of the product for which purposes the product label and any appropriate technical usage literature available should be consulted and any relevant licenses, consents or approvals complied with.

The requirements or recommendations of any relevant site or working procedure, system or policy in force or arising from any risk assessment involving the substance or product should take precedence over any of the guidance contained in this safety data sheet where there is a difference in the information given.

The information provided in this safety data sheet is accurate at the date of publication and will be updated as and when appropriate.

No liability will be accepted for any injury, loss or damage resulting from any failure to take account of information or advice contained in this safety data sheet.

Reason for Revision: The following sections have been revised: Section 3: Composition /

Information on Ingredients.

Changes since the last version are highlighted in the margin. This version replaces all previous versions.