SAFETY DATA SHEET



1. Identification of the substance/preparation and company/undertaking

Product name Autran MBX

SDS # 400868

Product use Automatic transmission fluid

For specific application advice see appropriate Technical Data Sheet or consult our company

representative.

Supplier BP PETCO LTD.

4th Floor, Sun Wah Tower, 115 Nguyen Hue Boulevard, Dist.1, HCM City

Vietnam

Tel: 84-8-8219596 Fax: 84-8-8219601

EMERGENCY TELEPHONE

NUMBER

+65 3158 1074

2. Composition/information on ingredients

Highly refined base oil (IP 346 DMSO extract < 3%). Proprietary performance additives.

This product does not contain any hazardous ingredients at or above regulated thresholds.

3. Hazards identification

This preparation is not classified as dangerous.

Physical/chemical hazards Not classified as dangerous.

Health hazards Not classified as dangerous.

Environmental hazardsUnlikely to be harmful to aquatic organisms.

Effects and symptoms

Eyes Unlikely to cause more than transient stinging or redness if accidental eye contact occurs.

SkinUnlikely to cause harm to the skin on brief or occasional contact but prolonged or repeated exposure

may lead to dermatitis.

Inhalation Inhalation of oil mist or vapours at elevated temperatures may cause respiratory irritation.

Ingestion Unlikely to cause harm if accidentally swallowed in small doses, though larger quantities may cause

nausea and diarrhoea.

4. First-aid measures

Eye contact In case of contact, immediately flush eyes with a copious amount of water for at least 15 minutes. Get

medical attention if irritation occurs.

Skin contact In case of contact, immediately flush skin with plenty of water. Remove contaminated clothing and

shoes. Wash clothing before reuse. Clean shoes thoroughly before reuse. Get medical attention if

irritation develops.

Inhalation If inhaled, remove to fresh air. Get medical attention if symptoms appear.

Ingestion Do NOT induce vomiting unless directed to do so by medical personnel. Never give anything by

mouth to an unconscious person. If large quantities of this material are swallowed, call a physician

immediately

5. Fire-fighting measures

Extinguishing Media

Suitable In case of fire, use foam, dry chemical or carbon dioxide extinguisher or spray.

Not Suitable Do not use water jet.

Hazardous decomposition These products are carbon oxides

Unusual fire/explosion

Hazards
Special fire-fighting
None identified.

procedures

Protection of fire-fighters Fire-fighters should wear self-contained positive pressure breathing apparatus (SCBA) and full turnout

This material is not explosive as defined by established regulatory criteria.

gear.

Product name Autran MBX Product code 400868-BE02 Page: 1

Version 1 Date of issue 11 July 2007 Format Vietnam Language ENGLISH

Build 4.4.2 (Vietnam)

Accidental release measures

Personal Precautions Immediately contact emergency personnel. Keep unnecessary personnel away. Use suitable

protective equipment (See Section: "Exposure controls/personal protection"). Follow all fire fighting

procedures (See Section: "Fire-fighting measures").

Environmental precautions and clean-up methods

If emergency personnel are unavailable, contain spilled material. For small spills add absorbent (soil may be used in the absence of other suitable materials) scoop up material and place in a sealed, liquid-proof container for disposal. For large spills dike spilled material or otherwise contain material to ensure runoff does not reach a waterway. Place spilled material in an appropriate container for disposal. Minimize contact of spilled material with soils to prevent runoff to surface waterways. See Section 13 for Waste Disposal Information.

Personal protection in case

of a large spill

Splash goggles. Full suit. Boots. Gloves.

7. Handling and storage

Handling Wash thoroughly after handling.

Keep container tightly closed. Keep container in a cool, well-ventilated area. **Storage**

Not Suitable Prolonged exposure to elevated temperature.

Exposure controls/personal protection

Occupational exposure limits Ingredient name

Base oil - unspecified ACGIH (United States).

TWA: 5 mg/m³ 8 hour(s). Form: Oil mist, mineral STEL: 10 mg/m³ 15 minute(s). Form: Oil mist, mineral

Where there are no regulatory exposure limits, for information and guidance, the ACGIH values are included.

For further information on these please consult your supplier.

Whilst specific OELs for certain components are included in this SDS, it should be noted that other components of the preparation will be present in any mist, vapour or dust produced. For this reason, the specific OELs may not be applicable to the product and are provided for guidance purposes.

Control Measures

Provide exhaust ventilation or other engineering controls to keep the relevant airborne concentrations below their respective occupational exposure limits. Ensure that eyewash stations and safety showers are close to the workstation location.

All chemicals should be assessed for their risks to health and appropriate control measures put in place to prevent or adequately control exposure. A hierarchy of control measures exists (e.g. elimination, substitution, general ventilation, containment, systems of work, changing the process or activity) that must be considered before use of personal protective equipment. Personal protective equipment should conform to appropriate standards, be suitable for use, be kept in good condition and

Your supplier of personal protective equipment should be consulted for advice on selection and appropriate standards. For further information contact your national organisation for standards.

The final choice of protective equipment will depend upon a risk assessment. It is important to ensure that all items of personal protective equipment are compatible.

Hygiene measures

Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period.

Personal protective equipment

Respiratory system Skin and body

Hands

None required; however, use of adequate ventilation is good industrial practice. None required; however, use of protective clothing is good industrial practice.

Wear protective gloves if prolonged or repeated contact is likely. Chemical resistant gloves. Recommended: Nitrile gloves.

The correct choice of protective gloves depends upon the chemicals being handled, the conditions of work and use, and the condition of the gloves (even the best chemically resistant glove will break down after repeated chemical exposures). Most gloves provide only a short time of protection before they must be discarded and replaced. Because specific work environments and material handling practices vary, safety procedures should be developed for each intended application. Gloves should therefore be chosen in consultation with the supplier/manufacturer and with a full assessment of the working conditions.

Safety glasses with side shields. **Eyes**

9. Physical and chemical properties

Physical state Liquid. Colour Red. Odour Oilv

Flash point 217 °C (Open cup) Cleveland.

Pour Point -42 °C **Viscosity Index**

870 kg/m3 (0.87 g/cm3) at 20°C **Density**

Product name Autran MBX Product code 400868-BE02 Version 1 Date of issue 11 July 2007 **Format Vietnam** Language ENGLISH

Build 4.4.2 (Vietnam) **Solubility** Insoluble in water.

LogK_{ow} >3

Viscosity Kinematic: 39 mm²/s (39 cSt) at 40°C

Kinematic: 7.2 to 7.9 mm²/s (7.2 to 7.9 cSt) at 100°C

10 . Stability and reactivity

Incompatibility with various

substances

Reactive with oxidising agents.

Hazardous polymerization

Hazardous decomposition

Will not occur.
These products are carbon oxides

11 . Toxicological information

Acute toxicity Unlikely to cause more than transient stinging or redness if accidental eye contact occurs.

Unlikely to cause harm to the skin on brief or occasional contact but prolonged or repeated exposure may lead to dermatitis.

may lead to dermatitis

Unlikely to cause harm if accidentally swallowed in small doses, though larger quantities may cause

nausea and diarrhoea.

At normal ambient temperatures this product will be unlikely to present an inhalation hazard because of its low volatility. May be harmful by inhalation if exposure to vapour, mists or fumes resulting from

thermal decomposition products occurs.

Chronic toxicity

Carcinogenic effects

No component of this product at levels greater than or equal to 0.1% is identified as a carcinogen by ACGIH, the International Agency for Research on Cancer (IARC) or the European Commission (EC).

12. Ecological information

Persistence/degradability

Mobility

The biodegradability of this material has not been determined.

Spillages may penetrate the soil causing ground water contamination.

Bioaccumulative potential

This product is not expected to bioaccumulate through food chains in the environment.

Other ecological information

Spills may form a film on water surfaces causing physical damage to organisms. Oxygen transfer

could also be impaired.

13. Disposal considerations

Disposal Consideration / Waste information

Where possible, arrange for product to be recycled. Dispose of via an authorised person/licensed waste disposal contractor in accordance with local regulations.

14. Transport information

Not classified as dangerous for transport (IMDG, ICAO/IATA)

15. Regulatory information

European Union - Label Requirements

Risk phrases

This product is not classified as hazardous under applicable regulations.

Other regulations

Inventories

Europe inventory: All components are listed or exempted.

United States inventory (TSCA 8b): All components are listed or exempted.

Australia inventory (AICS): All components are listed or exempted.

Canada inventory: All components are listed or exempted.

China inventory (IECSC): All components are listed or exempted.

Japan inventory (ENCS): Not determined.

Korea inventory (KECI): All components are listed or exempted. **Philippines inventory (PICCS):** All components are listed or exempted.

Additional warning phrases

Vietnam

Contains Calcium sulphonate. May produce an allergic reaction.

Toxic classification (TCVN

3164-79)

Not classified as hazardous.

Product name Autran MBXProduct code400868-BE02Page: 3/4Version 1Date of issue 11 July 2007Format VietnamLanguage ENGLISH

Build 4.4.2 (Vietnam)

16. Other information

History

Date of issue 11 July 2007

Date of previous issueNo Previous ValidationPrepared byProduct Stewardship

Notice to reader

All reasonably practicable steps have been taken to ensure this data sheet and the health, safety and environmental information contained in it is accurate as of the date specified below. No warranty or representation, express or implied is made as to the accuracy or completeness of the data and information in this data sheet.

The data and advice given apply when the product is sold for the stated application or applications. You should not use the product other than for the stated application or applications without seeking advice from us.

It is the user's obligation to evaluate and use this product safely and to comply with all applicable laws and regulations. The BP Group shall not be responsible for any damage or injury resulting from use, other than the stated product use of the material, from any failure to adhere to recommendations, or from any hazards inherent in the nature of the material. Purchasers of the product for supply to a third party for use at work, have a duty to take all necessary steps to ensure that any person handling or using the product is provided with the information in this sheet. Employers have a duty to tell employees and others who may be affected of any hazards described in this sheet and of any precautions that should be taken.

Product name Autran MBX Product code 400868-BE02 Page: 4

Version 1 Date of issue 11 July 2007 Format Vietnam Language ENGLISH

Build 4.4.2 (Vietnam)