

# FIFRA Section 24(c) Special Local Need Label

Corteva Agriscience LLC

9330 Zionsville Road

Indianapolis, IN 46268-1054 USA

PRONAMIDE

GROUP

3

HERBICIDE

For Distribution and Use Only in the State of Oregon

## Kerb® SC

EPA Reg. No. 62719-578

EPA SLN No: OR-230002

**Weed Control in Fall, Carbon-Seeded Grasses (Orchardgrass, Tall Fescue, Perennial Ryegrass) Grown for Seed**

**Expiration Date:** This label is valid until December 31, 2027, or until otherwise amended, withdrawn, canceled, or suspended.

Active Ingredient:

pronamide: 3,5-dichloro-N-  
(1,1-dimethyl-2-propynyl) benzamide.....35.6%

Other Ingredients .....64.4%

Total .....100.0%

Contains 3.3 lbs of active ingredient per gallon.

**Keep Out of Reach of Children**

## CAUTION

**Causes Moderate Eye Irritation.**

**Avoid contact with eyes or clothing.**

### Environmental Hazards

Do not apply directly to water, to areas where surface water is present or to intertidal areas below the mean high water mark. Do not contaminate water when cleaning equipment or disposing of equipment washwaters.

### Directions for Use

#### ATTENTION

- It is a violation of Federal law to use this product in a manner inconsistent with its labeling.
- This Special Local Need (SLN) label and the main EPA-registered label for this product must be in the possession of the user at the time of pesticide application.
- Follow all applicable directions, restrictions, Worker Protection Standard requirements, and precautions on this SLN label and the main EPA-registered label for Kerb SC, EPA Reg. No. 62719-578.

Do not apply this product in a way that will contact workers or other persons, either directly or through drift. Only protected handlers may be in the area during application.

## General Information

Kerb® SC herbicide is effective for the control and/or suppression of undesirable seedling grasses.

**NOTE:** Due to the close proximity of native prairie remnants to agricultural areas and the potential for these areas to be adversely affected by herbicides through drift or possible runoff/soil movement, Kerb SC should not be applied directly to native prairie habitats. It is recommended that dosage rates be maintained at the lower end of the use rate range (if effective seedling control can be achieved) in a further effort to lessen potential impacts to endangered species.

## Weeds Controlled/Suppressed

Kerb SC will provide preemergence and postemergence control/suppression of the following seedling weeds when used according to label directions:

Bromus Species	<i>Bromus species</i>
Wild Oat	<i>Avena species</i>
Annual Ryegrass	<i>Lolium multiflorum</i>
Volunteer Orchardgrass	<i>Dactylis glomerata</i> .

## Application Instructions

Prior to application of Kerb SC, ensure that an adequate activated carbon band (one inch wide or greater) is present on a well-prepared, firmly packed seedbed that is free of clods. The activated carbon band will absorb the herbicide applied. After seeding/carbon banding operation, apply a single application of Kerb SC using ground application equipment at a rate of 5.0 to 10.0 fl oz (0.125 to 0.25 lb ai) per acre. For improved weed control, Kerb SC may be tank mixed with a reduced rate of diuron. Application must be made before the emergence of the seeded crop and before rainfall dissipates the carbon band applied. Consult your local Extension Service agent or crop consultant for specific application rate recommendations for Kerb SC, diuron, and the activated charcoal on a field-by-field basis.

Do not apply Kerb SC to sandy or gravelly areas or fields under stress due to drought, flooding, excessive fertilizer, soil salts, cold temperatures, hail, injury from previously applied pesticides, or injury due to insects or diseases, as excessive injury may result.

**The grower assumes all risks of crop injury or stand loss when unforeseen environmental conditions (such as heavy rain soon after application), poor seedbed preparation or application rates/positioning, result in crop damage.** The greatest risk of injury or stand loss occurs when applications are made to poorly drained soils and heavy rains occur soon after application.

## Specific Use Restrictions

- Kerb SC may only be applied using ground application equipment.
- Do not apply by aerial application.
- **Chemigation:** Do not apply this product through any type of irrigation system.
- **Do not** graze livestock in treated fields within 180 days of application.
- **Do not** apply Kerb SC herbicide within 180 days of harvesting grass hay.

24(c) Registrant: Corteva Agriscience LLC  
9330 Zionsville Road  
Indianapolis, IN 46268-1054 USA  
800-992-5994

™®Trademarks of Corteva Agriscience and its affiliated companies  
R361-048  
Accepted: 2/01/23  
Initial Printing