

Bayer CropScience LP 800 N. Lindbergh Blvd. St. Louis, MO 63167 1-866-99BAYER (1-866-992-2937)

OSPREY® Herbicide

For tank mix application of OSPREY® and liquid urea based nitrogen formulations.

EPA Reg. No. 264-802

FIFRA 2(ee) Recommendation

FOR DISTRIBUTION AND USE ONLY WITHIN THE STATE(S) OF IDAHO, OREGON AND WASHINGON

FIFRA Section 2(ee) Recommendation: This recommendation is made as permitted under FIFRA Section 2(ee) and has not been submitted to or approved by the EPA. This product bulletin should be in the possession of the user at the time of application of the product. All applicable directions, restrictions and precautions on the EPA registered label are to be followed.

DIRECTIONS FOR USE

It is a violation of federal law to use this product in a manner inconsistent with its label.

Washington, Oregon and Idaho Only - OSPREY Herbicide in Liquid Nitrogen Solutions as a Portion of the Spray Carrier in fall sown or winter wheat and fall sown triticale.

Apply OSPREY Herbicide by ground only from emergence up to the second node of crop development in spray solutions containing liquid nitrogen carrier.

For <u>liquid urea</u> based nitrogen formulations, such as 20-0-0, use 3.2 – 4.75 ounces OSPREY Herbicide/acre by ground in tank mixture with 0.25% v/v non-ionic surfactant and up to 5 gallons of liquid urea based nitrogen in a minimum 10-gallon total mix (including water carrier) per acre. <u>Lower than 20% concentrations of liquid urea</u> based nitrogen formulations may also be utilized up to 50% v/v of the spray mix per acre, but not to exceed 6 gallons of liquid urea based nitrogen in a minimum 12-gallon total mix (including water carrier) per acre.

For MEDICAL And TRANSPORTATION Emergencies ONLY Call 24 Hours A Day 1-800-334-7577. For PRODUCT USE Information Call 1-866-99BAYER (1-866-992-2937).

As with any crop-protection product, always read and follow label directions. For additional information call toll-free 1-866-99BAYER (1-866-992-2937).