



## NFPA HAZARD RATING

## U.S. TRANSPORT SUMMARY

| 0 | Least    |   |              |
|---|----------|---|--------------|
| 1 | Slight   | 2 | Health       |
| 2 | Moderate | 2 | Flammability |
| 3 | High     | 0 | Reactivity   |
| 4 | Severe   |   |              |



MEDICAL EMERGENCY TELEPHONE NUMBER: 1-877-424-7452 (24hrs)

Regulated in bulk packaging (119 gallons); see Section 14 for additional information.

**SECTION 1: IDENTIFICATION** 

**Product Name:** Promark® **EPA Registration #:** Exempt

Product ID/Unity #: 10000756, 60319715 Common Name: Agricultural adjuvant **Chemical Description:** Foam marker concentrate

Recommended Uses: Adjuvant – See product label for full directions for use. Restrictions for Use: See product label for any restrictions on use.

Manufactured For: WINFIELD SOLUTIONS, LLC

Non-Emergency Business Inquiries: 1-855-494-6343

P. O. Box 64589 Mon – Fri 8am – 5pm (Central Standard Time) St. Paul, MN 55164-0589

FOR EMERGENCY, SPILL, LEAK, FIRE, EXPOSURE, OR ACCIDENT, CALL:

CHEMTREC 1-800-424-9300 (24 hours)

## **SECTION 2: HAZARDS IDENTIFICATION**

EMERGENCY OVERVIEW: Clear, viscous liquid with no odor. Combustible liquid. Causes serious eye irritation and skin irritation.

## POTENTIAL HEALTH EFFECTS:

Eyes: Causes serious eye irritation with potential for lasting damage.

Skin: Causes skin irritation.

**Inhalation**: May cause irritation of the upper respiratory tract and lungs.

**Ingestion**: May cause gastric upset.

Preexisting Conditions: Preexisting respiratory conditions may be aggravated by exposure to mist. Skin contact may aggravate

existing skin disease.

Chronic Health Effects: None known

NTP: Not listed IARC: Not listed OSHA: Not listed Carcinogenicity

OSHA HCS 2012 CLASSIFICATION: Eye Irritation Category 1; Skin Irritation Category 2; Flammable Liquid Category 4

**SIGNAL WORD: DANGER** 

HAZARD STATEMENTS:

Causes serious eye damage. Causes skin irritation.

Combustible liquid.



1 of 5

Percent of product with unknown toxicity: 0%

PRECAUTIONARY STATEMENTS:

Prevention: Wash hands thoroughly after use. Wear protective gloves, protective clothing, eye protection, and face

protection. Keep away from flames and hot surfaces. - No smoking.



Response: If on skin: Wash with plenty of water. If skin irritation occurs; Get medical attention. Take off contaminated

clothing and wash before reuse. **If in eyes:** Rinse cautiously with water for 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a poison control center (1-877-424-7452) or doctor for treatment advice. **In case of fire:** Use foam, carbon dioxide, water spray or fog or dry chemical to extinguish.

**Storage:** Store in a well-ventilated place. Keep cool.

**Disposal** Dispose of contents/container in accordance with Federal, state and local regulations.

| SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS |        |            |  |
|---|--------|------------|--|
| Ingredient  | % (wt) | CAS Reg. # |  |
| Surfactant blend                                  | >83.5% | *          |  |
| Ethylene glycol monobutyl ether                   | 12.5%  | 111-76-2   |  |
| Ethanol   | 2.75%  | 64-17-5    |  |
| Polyethylene glycol                               | 1.5%   | 25322-68-3 |  |
|   |        |            |  |

\*Ingredients not specifically listed are non-hazardous and/or are considered to be confidential business information under 29 CFR 1910.1200(i).

See Section 8 for exposure limits.

#### **SECTION 4: FIRST AID MEASURES**

Inhalation: Remove person from contaminated area to fresh air and assist breathing as needed. Seek medical attention

if irritation occurs.

Ingestion: Seek medical attention or call a poison control center for treatment advice. Do not induce vomiting unless

instructed to do so by a poison control center or doctor. Do not give anything by mouth to an unconscious

person.

Eyes: Flush eyes with clean water for at least 15 minutes. Lift eyelids to facilitate irrigation. If present, remove

contact lenses after 5 minutes and continue rinsing. Seek medical attention immediately.

Skin: Remove contaminated clothing and wash before re-using. Flush skin with water and then wash with soap

and water. Seek medical attention if irritation persists.

#### **SECTION 5: FIRE FIGHTING MEASURES**

Suitable Extinguishing Media: Foam, carbon dioxide, dry chemical, water spray or water fog

Unsuitable Extinguishing Media: Water jet (frothing possible)

**Special Fire Fighting Procedures:** Wear NIOSH/MSHA approved self-contained breathing apparatus and full bunker gear. Dike area to prevent runoff and contamination of water sources. Dispose of fire control water later. Avoid breathing vapors; keep upwind.

Hazardous Combustion Products: Carbon oxides, sulfur oxides and/or nitrogen oxides

**Unusual Fire and Explosion Hazards:** Product will burn following evaporation of water. Vapors may spread long distances and ignite.

## SECTION 6: ACCIDENTAL RELEASE MEASURES

**Personal Precautions:** Refer to Section 8 for personal protective equipment to be worn during containment and clean-up of a spill involving this product.

**Environmental Precautions:** Product is toxic to aquatic life. Do not allow spilled product to enter sewers or waterways. **Methods for Containment:** Contain spilled liquid by diking area with sand or earth. DO NOT use combustible materials such as sawdust.

**Methods for Clean-up:** Cover contained spill with an inert absorbent material such as sand, vermiculite or other appropriate material. Do not use combustible material such as sawdust. Scoop or sweep up material and place in a container for disposal. Do not place spilled material back in original container. Eliminate all ignition sources.

Other Information: None known



#### **SECTION 7: HANDLING AND STORAGE**

Handling: Ensure adequate ventilation as ethylene oxide may accumulate in container head space. Immediately clean up spills that occur during handling. Keep containers closed when not in use. Ensure all equipment is electrically grounded before beginning transfer operations. Practice good hygiene after using this material, especially before eating, drinking, smoking, using the toilet, or applying cosmetics.

**Storage**: Store in cool, dry areas away from children, feed and food products and sources of heat, flame or ignition. Protect from freezing. Protect package from physical damage. Take measures to prevent the buildup of electrostatic charge.

Minimum Storage Temperature: 39°F

Other Precautions: Consult Federal, state and local laws and regulations pertaining to storage.

| SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION |                                |                  |   |  |
|--|--------------------------------|------------------|---|--|
| Exposure Guidelines<br>Component:                | OSHA PEL                       | ACGIH TLV        | NIOSH REL                                       |  |
| Ethylene glycol monobutyl ether                  | 25 ppm/120 mg/m3 (TWA)         | 20 ppm (TWA)     | 5 ppm/24 mg/m3 (TWA)<br>700 ppm (IDLH)          |  |
| Ethanol  | 1,000 ppm/1,900 mg/m3<br>(TWA) | 1,000 ppm (STEL) | 1,000 ppm/1,900 mg/m3 (TWA)<br>3,300 ppm (IDLH) |  |

**Respiratory Protection:** When handling this product in areas which are not properly ventilated wear NIOSH approved airpurifying respirator with cartridges/canisters approved for general particulates and organic vapors.

**Engineering Controls:** Local Exhaust: Provide general or local exhaust ventilation systems to maintain airborne

concentrations below OSHA PELs or other specified exposure limits. Local exhaust ventilation is

preferred.

**Protective Gloves:** Wear chemical resistant gloves to prevent skin contact.

**Eye Protection:** To avoid contact with eyes, wear chemical goggles or full face shield and safety glasses. Contact lenses are not protective eye devices. An emergency eyewash or water supply should be readily accessible to the work area.

Other Protective Clothing or Equipment: Wear long-sleeve shirt, long pants and chemical resistant shoes plus socks to prevent skin contact.

**Work/Hygienic Practices:** Never eat, drink, nor use tobacco in work areas. Practice good hygiene after using this material, especially before eating, drinking, smoking, using the toilet, or applying cosmetics.

| SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES |   |  |                        |
|---|---|--|------------------------|
| Physical State:                             | Liquid                                  | Specific Gravity (H <sub>2</sub> O=1): | 1.00 - 1.04            |
| Vapor Pressure (mm Hg):                     | <23.5 mmHg (31.33 hPa)<br>(77°F (25°C)) | Density (lbs/gallon):                  | 8.35 - 8.68 lbs/gallon |
| Vapor Density (Air=1):                      | Not determined                          | Freezing Point:                        | <30°F (-1°C)           |
| Solubility in Water (wt %):                 | Soluble                                 | Boiling Point/Range:                   | >212°F (100°C)         |
| Viscosity:                                  | 50 mPa.s (77°F (25°C))                  | pH (1% m/v):                           | 7.0 – 8.0              |
| Appearance and odor:                        | Clear, viscous liquid with no           | Flash Point:                           | >156°F (>69°C)         |
|   | odor                                    |  |                        |

## **SECTION 10: STABILITY AND REACTIVITY**

Reactivity: Combustible liquid

Chemical Stability: This product is stable at ambient temperature and pressure, under normal storage and handling conditions.

Possibility of Hazardous Reactions: Will not occur

**Conditions to Avoid:** Avoid high temperatures. Avoid heat, flame, and sparks. **Incompatible Materials:** Strong oxidizing agents and strong reducing agents.

Hazardous Decomposition Products: Carbon oxides, sulfur oxides, and nitrogen oxides



**SECTION 11: TOXICOLOGICAL INFORMATION** 

**ACUTE TOXICITY** 

**Eye Effects:** Causes serious eye irritation with the potential for lasting damage.

Skin Effects: Causes skin irritation.
Acute Inhalation Effects: LC50 is not determined
LD50 is not determined

Specific Target Organ

Toxicity:

None known

CHRONIC TOXICITY

Chronic Effects: None known

Carcinogenicity: Ethylene glycol monobutyl ether is a confirmed animal carcinogen with unknown relevance to

humans (ACGIH). Ethanol is a confirmed animal carcinogen with unknown relevance to humans

ACGIH).

Mutagenicity: No component is known to have a mutagenic effect. Teratogenicity: No component is known to have a teratogenic effect.

**Reproductive Toxicity:** No component is known to have an effect on the reproductive system.

POTENTIAL HEALTH EFFECTS:

Eyes: Causes serious eye irritation with potential for lasting damage.

Skin: Causes skin irritation.

**Inhalation**: May cause irritation of the upper respiratory tract and lungs.

**Ingestion**: May cause gastric upset.

#### **SECTION 12: ECOLOGICAL INFORMATION**

**ENVIRONMENTAL SUMMARY:** According to data on the components, this product is anticipated to be toxic to aquatic life both acutely and with long lasting effects.

**ECOTOXICITY DATA:** 

Fish Acute and Prolonged Toxicity:

Aquatic Invertebrate Acute Toxicity:

Aquatic Plant Toxicity:

Bird Acute and Prolonged Toxicity:

Honeybee Toxicity:

Not determined

Not determined

Not determined

Not determined

**ENVIRONMENTAL EFFECTS:** 

Soil Absorption/Mobility: Not determined Persistence and degradability: Not determined Bioaccumulative Potential: Not determined Other adverse effects: Not determined

## **SECTION 13: DISPOSAL CONSIDERATIONS**

**Waste:** Dispose of in accordance with applicable Federal, state and local laws and regulations.

**Container:** Triple rinse and recycle the container or dispose of in accordance with Federal, state and local laws and regulations. **RCRA Characteristics:** It is the responsibility of the individual disposing of this product to determine the RCRA classification and hazard status of the waste.



|                  | SECTION 14: TRANSPORT INFORMATION  |
|------------------|--|
| DOT:<br>(Ground) | This product is not regulated by the U.S. Department of Transportation in quantities less than 119 gallons. For quantities of 119 gallons or greater:  NA1993, Combustible liquid n.o.s. (ethanol, 2-butoxyethanol, 3, PGIII  While the hazard class is a 3, the product is classified as combustible rather than flammable as allowed by 49 CFR 173.120(b)(2) |
| IMDG:<br>(Sea)   | Not determined   |
| IATA:<br>(Air)   | Not determined   |
| TDG:<br>(Canada) | Not determined   |

#### **SECTION 15: REGULATORY INFORMATION**

TSCA Inventory: All components are listed or are exempt from listing on the TSCA inventory.

SARA Title III Information:

Section 302 - Extremely hazardous substances: None listed

Section 311/312 – Hazard Categories: Immediate (Acute), Fire

**Section 313** – The following chemicals are subject to the reporting requirements of Section 313 of Title III, Superfund Amendments and Reauthorization Act of 1986 and 40 CFR 372:

Ethylene glycol monobutyl ether (CAS # 111-76-2) 12.5%

**CERCLA** - This product contains the following chemicals which have a reportable quantity (RQ) under the Comprehensive Environmental Response, Compensation, and Liability Act (CERCLA):

1,4-dioxane (CAS # 123-91-1) has an RQ of 100 lbs. which is not met with an practical quantity of product. Ethylene oxide (CAS # 75-21-8) has an RQ of 10 lbs. which is not met with an practical quantity of product. Diethanolamine (CAS # 111-42-2) has an RQ of 100 lbs. which is not met with an practical quantity of product.

# U.S. State Worker and Community Right-To-Know (RTK) Information (CT, IL, MA, MN, NH, NJ, PA, RI):

| Chemical Name                   | CAS#       | State(s)   |
|---------------------------------|------------|------------|
| Ethylene glycol monobutyl ether | 111-76-2   | Ma, NJ, Pa |
| Ethanol                         | 64-17-5    | Ma, NJ, Pa |
| Polyethylene glycol             | 25322-68-3 | Mn         |

Canadian Domestic Substances List: All components are listed on the DSL.

WHMIS Classification: This product is not approved for use in Canada. WHMIS classification is not determined.

### **SECTION 16: OTHER**

**Disclaimer:** The information presented herein is based on available data from reliable sources and is correct to the best of WinField Solutions' knowledge. WinField Solutions, LLC makes no warranty, express nor implied, regarding the accuracy of the data or the results obtained from the use of this product. Nothing herein may be construed as recommending any practice or any product in violation of any law or regulations. The user is solely responsible for determining the suitability of any material or product for a specific purpose and for adopting any appropriate safety precautions. We disclaim all liability for injury or damage stemming from any improper use of the material or product described herein.

Revision Date: August 8, 2018 Supersedes document dated: October 13, 2014

Sections Revised: 15,16