Supplemental Label



For weed control in grass grown for seed production in Idaho, Oregon, and Washington

This supplemental label expires September 30, 2026, and must not be used or distributed after this date.

Active Ingredient:

glufosinate-ammonium*	24.5%**
Other Ingredients:	75.5%
Total:	100.0%

^{*} CAS Number 77182-82-2

EPA Reg. No. 7969-448 WARNING/AVISO

Directions For Use

- IMPORTANT CROP SAFETY INFORMATION. **READ BEFORE USING THIS PRODUCT.** When used on grass grown for seed production, this product may lead to crop injury, loss, or damage. Because of the risk of crop failure to perform or crop damage, to the extent consistent with applicable law. all such use is at the user and/or grower's risk, BASF recommends that the user and/or growers test this product in order to determine its suitability for such intended use. BASF makes this product available to the end user and/or grower solely to the extent the benefit and utility, in the sole opinion of the user and/or grower, outweigh the potential injury associated with the use of this product. The decision to use or not to use this herbicide must be made by each individual user and/or grower on the basis of possible crop injury from this product, the severity and type of weed infestation, the cost of alternative weed controls, and other factors. To the extent consistent with applicable law, BASF makes no warranties express or implied with respect to tank mixtures of Rely® 280 herbicide with other herbicides or adjuvants to grasses grown for seed production.
- It is a violation of federal law to use this product in a manner inconsistent with its labeling.
- The supplemental labeling and the entire Rely 280 container label, EPA Reg.
 No. 7969-448, must be in possession of the user at the time of application.
- Read the label affixed to the container for Rely 280 before applying.
- Use of Rely 280 according to this labeling is subject to the use precautions and limitations imposed by the label affixed to the container for Rely 280.

Product Information

Rely 280 is a water-soluble nonselective herbicide for application as foliar spray for the control of a broad spectrum of emerged broadleaf and grassy weeds. Refer to the **Rely 280** container label for a complete list of weeds controlled.



^{**} Equivalent to 2.34 pounds of active ingredient per U.S. gallon.

For best results, apply **Rely**[®] **280 herbicide** to emerged, young, actively growing weeds. Warm temperatures, high humidity, and bright sunlight improve the performance of **Rely 280**. Uniform, thorough spray coverage of weeds is required to achieve consistent weed control.

Weed control may be reduced when applications are made to weeds under stress such as drought or cool temperatures. Weeds under stress or in dense populations will require application at the highest specified label use rate. Stressed conditions also include prior treatments of other contact or systemic herbicides. Regrowth of weeds may occur due to the weed stage of growth at application, low use rate, or environmental conditions at the time of application.

Rate of Rely 280 (fl ozs/A)	Glufosinate Rate Equivalency (lbs ai/A)
10	0.183
16.5	0.302
20	0.366
40	0.73

Application Information

For use only in grass grown for seed production in Idaho, Oregon, and Washington.

Refer to the **Rely 280** container label for additional application instructions and restrictions.

Rely 280 may be applied only to the following grasses grown for seed production: perennial ryegrass and tall fescue.

Application Timing and Rate

Apply **Rely 280** in a single broadcast application either in the fall or in the spring or in sequential broadcast applications (fall followed by spring if additional weed control is required in the spring). For best weed control and crop safety, apply **Rely 280** when the grass seed crop is actively growing to minimize potential for crop injury.

Fall Application

If severe weed pressure exists in newly established grass seedling stands, broadcast apply **Rely 280** at 10 fl ozs/A after the 1st tiller of the crop is established, but **DO NOT** exceed this rate. In established grass stands fields with a minimum of 4 tillers, apply **Rely 280** at 16.5 to 20 fl ozs/A. **DO NOT** apply after December 1 in either seedling or established grass stands. Apply **Rely 280** in a minimum of 20 gallons per acre of water at 30 to 40 psi.

Spring Application

Broadcast apply **Rely 280** at 16.5 to 20 fl ozs/A to actively growing grass stands in the 4 to 6 tiller growth stage. **DO NOT** make applications after April 1 except when severe weed pressure necessitates control.

Additional Weeds Controlled or Suppressed

Bromus species (suppression only)
Manna Grass
Poa annua
Poa trivialis

Crop-specific Restrictions

- DO NOT apply more than 20 fl ozs/A of Rely 280 (0.366 lb ai/A of glufosinate) in a single application.
- DO NOT apply more than a maximum cumulative amount of 40 fl ozs/A of Rely 280 (0.73 lb ai/A of glufosinate) from sequential applications in grass seed per year.
- Maximum number of applications per year: 2
- Separate sequential applications by at least 60 days.
- DO NOT broadcast apply Rely 280 on bentgrass, fine fescue, orchardgrass, or Poa species grown for seed production.
- Preharvest Interval (PHI) or Pregrazing Interval (PGI) to livestock for Rely 280-treated grass forage and hay – 90 days.
- There is no required Preharvest Interval (PHI) to grass seed harvest.
- Straw remaining after grass seed harvest may be fed to or grazed by livestock.
- DO NOT apply aerially or through any type of irrigation system in grass grown for seed production.
- DO NOT apply Rely 280 when grass grown for seed production is stressed due to drought, heat, frost, flooding, poor fertility, diseases, insects, or other reason.

Crop-specific Precautions

 Stunting of grass grown for seed production may occur following application and, in some instance, seed yields may be adversely affected.

Conditions of Sale and Warranty

The **Directions For Use** of this product reflect the opinion of experts based on field use and tests. The directions are believed to be reliable and must be followed carefully. However, it is impossible to eliminate all risks inherently associated with the use of this product. Crop injury, ineffectiveness or other unintended consequences may result because of such factors as weather conditions, presence of other materials, or use of the product in a manner inconsistent with its labeling, all of which are beyond the control of BASF CORPORATION ("BASF") or the Seller. To the extent consistent with applicable law, all such risks shall be assumed by the Buyer.

BASF warrants that this product conforms to the chemical description on the label and is reasonably fit for the purposes referred to in the **Directions For Use**, subject to the inherent risks, referred to above.

TO THE EXTENT CONSISTENT WITH APPLICABLE LAW, BASF MAKES NO OTHER EXPRESS OR IMPLIED WARRANTY OF FITNESS OR MERCHANTABILITY OR ANY OTHER EXPRESS OR IMPLIED WARRANTY.

TO THE EXTENT CONSISTENT WITH APPLICABLE LAW, BUYER'S EXCLUSIVE REMEDY AND BASF'S EXCLUSIVE LIABILITY, WHETHER IN CONTRACT, TORT, NEGLIGENCE, STRICT LIABILITY, OR OTHERWISE, SHALL BE LIMITED TO REPAYMENT OF THE PURCHASE PRICE OF THE PRODUCT.

TO THE EXTENT CONSISTENT WITH APPLICABLE LAW, BASF AND THE SELLER DISCLAIM ANY LIABILITY FOR CONSEQUENTIAL, EXEMPLARY, SPECIAL OR INDIRECT DAMAGES RESULTING FROM THE USE OR HANDLING OF THIS PRODUCT.

BASF and the Seller offer this product, and the Buyer and User accept it, subject to the foregoing **Conditions of Sale and Warranty** which may be varied only by agreement in writing signed by a duly authorized representative of BASF.

Rely is a registered trademark of BASF.

© 2024 BASF Corporation All rights reserved.

007969-00448.20240214.**NVA 2024-04-0598-0040**Based on: NVA 2021-04-594-0191

BASF Corporation 26 Davis Drive Research Triangle Park, NC 27709

