

Revision date : 2025/01/27 Page: 1/14

Version: 6.0 (30661562/SDS\_CPA\_US/EN)

# 1. Identification

Product identifier used on the label

# **Empress Intrinsic Brand Fungicide**

# Recommended use of the chemical and restriction on use

Recommended use\*: crop protection product, fungicide

# Details of the supplier of the safety data sheet

Company:Contact address:BASF SEBASF CORPORATION67056 Ludwigshafen100 Park AvenueGERMANYFlorham Park, NJ 07932

USA

Telephone: +1 973 245-6000

# **Emergency telephone number**

24 Hour Emergency Response Information

CHEMTREC: 1-800-424-9300

BASF HOTLINE: 1-800-832-HELP (4357)

# Other means of identification

Substance number: 680605

Registration number: EPA Registration number: 7969-355

Synonyms: Pyraclostrobin

# 2. Hazards Identification

### According to Regulation 2012 OSHA Hazard Communication Standard; 29 CFR Part 1910.1200

# Classification of the product

Acute Tox. 4 (oral) Acute toxicity
Acute Tox. 4 (Inhalation - mist) Acute toxicity
Skin Irrit. 2 Skin irritation

<sup>\*</sup> The "Recommended use" identified for this product is provided solely to comply with a Federal requirement and is not part of the seller's published specification. The terms of this Safety Data Sheet (SDS) do not create or infer any warranty, express or implied, including by incorporation into or reference in the seller's sales agreement.

# **Safety Data Sheet**

# **Empress Intrinsic Brand Fungicide**

Revision date: 2025/01/27 Page: 2/14 Version: 6.0 (30661562/SDS\_CPA\_US/EN)

Skin Sens. 1B Skin sensitization

Repr. 2 (unborn child) Reproductive toxicity

STOT SE 3 (irritating to Specific target organ toxicity — single exposure

respiratory system)

STOT RE 2 Specific target organ toxicity — repeated

exposure

Aquatic Acute 1 Hazardous to the aquatic environment - acute Aquatic Chronic 1 Hazardous to the aquatic environment - chronic

#### Label elements

#### Pictogram:





# Signal Word: Warning

#### Hazard Statement:

H315 Causes skin irritation.

H317 May cause an allergic skin reaction.

H373 May cause damage to organs through prolonged or repeated exposure.

H335 May cause respiratory irritation.

H361 Suspected of damaging the unborn child.

H302 + H332 Harmful if swallowed or if inhaled.

H400 Very toxic to aquatic life.

H410 Very toxic to aquatic life with long lasting effects.

# Precautionary Statements (Prevention):

P280 Wear protective gloves, protective clothing and eye protection or face

protection.

P271 Use only outdoors or in a well-ventilated area.

P273 Avoid release to the environment.
P260 Do not breathe dust/gas/mist/vapours.
P201 Obtain special instructions before use.

P202 Do not handle until all safety precautions have been read and

understood.

P272 Contaminated work clothing should not be allowed out of the workplace.

P270 Do not eat, drink or smoke when using this product.
P264 Wash contaminated body parts thoroughly after handling.

# Precautionary Statements (Response):

P312 Call a POISON CENTER or physician if you feel unwell.

P304 + P340 IF INHALED: Remove person to fresh air and keep comfortable for

breathing.

P308 + P313 IF exposed or concerned: Get medical attention.
P302 + P352 IF ON SKIN: Wash with plenty of soap and water.
P333 + P313 If skin irritation or rash occurs: Get medical attention.

P330 Rinse mouth. P391 Collect spillage.

P332 + P313 If skin irritation occurs: Get medical attention.

P362 + P364 Take off contaminated clothing and wash it before reuse.

#### Precautionary Statements (Storage):

Revision date: 2025/01/27 Page: 3/14

Version: 6.0 (30661562/SDS\_CPA\_US/EN)

P403 + P233 Store in a well-ventilated place. Keep container tightly closed.

P405 Store locked up.

Precautionary Statements (Disposal):

P501 Dispose of contents/container in accordance with local regulations.

### Hazards not otherwise classified

Labeling of special preparations (GHS):

May produce an allergic reaction. Contains: 1,2-benzisothiazol-3(2H)-one

# 3. Composition / Information on Ingredients

# According to Regulation 2012 OSHA Hazard Communication Standard; 29 CFR Part 1910.1200

Pyraclostrobin

CAS Number: 175013-18-0 Content (W/W): 23.3 % Synonym: No data available.

bronopol

CAS Number: 52-51-7

Content (W/W): > 0.0 - < 0.1%

Synonym: 2-Bromo-2-nitro-1,3-propanediol; Bronopol

### 4. First-Aid Measures

# **Description of first aid measures**

#### General advice:

First aid personnel should pay attention to their own safety. If the patient is likely to become unconscious, place and transport in stable sideways position (recovery position). Immediately remove contaminated clothing.

#### If inhaled:

Keep patient calm, remove to fresh air, seek medical attention.

#### If on skin:

Wash thoroughly with soap and water

#### If in eyes:

Wash affected eyes for at least 15 minutes under running water with eyelids held open, consult an eye specialist.

#### If swallowed:

Immediately rinse mouth and then drink 200-300 ml of water, seek medical attention.

# Most important symptoms and effects, both acute and delayed

Symptoms: Information, i.e. additional information on symptoms and effects may be included in the GHS labeling phrases available in Section 2 and in the Toxicological assessments available in Section 11., (Further) symptoms and / or effects are not known so far

Revision date: 2025/01/27 Page: 4/14 Version: 6.0 (30661562/SDS\_CPA\_US/EN)

Hazards: Information, i.e. additional information on symptoms and effects may be included in the GHS labeling phrases available in Section 2 and in the Toxicological assessments available in Section 11. (Further) symptoms and / or effects are not known so far

# Indication of any immediate medical attention and special treatment needed

Note to physician

Treatment: Treat according to symptoms (decontamination, vital functions), no

known specific antidote.

# 5. Fire-Fighting Measures

# **Extinguishing media**

Suitable extinguishing media:

foam, dry powder, carbon dioxide, water spray

# Special hazards arising from the substance or mixture

Hazards during fire-fighting:

carbon monoxide, carbon dioxide, Hydrogen chloride, hydrogen bromide, nitrogen oxides, halogenated compounds, Phosphorus compounds, silica compounds, sulfur oxides The substances/groups of substances mentioned can be released in case of fire.

#### Advice for fire-fighters

Protective equipment for fire-fighting:

Firefighters should be equipped with self-contained breathing apparatus and turn-out gear.

#### Further information:

Evacuate area of all unnecessary personnel. Contain contaminated water/firefighting water. Do not allow to enter drains or waterways.

#### 6. Accidental release measures

# Personal precautions, protective equipment and emergency procedures

Take appropriate protective measures. Clear area. Shut off source of leak only under safe conditions. Extinguish sources of ignition nearby and downwind. Ensure adequate ventilation. Wear suitable personal protective clothing and equipment.

# **Environmental precautions**

Do not discharge into the subsoil/soil. Do not discharge into drains/surface waters/groundwater. Contain contaminated water/firefighting water.

### Methods and material for containment and cleaning up

Dike spillage. Pick up with suitable absorbent material. Place into suitable containers for reuse or disposal in a licensed facility. Spilled substance/product should be recovered and applied according to label rates whenever possible. If application of spilled substance/product is not possible, then spills should be contained, solidified, and placed in suitable containers for disposal. After decontamination, spill area can be washed with water. Collect wash water for approved disposal.

Revision date: 2025/01/27 Page: 5/14 Version: 6.0 (30661562/SDS\_CPA\_US/EN)

# 7. Handling and Storage

# Precautions for safe handling

RECOMMENDATIONS ARE FOR MANUFACTURING, COMMERCIAL BLENDING, AND PACKAGING WORKERS. PESTICIDE APPLICATORS & WORKERS must refer to the Product Label and Directions for Use attached to the product for Agricultural Use Requirements in accordance with the EPA Worker Protection Standard 40 CFR part 170. Ensure adequate ventilation. Provide good ventilation of working area (local exhaust ventilation if necessary). Keep away from sources of ignition - No smoking. Keep container tightly sealed. Protect contents from the effects of light. Protect against heat. Protect from air. Handle and open container with care. Do not open until ready to use. Once container is opened, content should be used as soon as possible. Avoid aerosol formation. Avoid dust formation. Provide means for controlling leaks and spills. Do not return residues to the storage containers. Follow label warnings even after container is emptied. The substance/product may be handled only by appropriately trained personnel. Avoid all direct contact with the substance/product. Avoid contact with the skin, eyes and clothing. Avoid inhalation of dusts/mists/vapours. Wear suitable personal protective clothing and equipment.

#### Protection against fire and explosion:

The relevant fire protection measures should be noted. Fire extinguishers should be kept handy. Avoid all sources of ignition: heat, sparks, open flame. Sources of ignition should be kept well clear. Avoid extreme heat. Keep away from oxidizable substances. Electrical equipment should conform to national electric code. Ground all transfer equipment properly to prevent electrostatic discharge. Electrostatic discharge may cause ignition.

### Conditions for safe storage, including any incompatibilities

Segregate from incompatible substances. Segregate from foods and animal feeds. Segregate from textiles and similar materials.

Further information on storage conditions: Keep only in the original container in a cool, dry, well-ventilated place away from ignition sources, heat or flame. Protect containers from physical damage. Protect against contamination. The authority permits and storage regulations must be observed.

Storage stability:

Storage duration: 24 Months

# 8. Exposure Controls/Personal Protection

Users of a pesticidal product should refer to the product label for personal protective equipment requirements.

# Components with occupational exposure limits

Pyraclostrobin TWA value 0.13 mg/m3;

### Advice on system design:

Whenever possible, engineering controls should be used to minimize the need for personal protective equipment.

#### Personal protective equipment

RECOMMENDATIONS FOR MANUFACTURING, COMMERCIAL BLENDING, AND PACKAGING WORKERS:

Revision date: 2025/01/27 Page: 6/14 Version: 6.0 (30661562/SDS\_CPA\_US/EN)

# Respiratory protection:

Wear respiratory protection if ventilation is inadequate. Wear a NIOSH-certified (or equivalent) organic vapour/particulate respirator. For situations where the airborne concentrations may exceed the level for which an air purifying respirator is effective, or where the levels are unknown or Immediately Dangerous to Life or Health (IDLH), use NIOSH-certified full facepiece pressure demand self-contained breathing apparatus (SCBA) or a full facepiece pressure demand supplied-air respirator (SAR) with escape provisions.

#### Hand protection:

Chemical resistant protective gloves, Protective glove selection must be based on the user's assessment of the workplace hazards.

#### Eye protection:

Safety glasses with side-shields. Wear face shield or tightly fitting safety goggles (chemical goggles) if splashing hazard exists.

# **Body protection:**

Body protection must be chosen depending on activity and possible exposure, e.g. head protection, apron, protective boots, chemical-protection suit.

### General safety and hygiene measures:

Wear long sleeved work shirt and long work pants in addition to other stated personal protective equipment. Work place should be equipped with a shower and an eye wash. Handle in accordance with good industrial hygiene and safety practice. Personal protective equipment should be decontaminated prior to reuse. Gloves must be inspected regularly and prior to each use. Replace if necessary (e.g. pinhole leaks). Take off immediately all contaminated clothing. Store work clothing separately. Hands and/or face should be washed before breaks and at the end of the shift. No eating, drinking, smoking or tobacco use at the place of work. Keep away from food, drink and animal feeding stuffs.

# 9. Physical and Chemical Properties

Form: liquid

Odour: faint odour, sweetish

Odour threshold: Not determined since harmful by inhalation.

Colour: off-white Melting point: approx. 0 °C

Information applies to the solvent.

Boiling point: approx. 95 °C

Information applies to the solvent.

(Regulation

440/2008/EC, A.9)

Flash point: No flash point - Measurement made

up to the boiling point.

Flammability: not applicable

Lower explosion limit: As a result of our experience with this

product and our knowledge of its composition we do not expect any hazard as long as the product is used appropriately and in accordance with

the intended use.

# **Safety Data Sheet**

# **Empress Intrinsic Brand Fungicide**

Revision date: 2025/01/27 Page: 7/14 Version: 6.0 (30661562/SDS\_CPA\_US/EN)

Upper explosion limit: As a result of our experience with this

product and our knowledge of its composition we do not expect any hazard as long as the product is used appropriately and in accordance with

the intended use.

Autoignition: 540 °C (Regulation

440/2008/EC, A.15)

SADT: > 75 °C

Heat accumulation / Dewar 500 ml (SADT, UN-Test H.4,

28.4.4)

Vapour pressure: approx. 23.3 hPa

(20°C)

Information applies to the solvent.

Density: approx. 1.08 g/cm3

(20°C)

Vapour density: not applicable

Partitioning coefficient n- not applicable for mixtures

octanol/water (log Pow):

Thermal decomposition: 170 °C, 1,630 kJ/kg (DSC (OECD 113))

Not a substance liable to self-decomposition according to UN

transport regulations, class 4.1.

Viscosity, dynamic: approx. 23 mPa.s

(20 °C)

Particle size: The substance / product is marketed

or used in a non solid or granular

form.

Solubility in water: dispersible
Molar mass: 387.82 g/mol
Evaporation rate: not applicable

Other Information: If necessary, information on other physical and chemical

parameters is indicated in this section.

# 10. Stability and Reactivity

# Reactivity

No hazardous reactions if stored and handled as prescribed/indicated.

Corrosion to metals:

Corrosive effects to metal are not anticipated.

Oxidizing properties: not fire-propagating

# **Chemical stability**

The product is stable if stored and handled as prescribed/indicated.

# Possibility of hazardous reactions

The product is chemically stable.

Hazardous polymerization will not occur. No hazardous reactions if stored and handled as prescribed/indicated.

#### Conditions to avoid

Revision date: 2025/01/27 Page: 8/14 Version: 6.0 (30661562/SDS\_CPA\_US/EN)

Avoid all sources of ignition: heat, sparks, open flame. Avoid prolonged storage. Avoid electro-static discharge. Avoid contamination. Avoid prolonged exposure to extreme heat. Avoid extreme temperatures.

# Incompatible materials

strong oxidizing agents, strong bases, strong acids

# **Hazardous decomposition products**

### Decomposition products:

Hazardous decomposition products: No hazardous decomposition products if stored and handled as prescribed/indicated.

Thermal decomposition:

170 °C, 3 K/min (DSC (OECD 113))

Not a substance liable to self-decomposition according to UN transport regulations, class 4.1.

# 11. Toxicological information

# Primary routes of exposure

Routes of entry for solids and liquids are ingestion and inhalation, but may include eye or skin contact. Routes of entry for gases include inhalation and eye contact. Skin contact may be a route of entry for liquefied gases.

# **Acute Toxicity/Effects**

# **Acute toxicity**

Assessment of acute toxicity: Of moderate toxicity after single ingestion. Of low toxicity after short-term inhalation. Virtually nontoxic after a single skin contact. The product has not been tested. The statement has been derived from substances/products of a similar structure or composition.

### Oral

Type of value: LD50 Species: rat (male/female)

Value: approx. 455 mg/kg (OECD Guideline 423)

# **Inhalation**

Type of value: LC50 Species: rat (female)

Value: 4.52 mg/l (OECD Guideline 403)

Exposure time: 4 h
An aerosol was tested.

#### Dermal

Type of value: LD50 Species: rat (male/female)

Value: > 5,000 mg/kg (OECD Guideline 402)

# Assessment other acute effects

Assessment of STOT single:

Causes temporary irritation of the respiratory tract.

# Safety Data Sheet

# **Empress Intrinsic Brand Fungicide**

Revision date: 2025/01/27 Page: 9/14 Version: 6.0 (30661562/SDS\_CPA\_US/EN)

The product has not been tested. The statement has been derived from the properties of the individual components.

#### Irritation / corrosion

Assessment of irritating effects: Skin contact causes irritation. Not irritating to the eyes. The product has not been tested. The statement has been derived from substances/products of a similar structure or composition.

#### Skin

Species: rabbit Result: Irritant.

Method: OECD Guideline 404

#### Eye

Species: rabbit Result: non-irritant

Method: OECD Guideline 405

# Sensitization

Assessment of sensitization: Sensitization after skin contact possible. The product has not been tested. The statement has been derived from the properties of the individual components.

Information on: pyraclostrobin Guinea pig maximization test

Species: guinea pig Result: Non-sensitizing. Method: OECD Guideline 406

Information on: 2-Methyl-4-Isothiazolin-3-one

Buehler test

Species: guinea pig Result: skin sensitizing

Method: OECD Guideline 406

# **Aspiration Hazard**

not applicable

# **Chronic Toxicity/Effects**

# Repeated dose toxicity

Assessment of repeated dose toxicity: The product has not been tested. The statement has been derived from the properties of the individual components.

#### Information on: pyraclostrobin

Assessment of repeated dose toxicity: Repeated exposure may affect certain organs. Target organs: Liver, gastrointestinal tract and nasal cavity

· · ·

# Genetic toxicity

Assessment of mutagenicity: The product has not been tested. The statement has been derived from the properties of the individual components.

# Carcinogenicity

Revision date: 2025/01/27 Page: 10/14 Version: 6.0 (30661562/SDS\_CPA\_US/EN)

Assessment of carcinogenicity: The product has not been tested. The statement has been derived from the properties of the individual components. The results of various animal studies gave no indication of a carcinogenic effect.

#### Reproductive toxicity

Assessment of reproduction toxicity: The product has not been tested. The statement has been derived from the properties of the individual components. The results of animal studies gave no indication of a fertility impairing effect.

#### Teratogenicity

Assessment of teratogenicity: The product has not been tested. The statement has been derived from the properties of the individual components.

Information on: pyraclostrobin

Assessment of teratogenicity: Indications of possible developmental toxicity/teratogenicity were seen in animal studies.

\_\_\_\_\_

#### Other Information

Misuse can be harmful to health.

# 12. Ecological Information

# **Toxicity**

Aquatic toxicity

Assessment of aquatic toxicity:

Very toxic (acute effect) to aquatic organisms.

# Toxicity to fish

Information on: pyraclostrobin

LC50 (96 h) 0.00616 mg/l, Oncorhynchus mykiss (EPA 72-1, Flow through.)

-----

# Aquatic invertebrates

Information on: pyraclostrobin

EC50 (48 h) 0.0157 mg/l, Daphnia magna (OECD Guideline 202, part 1, static)

EC50 (96 h) 0.00416 mg/l, Americamysis bahia

-----

#### Aquatic plants

Information on: pyraclostrobin

EC10 (7 d) 0.82 mg/l (growth rate), Lemna gibba

EC50 (7 d) > 1.007 mg/l (growth rate), Lemna gibba

EC50 (72 h) 0.011 mg/l (growth rate), Navicula pelliculosa

-----

#### Chronic toxicity to fish

Information on: pyraclostrobin

No observed effect concentration (98 d) approx. 0.00235 mg/l, Oncorhynchus mykiss (OECD

Guideline 210, Flow through.)

Revision date: 2025/01/27 Page: 11/14 Version: 6.0 (30661562/SDS\_CPA\_US/EN)

-----

#### Chronic toxicity to aquatic invertebrates

Information on: pyraclostrobin

No observed effect concentration (21 d) 0.004 mg/l, Daphnia magna (OECD Guideline 202, part 2,

semistatic)

The details of the toxic effect relate to the nominal concentration.

No observed effect concentration (31 d) 0.000365 mg/l, Mysidopsis bahia

-----

#### Assessment of terrestrial toxicity

With high probability not acutely harmful to terrestrial organisms.

#### Other terrestrial non-mammals

Information on: pyraclostrobin

\_\_\_\_\_

# Persistence and degradability

Assessment biodegradation and elimination (H2O)

Information on: pyraclostrobin

Not readily biodegradable (by OECD criteria).

-----

# Bioaccumulative potential

#### Bioaccumulation potential

Information on: pyraclostrobin

Bioconcentration factor: 379 - 507, Oncorhynchus mykiss (OECD Guideline 305)

Accumulation in organisms is not to be expected.

-----

#### Mobility in soil

# Assessment transport between environmental compartments

The product has not been tested. The statement has been derived from the properties of the individual components.

Information on: pyraclostrobin

Following exposure to soil, adsorption to solid soil particles is probable, therefore contamination of groundwater is not expected.

-----

# **Additional information**

Other ecotoxicological advice:

The ecological data given are those of the active ingredient. Do not release untreated into natural waters.

Revision date: 2025/01/27 Page: 12/14 Version: 6.0 (30661562/SDS\_CPA\_US/EN)

# 13. Disposal considerations

#### Waste disposal of substance:

Pesticide wastes are regulated. Improper disposal of excess pesticide, spray mix or rinsate is a violation of federal law. If pesticide wastes cannot be disposed of according to label instructions, contact the State Pesticide or Environmental Control Agency or the Hazardous Waste representative at the nearest EPA Regional Office for guidance.

#### Container disposal:

Rinse thoroughly at least three times (triple rinse) in accordance with EPA recommendations. Consult state or local disposal authorities for approved alternative procedures such as container recycling. Recommend crushing, puncturing or other means to prevent unauthorized use of used containers.

#### RCRA:

This product is not regulated by RCRA.

# 14. Transport Information

# Land transport

**USDOT** 

Not classified as a dangerous good under transport regulations

# Sea transport

**IMDG** 

Hazard class: 9 Packing group: III

ID number: UN 3082 Hazard label: 9, EHSM Marine pollutant: YES

Proper shipping name: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,

N.O.S. (contains PYRACLOSTROBIN)

Air transport

IATA/ICAO

Hazard class: 9 Packing group: III

ID number: UN 3082 Hazard label: 9, EHSM

Proper shipping name: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,

N.O.S. (contains PYRACLOSTROBIN)

# **Further information**

Product may be shipped as non-hazardous in suitable packages containing a net quantity of 5 L or less under the provisions of various regulatory agencies: ADR, RID, ADN: Special Provision 375; IMDG: 2.10.2.7; IATA: A197; TDG: Special Provision 99(2); 49CFR: §171.4 (c) (2) and also the Special Provision 375 in Appendix B which is regulated in China "Regulations Concerning Road Transportation of Dangerous Goods Part 3: Index of dangerous goods name and transportation requirements" (JT/T 617.3)

Revision date: 2025/01/27 Page: 13/14 Version: 6.0 (30661562/SDS\_CPA\_US/EN)

# 15. Regulatory Information

# **Federal Regulations**

### Registration status:

Crop Protection TSCA, US released / exempt

**EPCRA 311/312 (Hazard categories):** Refer to SDS section 2 for GHS hazard classes applicable for this product.

#### State regulations

State RTK	CAS Number	Chemical name
PA	57-55-6	Propylene glycol
NJ	57-55-6	Propylene glycol
	14808-60-7	crystalline silica

# Safe Drinking Water & Toxic Enforcement Act, CA Prop. 65:

# **BASF Risk Assessment, CA Prop. 65:**

Based on an evaluation of the product's composition and the use(s), this product does not require a California Proposition 65 Warning.

# NFPA Hazard codes:

Health: 2 Fire: 1 Reactivity: 1 Special:

## Labeling requirements under FIFRA

This chemical is a pesticide product regulated by the Environmental Protection Agency and is subject to certain labeling requirements under federal pesticide law. These requirements differ from the classification criteria and hazard information required for safety data sheets, and workplace labels of non-pesticide chemicals. Following is the hazard information as required on the pesticide label.

WARNING:

KEEP OUT OF REACH OF CHILDREN.

KEEP OUT OF REACH OF DOMESTIC ANIMALS.

May be fatal if swallowed.

May cause moderate but temporary irritation to the eyes.

Avoid contact with the skin, eyes and clothing.

# 16. Other Information

#### SDS Prepared by:

BASF NA Product Regulations SDS Prepared on: 2025/01/27

We support worldwide Responsible Care® initiatives. We value the health and safety of our employees, customers, suppliers and neighbors, and the protection of the environment. Our commitment to Responsible Care is integral to conducting our business and operating our facilities in

Revision date: 2025/01/27 Page: 14/14 Version: 6.0 (30661562/SDS\_CPA\_US/EN)

a safe and environmentally responsible fashion, supporting our customers and suppliers in ensuring the safe and environmentally sound handling of our products, and minimizing the impact of our operations on society and the environment during production, storage, transport, use and disposal of our products.

**END OF DATA SHEET**