

OSHA Haz Com Standard 29 CFR 1910.1200. Prepared to GHS Rev03.

Printing date 02/24/2014

Reviewed on 02/24/2014

### 1 Identification

- · Product identifier
- · Trade name: Triplex Micro
- · Details of the supplier of the safety data sheet
- Manufacturer/Supplier:
  Redox Chemicals LLC
  130 South 100 West

PO Box 129 Burley, ID 83318 Phone: 208-678-2610 Fax: 208-677-3609

· Emergency telephone number: 208-431-2314

### 2 Hazard(s) identification

· Classification of the substance or mixture



Environment

Toxic to aquatic life with long lasting effects.



May cause respiratory irritation.

- · Label elements
- · GHS label elements

The product is classified and labeled according to the Globally Harmonized System (GHS).

· Hazard pictograms





GHS07 GHS09

# Signal word Warning Hazard statements

May cause respiratory irritation.

Toxic to aquatic life with long lasting effects.

#### · Precautionary statements

Avoid breathing dust/fume/gas/mist/vapors/spray.

Use only outdoors or in a well-ventilated area.

Avoid release to the environment.

IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.

Call a POISON CENTER or doctor/physician if you feel unwell.

Collect spillage.

Store locked up.

Store in a well-ventilated place. Keep container tightly closed.

Dispose of contents/container in accordance with local/regional/national/international regulations.

(Contd. on page 2)



OSHA Haz Com Standard 29 CFR 1910.1200. Prepared to GHS Rev03.

Printing date 02/24/2014 Reviewed on 02/24/2014

Trade name: Triplex Micro

(Contd. of page 1)

- · Classification system:
- NFPA ratings (scale 0 4)



Health = 1 Fire = 0 Reactivity = 0

· HMIS-ratings (scale 0 - 4)



Health = 1Fire = 0Reactivity = 0

# 3 Composition/information on ingredients

7439-89-6 iron 2-12%

Description: Mixture of the substances listed below with nonhazardous additions.

Dangerous components:				
7439-96-5	manganese	2-12%		
	Pyr. Sol. 1, H250; Water-react. 1, H260			
7440-66-6	zinc powder -zinc dust (pyrophoric)	2-12%		
	Pyr. Sol. 1, H250; Water-react. 1, H260; <page-header> Aquatic Acute 1, H400; Aquatic Chronic 1, H410</page-header>			
7440-42-8	boron	≤ 2.5%		
	♦ Acute Tox. 4, H302			
7440-50-8	copper	≤ 2.5%		

### 4 First-aid measures

- · Description of first aid measures
- · After inhalation: Supply fresh air; consult doctor in case of complaints.
- · After skin contact: Generally the product does not irritate the skin.
- · After eye contact: Rinse opened eye for several minutes under running water.
- After swallowing: Give large amounts of water. If symptoms persist consult doctor.
- · Most important symptoms and effects, both acute and delayed No further relevant information available.
- Indication of any immediate medical attention and special treatment needed

No further relevant information available.

# 5 Fire-fighting measures

- Extinguishing media
- · Suitable extinguishing agents:

CO2, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

- · Special hazards arising from the substance or mixture No further relevant information available.
- · Advice for firefighters
- · Protective equipment: No special measures required.

#### 6 Accidental release measures

- Personal precautions, protective equipment and emergency procedures Not required.
- Environmental precautions:

Inform respective authorities in case of seepage into water course or sewage system.

Do not allow to enter sewers/ surface or ground water.



OSHA Haz Com Standard 29 CFR 1910.1200. Prepared to GHS Rev03.

Printing date 02/24/2014 Reviewed on 02/24/2014

Trade name: Triplex Micro

(Contd. of page 2)

- · Methods and material for containment and cleaning up: Ensure adequate ventilation.
- · Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

### 7 Handling and storage

- · Precautions for safe handling No special precautions are necessary if used correctly.
- Information about protection against explosions and fires: No special measures required.
- · Conditions for safe storage, including any incompatibilities
- · Storage:
- Requirements to be met by storerooms and receptacles: No special requirements.
- · Information about storage in one common storage facility: Not required.
- · Further information about storage conditions: Keep receptacle tightly sealed.
- · Specific end use(s) No further relevant information available.

# 8 Exposure controls/personal protection

- · Additional information about design of technical systems: No further data; see section 7.
- · Control parameters

#### · Components with limit values that require monitoring at the workplace:

### 7439-96-5 manganese

PEL Ceiling limit value: 5 mg/m³

as Mn

REL Short-term value: 3 mg/m<sup>3</sup>

Long-term value: 1 mg/m3

fume, as Mn

TLV Long-term value: 0.02\* 0.1\* mg/m³

as Mn; \*respirable \*\*inhalable fraction

# 7440-50-8 copper

PEL Long-term value: 1\* 0.1\*\* mg/m³

as Cu \*dusts and mists \*\*fume

REL Long-term value: 1\* 0.1\*\* mg/m³

as Cu \*dusts and mists \*\*fume

TLV Long-term value: 1\* 0.2\*\* mg/m³

\*dusts and mists; \*\*fume; as Cu

- · Additional information: The lists that were valid during the creation were used as basis.
- · Exposure controls
- · Personal protective equipment:
- General protective and hygienic measures:

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing.

Wash hands before breaks and at the end of work.

- · Breathing equipment: Not required.
- Protection of hands:

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Select glove material based on penetration times, rates of diffusion and degradation.



OSHA Haz Com Standard 29 CFR 1910.1200. Prepared to GHS Rev03.

Printing date 02/24/2014 Reviewed on 02/24/2014

Trade name: Triplex Micro

(Contd. of page 3)

· Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

· Penetration time of glove material

The exact break-through time has to be determined and observed by the manufacturer of the protective gloves.

· Eye protection: Not required.

# 9 Physical and chemical properties

- · Information on basic physical and chemical properties
- · General Information
- · Appearance:

Form: Powder Brown

Odor: CharacteristicpH-value: Not applicable.

· Change in condition

Melting point/Melting range:Not determined.Boiling point/Boiling range:907 °C (1665 °F)

Flash point: Not applicable.Flammability (solid, gaseous): Not determined.

· Ignition temperature:

**Decomposition temperature:** Not determined.

· **Auto igniting:** Product is not selfigniting.

Danger of explosion: Product does not present an explosion hazard.

· Explosion limits:

Lower:
Upper:
Not determined.
Not determined.

Vapor pressure:
Not applicable.

Density:
Relative density
Vapour density
Vapour density
Evaporation rate
Not determined.
Not applicable.
Not applicable.

· Solubility in / Miscibility with

Water: Insoluble.

· Partition coefficient (n-octanol/water): Not determined.

· Viscosity:

**Dynamic:** Not applicable. **Kinematic:** Not applicable.

· Solvent content:

Organic solvents: 0.0 %
Solids content: 100 %

(Contd. on page 5)



OSHA Haz Com Standard 29 CFR 1910.1200. Prepared to GHS Rev03.

Printing date 02/24/2014 Reviewed on 02/24/2014

Trade name: Triplex Micro

(Contd. of page 4)

· Other information

No further relevant information available.

### 10 Stability and reactivity

- · Reactivity No further relevant information available.
- · Chemical stability
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- Possibility of hazardous reactions No dangerous reactions known.
- · Conditions to avoid No further relevant information available.
- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

# 11 Toxicological information

- · Information on toxicological effects
- · Acute toxicity:
- Primary irritant effect:
- on the skin: No irritant effect.
- on the eye: No irritating effect.
- · Sensitization: No sensitizing effects known.
- Additional toxicological information:

The product shows the following dangers according to internally approved calculation methods for preparations:

Irritant

- · Carcinogenic categories
- · IARC (International Agency for Research on Cancer)

None of the ingredients is listed.

· NTP (National Toxicology Program)

None of the ingredients is listed.

#### 12 Ecological information

- · Toxicity
- · Aquatic toxicity: No further relevant information available.
- · Persistence and degradability No further relevant information available.
- · Bioaccumulative potential No further relevant information available.
- Mobility in soil No further relevant information available.
- Ecotoxical effects:
- · Remark: Toxic for fish
- · Additional ecological information:
- · General notes:

Water hazard class 2 (Self-assessment): hazardous for water

Do not allow product to reach ground water, water course or sewage system.

Danger to drinking water if even small quantities leak into the ground.

Also poisonous for fish and plankton in water bodies.

Toxic for aquatic organisms

- · Results of PBT and vPvB assessment
- · PBT: Not applicable.
- vPvB: Not applicable.
- · Other adverse effects No further relevant information available.

(Contd. on page 6)



OSHA Haz Com Standard 29 CFR 1910.1200. Prepared to GHS Rev03.

Printing date 02/24/2014 Reviewed on 02/24/2014

Trade name: Triplex Micro

(Contd. of page 5)

### 13 Disposal considerations

- · Waste treatment methods
- · Recommendation:

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

- · Uncleaned packagings:
- · Recommendation: Disposal must be made according to official regulations.

# \* 14 Transport information

· UN-Number

· **DOT** Non-Regulated Material

· **ADR, IMDG, IATA** UN3077

· UN proper shipping name

· **DOT** Non-Regulated Material

· ADR UN3077 Environmentally hazardous substances, solid, n.o.s. ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID,

N.O.S., MARINE POLLUTANT

· IATA ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID,

N.O.S.

· Transport hazard class(es)

· DOT

· Class Non-Regulated Material

· ADR



• Class 9 Miscellaneous dangerous substances and articles

· IMDG, IATA



• Class 9 Miscellaneous dangerous substances and articles.

· Label

· Packing group

· **DOT** Non-Regulated Material

· ADR. IMDG. IATA

· Environmental hazards:

· Marine pollutant: Yes

Symbol (fish and tree)
Special marking (ADR):
Special marking (IATA):
Symbol (fish and tree)
Symbol (fish and tree)

Special precautions for user Warning: Miscellaneous dangerous substances and articles

Transport in bulk according to Annex II of

MARPOL73/78 and the IBC Code Not applicable.

(Contd. on page 7)



OSHA Haz Com Standard 29 CFR 1910.1200. Prepared to GHS Rev03.

Printing date 02/24/2014 Reviewed on 02/24/2014

Trade name: Triplex Micro

(Contd. of page 6)

UN "Model Regulation":

UN3077, Environmentally hazardous substances, solid, n.o.s., 9,

# 5 Regulatory information

- · Safety, health and environmental regulations/legislation specific for the substance or mixture

· Section 35	· Section 355 (extremely hazardous substances):			
None of the	None of the ingredients is listed.			
· Section 31	· Section 313 (Specific toxic chemical listings):			
7439-96-5	manganese			
7440-66-6	zinc powder -zinc dust (pyrophoric)			
7440-50-8	copper			
•	TSCA (Toxic Substances Control Act):			

- All ingredients are listed. Proposition 65
- · Chemicals known to cause cancer:

None of the ingredients is listed.

· Chemicals known to cause reproductive toxicity for females:

None of the ingredients is listed.

· Chemicals known to cause reproductive toxicity for males:

None of the ingredients is listed.

· Chemicals known to cause developmental toxicity:

None of the ingredients is listed.

· Carcinogenic categories

· EPA (Environmental Protection Agency)					
7439-96-5	manganese	D			
7440-66-6	zinc powder -zinc dust (pyrophoric)	D, I, II			
7440-42-8	boron	l (oral)			
7440-50-8	copper	D			
TLV (Threshold Limit Value established by ACGIH)					
None of the ingredients is listed.					
· NIOSH-Ca (National Institute for Occupational Safety and Health)					
None of the ingredients is listed.					
· OSHA-Ca (Occupational Safety & Health Administration)					

Corrosive to eyes GHS label elements

The product is classified and labeled according to the Globally Harmonized System (GHS).

· Hazard pictograms







OSHA Haz Com Standard 29 CFR 1910.1200. Prepared to GHS Rev03.

Printing date 02/24/2014 Reviewed on 02/24/2014

Trade name: Triplex Micro

(Contd. of page 7)

- · Signal word Warning
- · Hazard statements

May cause respiratory irritation.

Toxic to aquatic life with long lasting effects.

· Precautionary statements

Avoid breathing dust/fume/gas/mist/vapors/spray.

Use only outdoors or in a well-ventilated area.

Avoid release to the environment.

IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.

Call a POISON CENTER or doctor/physician if you feel unwell.

Collect spillage.

Store locked up.

Store in a well-ventilated place. Keep container tightly closed.

Dispose of contents/container in accordance with local/regional/national/international regulations.

#### · National regulations:

The product is subject to be labeled according with the prevailing version of the regulations on hazardous substances.

· State Righ	t to Know			
7439-89-6	iron	2-12%		
	manganese	2-12%		
	Pyr. Sol. 1, H250; Water-react. 1, H260			
	zinc powder -zinc dust (pyrophoric)	2-12%		
	Pyr. Sol. 1, H250; Water-react. 1, H260; Aquatic Acute 1, H400; Aquatic Chronic 1, H410			
7440-42-8		≤ 2.5%		
	♦ Acute Tox. 4, H302			
7440-50-8	copper	≤ 2.5%		
None of the ingredients is listed.				

<sup>·</sup> Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

#### 16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

#### · Date of preparation / last revision 02/24/2014 / 1

#### · Abbreviations and acronyms:

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation

IATA: International Air Transport Association

ACGIH: American Conference of Governmental Industrial Hygienists

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

NFPA: National Fire Protection Association (USA)

HMIS: Hazardous Materials Identification System (USA)

Pyr. Sol. 1: Pyorphoric Solids, Hazard Category 1

Water-react. 1: Substances and Mixtures which, in contact with water, emit flammable gases, Hazard Category 1

Acute Tox. 4: Acute toxicity, Hazard Category 4

STOT SE 3: Specific target organ toxicity - Single exposure, Hazard Category 3

Aquatic Acute 1: Hazardous to the aquatic environment - AcuteHazard, Category 1

Aquatic Chronic 1: Hazardous to the aquatic environment - Chronic Hazard, Category 1

Aquatic Chronic 2: Hazardous to the aquatic environment - Chronic Hazard, Category 2



Safety Data Sheet (SDS)
OSHA Haz Com Standard 29 CFR 1910.1200. Prepared to GHS Rev03.

Printing date 02/24/2014 Reviewed on 02/24/2014

Trade name: Triplex Micro

(Contd. of page 8)

\* \* Data compared to the previous version altered. SDS / MSDS Created by MSDS Authoring Services (www.MSDSAuthoring.com)