

Revision date: 2024/03/07 Page: 1/13 Version: 2.0 (30805916/SDS_CPA_US/EN)

1. Identification

Product identifier used on the label

Relsion Herbicide

Recommended use of the chemical and restriction on use

Recommended use*: crop protection product, herbicide

Details of the supplier of the safety data sheet

Company:

BASF Agricultural Solutions US LLC 2 TW Alexander Drive Research Triangle Park, NC 27713 USA

Telephone: +1 973 245-6000

Emergency telephone number

24 Hour Emergency Response Information

CHEMTREC: 1-800-424-9300

BASF HOTLINE: 1-800-832-HELP (4357)

Other means of identification

Substance number: 1061730

Registration number: EPA Registration number: 7969-497

2. Hazards Identification

According to Regulation 2012 OSHA Hazard Communication Standard; 29 CFR Part 1910.1200

Classification of the product

Acute Tox. 4 (Inhalation - mist) Acute toxicity

Skin Corr./Irrit. 2 Skin corrosion/irritation

Eye Dam./Irrit. 2A Serious eye damage/eye irritation

Skin Sens. 1B Skin sensitization

^{*} The "Recommended use" identified for this product is provided solely to comply with a Federal requirement and is not part of the seller's published specification. The terms of this Safety Data Sheet (SDS) do not create or infer any warranty, express or implied, including by incorporation into or reference in the seller's sales agreement.

Revision date: 2024/03/07 Page: 2/13 Version: 2.0 (30805916/SDS_CPA_US/EN)

Repr. 1B (fertility) Reproductive toxicity Repr. 2 (unborn child) Reproductive toxicity

STOT SE 1 Specific target organ toxicity — single exposure

STOT RE 2 Specific target organ toxicity — repeated

exposure

Aquatic Acute 1 Hazardous to the aquatic environment - acute Aquatic Chronic 1 Hazardous to the aquatic environment - chronic

Label elements

Pictogram:





Signal Word: Danger

Hazard Statement:

H319 Causes serious eye irritation.

H315 Causes skin irritation. H332 Harmful if inhaled.

H317 May cause an allergic skin reaction.

H360 May damage fertility. Suspected of damaging the unborn child.

H370 Causes damage to organs (Nervous system).

H373 May cause damage to organs (Nervous system) through prolonged or

repeated exposure.

H400 Very toxic to aquatic life.

H410 Very toxic to aquatic life with long lasting effects.

Precautionary Statements (Prevention):

P280 Wear protective gloves, protective clothing and eye protection or face

protection.

P271 Use only outdoors or in a well-ventilated area.

P273 Avoid release to the environment.
P260 Do not breathe dust/gas/mist/vapours.

P280 Wear eye protection.

P201 Obtain special instructions before use.

P202 Do not handle until all safety precautions have been read and

understood.

P270 Do not eat, drink or smoke when using this product.
P264 Wash contaminated body parts thoroughly after handling.

P272 Contaminated work clothing should not be allowed out of the workplace.

Precautionary Statements (Response):

Revision date: 2024/03/07 Page: 3/13 Version: 2.0 (30805916/SDS_CPA_US/EN)

P308 + P311	IF exposed or concerned: Call a POISON CENTER or physician.
P305 + P351 + P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P304 + P340	IF INHALED: Remove person to fresh air and keep comfortable for breathing.
P302 + P352	IF ON SKIN: Wash with plenty of soap and water.
P333 + P313	If skin irritation or rash occurs: Get medical attention.
P391	Collect spillage.
P332 + P313	If skin irritation occurs: Get medical attention.
P362 + P364	Take off contaminated clothing and wash it before reuse.
P337 + P313	If eye irritation persists: Get medical attention.

Precautionary Statements (Storage): P405 Store locked up.

Precautionary Statements (Disposal):

P501 Dispose of contents/container in accordance with local regulations.

3. Composition / Information on Ingredients

According to Regulation 2012 OSHA Hazard Communication Standard; 29 CFR Part 1910.1200

Butanoic acid, 2-amino-4-(hydroxymethylphosphinyl)-, monoammonium salt

CAS Number: 77182-82-2 Content (W/W): >= 15.0 - < 20.0% Synonym: No data available.

(OLIGOMER) Alcohols, C10-16, ethoxylated, sulfates, mono(hydroxyethyl)ammonium salts

CAS Number: 157627-92-4 Content (W/W): >= 15.0 - < 20.0% Synonym: No data available.

1,3,5-Triazine-2,4-diamine, N2-[(1R,2S)-2,3-dihydro-2,6-dimethyl-1H-inden-1-yl]-6-(1-fluoroethyl)-

CAS Number: 950782-86-2 Content (W/W): >= 0.3 - < 1.0% Synonym: No data available.

4. First-Aid Measures

Description of first aid measures

General advice:

First aid personnel should pay attention to their own safety. If the patient is likely to become unconscious, place and transport in stable sideways position (recovery position). Immediately remove contaminated clothing. Symptoms of poisoning may occur even after several hours, continue medical observation for at least 48 hours after the accident.

If inhaled:

Keep patient calm, remove to fresh air, seek medical attention.

If on skin:

Immediately wash thoroughly with plenty of water, apply sterile dressings, consult a skin specialist.

Revision date: 2024/03/07 Page: 4/13 Version: 2.0 (30805916/SDS_CPA_US/EN)

If in eyes:

Immediately wash affected eyes for at least 15 minutes under running water with eyelids held open, consult an eye specialist.

If swallowed:

Immediately rinse mouth and then drink 200-300 ml of water, seek medical attention. Do not induce vomiting.

Most important symptoms and effects, both acute and delayed

Symptoms: Information, i.e. additional information on symptoms and effects may be included in the GHS labeling phrases available in Section 2 and in the Toxicological assessments available in Section 11., vomiting, diarrhea, abdominal cramps, tremors, hypotension (low blood pressure), weakness, unconsciousness, coma, convulsions, respiratory arrest, nausea, tachycardia, Symptoms may be delayed for several hours.

Hazards: Information, i.e. additional information on symptoms and effects may be included in the GHS labeling phrases available in Section 2 and in the Toxicological assessments available in Section 11. (Further) symptoms and / or effects are not known so far

Indication of any immediate medical attention and special treatment needed

Note to physician

Treatment:

Treat according to symptoms (decontamination, vital functions), no known specific antidote. Administer activated charcoal. If necessary, give oxygen. Monitor respiratory, cardiac and central nervous system. Medical monitoring for at least 24-48 hours.

5. Fire-Fighting Measures

Extinguishing media

Suitable extinguishing media: water spray, dry powder, foam, carbon dioxide

Unsuitable extinguishing media for safety reasons: water jet

Special hazards arising from the substance or mixture

Hazards during fire-fighting:

carbon monoxide, carbon dioxide, hydrogen fluoride, Hydrogen chloride, nitrogen oxides, phosphorus oxides, sulfur oxides, halogenated compounds, silica compounds. The substances/groups of substances mentioned can be released in case of fire.

Advice for fire-fighters

Protective equipment for fire-fighting:

Wear self-contained breathing apparatus and chemical-protective clothing.

Further information:

Keep containers cool by spraying with water if exposed to fire. In case of fire and/or explosion do not breathe fumes. Collect contaminated extinguishing water separately, do not allow to reach sewage or effluent systems. Dispose of fire debris and contaminated extinguishing water in accordance with official regulations.

Revision date: 2024/03/07 Page: 5/13 Version: 2.0 (30805916/SDS_CPA_US/EN)

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

Do not breathe vapour/spray. Use personal protective clothing. Avoid contact with the skin, eyes and clothing.

Environmental precautions

Do not discharge into the subsoil/soil. Do not discharge into drains/surface waters/groundwater.

Methods and material for containment and cleaning up

Dike spillage. Pick up with suitable absorbent material. Place into suitable containers for reuse or disposal in a licensed facility. Spilled substance/product should be recovered and applied according to label rates whenever possible. If application of spilled substance/product is not possible, then spills should be contained, solidified, and placed in suitable containers for disposal. After decontamination, spill area can be washed with water. Collect wash water for approved disposal.

7. Handling and Storage

Precautions for safe handling

RECOMMENDATIONS ARE FOR MANUFACTURING, COMMERCIAL BLENDING, AND PACKAGING WORKERS. PESTICIDE APPLICATORS & WORKERS must refer to the Product Label and Directions for Use attached to the product for Agricultural Use Requirements in accordance with the EPA Worker Protection Standard 40 CFR part 170. Ensure adequate ventilation. Provide good ventilation of working area (local exhaust ventilation if necessary). Keep away from sources of ignition - No smoking. Keep container tightly sealed. Protect against heat. Protect contents from the effects of light. Protect from air. Handle and open container with care. Do not open until ready to use. Once container is opened, content should be used as soon as possible. Avoid aerosol formation. Provide means for controlling leaks and spills. Do not return residues to the storage containers. Follow label warnings even after container is emptied. The substance/ product may be handled only by appropriately trained personnel. Avoid all direct contact with the substance/product. Avoid contact with the skin, eyes and clothing. Avoid inhalation of dusts/mists/vapours. Wear suitable personal protective clothing and equipment.

Protection against fire and explosion:

No special precautions necessary. The substance/product is non-combustible. Product is not explosive.

Conditions for safe storage, including any incompatibilities

Segregate from foods and animal feeds.

Further information on storage conditions: Keep away from heat. Protect from direct sunlight.

8. Exposure Controls/Personal Protection

Users of a pesticidal product should refer to the product label for personal protective equipment requirements.

Components with occupational exposure limits

Butanoic acid, 2-amino-4- TWA value 0.33 mg/m3; (hydroxymethylphosphinyl)-, monoammonium salt

Revision date: 2024/03/07 Page: 6/13 Version: 2.0 (30805916/SDS_CPA_US/EN)

Personal protective equipment

RECOMMENDATIONS FOR MANUFACTURING, COMMERCIAL BLENDING, AND PACKAGING WORKERS:

Respiratory protection:

Wear respiratory protection if ventilation is inadequate. Wear a NIOSH-certified (or equivalent) TC23C Chemical/Mechanical type filter system to remove a combination of particles, gas and vapours. For situations where the airborne concentrations may exceed the level for which an air purifying respirator is effective, or where the levels are unknown or Immediately Dangerous to Life or Health (IDLH), use NIOSH-certified full facepiece pressure demand self-contained breathing apparatus (SCBA) or a full facepiece pressure demand supplied-air respirator (SAR) with escape provisions.

Hand protection:

Chemical resistant protective gloves, Protective glove selection must be based on the user's assessment of the workplace hazards.

Eye protection:

Safety glasses with side-shields. Wear face shield or tightly fitting safety goggles (chemical goggles) if splashing hazard exists.

Body protection:

Body protection must be chosen depending on activity and possible exposure, e.g. head protection, apron, protective boots, chemical-protection suit.

General safety and hygiene measures:

The statements on personal protective equipment in the instructions for use apply when handling crop-protection agents in final-consumer packing. Wearing of closed work clothing is recommended. Store work clothing separately. Keep away from food, drink and animal feeding stuffs.

9. Physical and Chemical Properties

Form: liquid

Odour: faint odour, ammonia-like

Odour threshold: Not determined since harmful by inhalation.

Colour: grey to green approx. 6.5 - 8.5

(20 °C)

Melting point: approx. 0 °C

Information applies to the solvent.

Boiling point: approx. 100 °C

Information applies to the solvent.

Flash point: Non-flammable. (Directive

Flammability: not applicable

Lower explosion limit: As a result of our experience with this

product and our knowledge of its composition we do not expect any hazard as long as the product is used appropriately and in accordance with 92/69/EEC, A.9)

the intended use.

Revision date: 2024/03/07 Page: 7/13 Version: 2.0 (30805916/SDS CPA US/EN)

Upper explosion limit: As a result of our experience with this

> product and our knowledge of its composition we do not expect any hazard as long as the product is used appropriately and in accordance with

the intended use.

430 °C Autoignition: (Regulation

440/2008/EC, A.15)

Vapour pressure: approx. 23 hPa

(20°C)

(20°C)

Information based on the main

component/s.

(OECD Guideline Density: approx. 1.11 g/cm3

109)

Vapour density: not applicable Partitioning coefficient nnot applicable

octanol/water (log Pow):

Thermal decomposition: 110 °C, 80 kJ/kg (DSC (OECD 113))

(onset temperature)

200 °C, 20 kJ/kg (DSC (OECD 113))

(onset temperature)

300 °C, 90 kJ/kg (DSC (OECD 113))

(onset temperature)

370 °C, 60 kJ/kg (DSC (OECD 113))

(onset temperature)

Not a substance liable to self-decomposition according to UN

transport regulations, class 4.1.

Viscosity, dynamic: approx. 240 mPa.s (OECD Guideline

> (20°C) 114)

(20°C) Solubility in water: miscible

Evaporation rate: not applicable

Other Information: If necessary, information on other physical and chemical

parameters is indicated in this section.

10. Stability and Reactivity

Reactivity

No hazardous reactions if stored and handled as prescribed/indicated.

Oxidizing properties:

not fire-propagating (Regulation 440/2008/EC, A.21)

Chemical stability

The product is stable if stored and handled as prescribed/indicated.

Possibility of hazardous reactions

No hazardous reactions if stored and handled as prescribed/indicated.

Conditions to avoid

See SDS section 7 - Handling and storage.

Incompatible materials

strong acids, strong bases, strong oxidizing agents

Revision date: 2024/03/07 Page: 8/13 Version: 2.0 (30805916/SDS_CPA_US/EN)

Hazardous decomposition products

Decomposition products:

Hazardous decomposition products: ammonia

Thermal decomposition:

110 °C, 3 K/min (DSC (OECD 113))

(onset temperature)

200 °C, 3 K/min (DSC (OECD 113))

(onset temperature)

300 °C, 3 K/min (DSC (OECD 113))

(onset temperature)

370 °C, 3 K/min (DSC (OECD 113))

(onset temperature)

Not a substance liable to self-decomposition according to UN transport regulations, class 4.1.

11. Toxicological information

Primary routes of exposure

Routes of entry for solids and liquids are ingestion and inhalation, but may include eye or skin contact. Routes of entry for gases include inhalation and eye contact. Skin contact may be a route of entry for liquefied gases.

Acute Toxicity/Effects

Acute toxicity

Assessment of acute toxicity: Of low toxicity after single ingestion. Of low toxicity after short-term skin contact. Of moderate toxicity after short-term inhalation.

Oral

Type of value: LD50 Species: rat (female)

Value: > 2,000 mg/kg (OECD Guideline 423)

Inhalation

Type of value: LC50 Species: rat (male/female)

Value: > 1.88 mg/l (OECD Guideline 403)

An aerosol was tested.

Dermal

Type of value: LD50 Species: rat (male/female)

Value: > 2,000 mg/kg (OECD Guideline 402)

Assessment other acute effects

Assessment of STOT single:

A single exposure may have relevant toxic effects on organs.

Target organ: Nervous system

The product has not been tested. The statement has been derived from the properties of the individual components.

Irritation / corrosion

Revision date: 2024/03/07 Page: 9/13 Version: 2.0 (30805916/SDS_CPA_US/EN)

Assessment of irritating effects: Eye contact causes irritation. Skin contact causes irritation.

Skin

Species: rabbit Result: Irritant.

Method: OECD Guideline 404

<u>Eye</u>

Species: rabbit Result: Irritant.

Method: OECD Guideline 405

Sensitization

Assessment of sensitization: Sensitization after skin contact possible.

Mouse Local Lymph Node Assay (LLNA)

Species: mouse Result: sensitizing

Method: OECD Guideline 429

Aspiration Hazard not applicable

Chronic Toxicity/Effects

Repeated dose toxicity

Assessment of repeated dose toxicity: The product has not been tested. The statement has been derived from the properties of the individual components.

Information on: Butanoic acid, 2-amino-4-(hydroxymethylphosphinyl)-, monoammonium salt Assessment of repeated dose toxicity: Prolonged or repeated exposure may cause neurological disturbances.

Information on: indaziflam (ISO); N-[(1R,2S)-2,6-dimethyl-2,3-dihydro-1H-inden-1-yl]-6-[(1RS)-1-fluoroethyl]-1,3,5-triazine-2,4-diamine

Assessment of repeated dose toxicity: Prolonged or repeated exposure may cause neurological disturbances.

a.o.a...oa...oo.

Genetic toxicity

Assessment of mutagenicity: The product has not been tested. The statement has been derived from the properties of the individual components. Mutagenicity tests revealed no genotoxic potential.

Carcinogenicity

Assessment of carcinogenicity: The product has not been tested. The statement has been derived from the properties of the individual components. The results of various animal studies gave no indication of a carcinogenic effect.

Reproductive toxicity

Assessment of reproduction toxicity: The product has not been tested. The statement has been derived from the properties of the individual components.

Information on: Butanoic acid, 2-amino-4-(hydroxymethylphosphinyl)-, monoammonium salt Assessment of reproduction toxicity: Causes impairment of fertility in laboratory animals.

Revision date: 2024/03/07 Page: 10/13 Version: 2.0 (30805916/SDS_CPA_US/EN)

Teratogenicity

Assessment of teratogenicity: The product has not been tested. The statement has been derived from the properties of the individual components.

Information on: Butanoic acid, 2-amino-4-(hydroxymethylphosphinyl)-, monoammonium salt Assessment of teratogenicity: The substance did not cause malformations in animal studies; however, toxicity to development was observed at doses that were toxic to the parental animals.

Other Information

Misuse can be harmful to health.

12. Ecological Information

Toxicity

Aquatic toxicity

Assessment of aquatic toxicity:

Very toxic to aquatic life with long lasting effects.

The product has not been tested. The statement has been derived from the properties of the individual components.

Toxicity to fish

Information on: Butanoic acid, 2-amino-4-(hydroxymethylphosphinyl)-, monoammonium salt LC50 (96 h) 461 mg/l, Pimephales promelas

Information on: indaziflam (ISO); N-[(1R,2S)-2,6-dimethyl-2,3-dihydro-1H-inden-1-yl]-6-[(1RS)-1-fluoroethyl]-1,3,5-triazine-2,4-diamine LC50 (96 h) 0.572 mg/l, Oncorhynchus mykiss

Aquatic invertebrates

Information on: Butanoic acid, 2-amino-4-(hydroxymethylphosphinyl)-, monoammonium salt EC50 (48 h) > 100 mg/l, Daphnia magna

Information on: indaziflam (ISO); N-[(1R,2S)-2,6-dimethyl-2,3-dihydro-1H-inden-1-yl]-6-[(1RS)-1-fluoroethyl]-1,3,5-triazine-2,4-diamine EC50 (48 h) > 9.88 mg/l, Daphnia magna

Aquatic plants

Information on: Butanoic acid, 2-amino-4-(hydroxymethylphosphinyl)-, monoammonium salt EC50 (72 h) 0.132 mg/l (growth rate), Anabaena flos-aquae
No observed effect concentration (72 h) 0.039 mg/l, Anabaena flos-aquae

Information on: indaziflam (ISO); N-[(1R,2S)-2,6-dimethyl-2,3-dihydro-1H-inden-1-yl]-6-[(1RS)-1-fluoroethyl]-1,3,5-triazine-2,4-diamine

EC50 (96 h) 0.134 mg/l (growth rate), Pseudokirchneriella subcapitata

EC50 (7 d) 0.0000728 mg/l (growth rate), Lemna gibba (OECD Guideline 221)

No observed effect concentration (7 d) 0.0000309 mg/l (growth rate), Lemna gibba (OECD Guideline 221)

Revision date: 2024/03/07 Page: 11/13 Version: 2.0 (30805916/SDS_CPA_US/EN)

.....

Persistence and degradability

Assessment biodegradation and elimination (H2O)

The product has not been tested. The statement has been derived from the properties of the individual components.

Assessment biodegradation and elimination (H2O)

Information on: Butanoic acid, 2-amino-4-(hydroxymethylphosphinyl)-, monoammonium salt

Not readily biodegradable (by OECD criteria).

Information on: indaziflam (ISO); N-[(1R,2S)-2,6-dimethyl-2,3-dihydro-1H-inden-1-yl]-6-[(1RS)-1-fluoroethyl]-1,3,5-triazine-2,4-diamine

Bioaccumulative potential

Assessment bioaccumulation potential

The product has not been tested. The statement has been derived from the properties of the individual components.

Bioaccumulation potential

Information on: Butanoic acid, 2-amino-4-(hydroxymethylphosphinyl)-, monoammonium salt

Bioconcentration factor: < 1, Lepomis macrochirus Does not accumulate in organisms.

Information on: indaziflam (ISO); N-[(1R,2S)-2,6-dimethyl-2,3-dihydro-1H-inden-1-yl]-6-[(1RS)-1-fluoroethyl]-1,3,5-triazine-2,4-diamine

Bioconcentration factor: 66

Does not accumulate in organisms.

Mobility in soil

Assessment transport between environmental compartments

The product has not been tested. The statement has been derived from the properties of the individual components.

Information on: Butanoic acid, 2-amino-4-(hydroxymethylphosphinyl)-, monoammonium salt

Following exposure to soil, the product trickles away and can - dependant on degradation - be transported to deeper soil areas with larger water loads.

Information on: indaziflam (ISO); N-[(1R,2S)-2,6-dimethyl-2,3-dihydro-1H-inden-1-yl]-6-[(1RS)-1-fluoroethyl]-1,3,5-triazine-2,4-diamine

Following exposure to soil, the product trickles away and can - dependant on degradation - be transported to deeper soil areas with larger water loads.

Revision date: 2024/03/07 Page: 12/13 Version: 2.0 (30805916/SDS_CPA_US/EN)

Additional information

Other ecotoxicological advice:

Do not discharge product into the environment without control.

13. Disposal considerations

Waste disposal of substance:

Must be sent to a suitable incineration plant, observing local regulations.

Container disposal:

Contaminated packaging should be emptied as far as possible and disposed of in the same manner as the substance/product.

14. Transport Information

Land transport

USDOT

Hazard class: 9 Packing group: III

ID number: UN 3082 Hazard label: 9, EHSM

Proper shipping name: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,

N.O.S. (contains INDAZIFLAM, GLUFOSINATE AMMONIUM)

Sea transport

IMDG

Hazard class: 9 Packing group: III

ID number: UN 3082 Hazard label: 9, EHSM Marine pollutant: YES

Proper shipping name: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,

N.O.S. (contains INDAZIFLAM, GLUFOSINATE AMMONIUM)

Air transport

IATA/ICAO

Hazard class: 9
Packing group: III

ID number: UN 3082 Hazard label: 9, EHSM

Proper shipping name: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,

N.O.S. (contains INDAZIFLAM, GLUFOSINATE AMMONIUM)

Further information

Product may be shipped as non-hazardous in suitable packages containing a net quantity of 5 L or less under the provisions of various regulatory agencies: ADR, RID, ADN: Special Provision 375; IMDG: 2.10.2.7; IATA: A197; TDG: Special Provision 99(2); 49CFR: §171.4 (c) (2) and also the Special Provision 375 in Appendix B which is regulated in China "Regulations Concerning Road Transportation of Dangerous Goods Part 3: Index of dangerous goods name and transportation requirements" (JT/T 617.3)

Revision date: 2024/03/07 Page: 13/13 Version: 2.0 (30805916/SDS_CPA_US/EN)

15. Regulatory Information

Federal Regulations

Registration status:

Crop Protection TSCA, US released / exempt

EPCRA 311/312 (Hazard categories): Refer to SDS section 2 for GHS hazard classes applicable for this product.

State regulations

State RTKCAS NumberChemical namePA25265-71-8dipropylene glycol

Labeling requirements under FIFRA

This chemical is a pesticide product regulated by the Environmental Protection Agency and is subject to certain labeling requirements under federal pesticide law. These requirements differ from the classification criteria and hazard information required for safety data sheets, and workplace labels of non-pesticide chemicals. Following is the hazard information as required on the pesticide label.

WARNING:

KEEP OUT OF REACH OF CHILDREN.

KEEP OUT OF REACH OF DOMESTIC ANIMALS.

Causes substantial but temporary eye injury.

HARMFUL IF ABSORBED THROUGH SKIN.

HARMFUL IF SWALLOWED.

Prolonged or repeated skin contact may cause sensitization or allergic reactions.

Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco or using the toilet.

Remove contaminated clothing and wash before reuse.

16. Other Information

SDS Prepared by:

BASF Agricultural Solutions US NA Product Regulations

SDS Prepared on: 2024/03/07

We support worldwide Responsible Care® initiatives. We value the health and safety of our employees, customers, suppliers and neighbors, and the protection of the environment. Our commitment to Responsible Care is integral to conducting our business and operating our facilities in a safe and environmentally responsible fashion, supporting our customers and suppliers in ensuring the safe and environmentally sound handling of our products, and minimizing the impact of our operations on society and the environment during production, storage, transport, use and disposal of our products.