

FIFRA SECTION 24(c) SPECIAL LOCAL NEED (SLN) LABEL

FOR DISTRIBUTION AND USE ONLY WITHIN THE STATE OF WASHINGTON



EMULSION FOR AGRICULTURAL USE ONLY

EPA Reg. No. 10163-337, EPA SLN NO. WA-190005
For Control of Two-spotted Spider Mite in Alfalfa Grown for Seed

**THIS LABEL FOR ONAGER OPTEK MITICIDE EXPIRES AND MUST NOT BE DISTRIBUTED OR
USED IN ACCORDANCE WITH THIS SLN REGISTRATION AFTER DECEMBER 31, 2028.**

DIRECTIONS FOR USE

- It is a violation of Federal law to use this product in a manner inconsistent with its labeling.
- Follow all applicable directions, restrictions, Worker Protection Standard requirements, and precautions on this SLN label and the EPA registered label.
- This labeling must be in the possession of the user at the time of pesticide application.

CROP	PEST	RATE OzS./Acre	COMMENTS
ALFALFA GROWN FOR SEED	Twospotted Spider Mite	12 – 24 (0.9375 - 0.1875 lbs ai)	<p>Onager Optek is active against all immature stages of Tetranychid spider mites, including freshly laid eggs. Therefore, it is important to apply Onager Optek prior to adult mite buildup. Scout and apply early when mites first begin colonizing the upper $\frac{1}{3}$ to $\frac{1}{2}$ of the plant canopy. An early application timing and thorough coverage are essential for acceptable control.</p> <p>Ground Application: Apply in a minimum of 20 gallons of water per acre at a minimum of 35 psi to insure optimum coverage.</p> <p>Air Application: Apply the recommended rate of Onager Optek by air in a minimum of 5 GPA. Applications made by air to dense foliage may not provide adequate coverage of lower leaf surfaces for sufficient control. Use of higher labeled rates may be necessary.</p>

RESTRICTIONS/ PRECAUTIONS

- Do not apply within 4 weeks of harvest.
- Do not apply more than a total of 24 ozs (0.1875 lbs ai/A) of formulated product per year. Do not apply more than once per year.
- Do not enter treated area without label prescribed Personal Protective Equipment for 12 hours after application.
- If Onager Optek is tank mixed with another product that is hazardous to bees, then follow the more restrictive label use directions, precautions, and restrictions to protect bees.
- Do not cut current year's treated seed crop for hay or forage.
- Do not graze current year's treated seed crop.
- For use in accordance with this SLN label do not apply this product through any type of irrigation system.
- It is the grower's responsibility to notify the processing plants of any seed crop treated with Onager Optek

CROPS GROWN FOR SEED:

- All alfalfa seed screenings shall be disposed of in such a way that they cannot be distributed or used for human food or animal feed. The seed conditioner shall keep records of screening disposal for three years from the date of disposal and shall furnish the records to the director immediately upon request. Conditioner disposal records shall consist of documentation of on-farm disposal, disposal at a controlled dumpsite, incinerator, composter, or other equivalent disposal site, and shall include the lot numbers, amount of material disposed of, the grower(s), and the date of disposal.
- No portion of the alfalfa seed plant, including but not limited to green chop, hay, pellets, meal, whole seed, cracked seed, roots, bulbs, leaves, and seed screenings may be used or distributed for food or feed purposes.
- Alfalfa seed shall bear a tag or container label which forbids the use of the seed for human consumption or animal feed.
- Alfalfa seed may not be distributed for human consumption or animal feed.

WSDA'S AQUATIC TOXICITY ADVISORY: This product is toxic to fish and aquatic invertebrates. Onager Optek Miticide should not be used under this SLN label where impact on listed threatened or endangered species is likely.

WSDA Container Disposal Guidance: Pesticide containers must be properly cleaned prior to disposal. The best time to clean empty pesticide containers is during mixing and loading, because residue can be difficult to remove after it dries. Triple rinse (or pressure rinse) the pesticide container, empty all pesticide rinse water into the spray tank, and apply to a labeled crop or site. Recycling cleaned containers is the best method of container disposal. Information regarding the recycling of empty and cleaned plastic pesticide containers in Washington is available on the WSDA website under the Waste Pesticide Program. Cleaned containers may also be disposed of in a sanitary landfill, if permitted by the county. Burning is not a legal method of container disposal in Washington.

24(c) REGISTRANT
Gowan Company, LLC
PO Box 5569
Yuma, AZ 85366
Revised: 4-18-24