

Safety Data Sheet

According to 29CFR 1910.1200 OSHA Hazard Communication Standard Issue date: 12/21/2023 Version: 1.0

SECTION 1: Identification

1.1. Identification

Product form : Mixture Trade name Mycotrol® ESO

Synonyms N/A

1.2. Recommended use and restrictions on use

Recommended use Emulsifiable Suspension Mycoinsecticide

Read and understand the entire label before using. Use only according to label directions. It is a Restrictions on use

violation of Federal Law to use this product in a manner inconsistent with its labeling.

1.3. Supplier

Certis USA LLC 9145 Guilford Road, Suite 175 Columbia, MD 21046

1.4. Emergency telephone number

Emergency number : In case of transport or medical emergencies, impacted party can call Velocity/Chemtel at 1-800-

255-3924.

SECTION 2: Hazard(s) identification

2.1. Classification of the substance or mixture

GHS US classification

Not classified

2.2. GHS Label elements, including precautionary statements

GHS US labeling

No labeling applicable

2.3. Other hazards which do not result in classification

No additional information available

2.4. Unknown acute toxicity (GHS US)

No additional information available

SECTION 3: Composition/Information on ingredients

3.1. Substances

Not applicable

3.2. Mixtures

Name	Product identifier	%
White Mineral Oil (Petroleum)	CAS-No.: 8042-47-5	60 – 80

Safety Data Sheet

According to 29CFR 1910.1200 OSHA Hazard Communication Standard

Name	Product identifier	%
Beauveria bassiana strain GHA	CAS-No.: None Assigned	10 – 30
Silica	CAS-No.: 112945-52- 5	1 – 5

Full text of hazard classes and H-statements : see section 16

SECTION 4: First-aid measures

4.1. Description of first aid measures

First-aid measures after inhalation : Move the affected person to fresh air. Get medical attention if symptoms occur.

First-aid measures after skin contact : Gently wash with plenty of soap and water. Get medical advice if skin irritation persists.

First-aid measures after eye contact : Rinse eyes with water as a precaution. Get medical attention if irritation develops and persists.

First-aid measures after ingestion : Call a poison center or a doctor if you feel unwell.

4.2. Most important symptoms and effects (acute and delayed)

Inhalation : May cause minor irritation to the respiratory tract and to other mucous membranes.

Skin : May cause slight irritation to the skin.

Eyes : May cause minor eye irritation.

Ingestion : May cause gastrointestinal irritation, nausea, vomiting and diarrhea.

4.3. Immediate medical attention and special treatment, if necessary

Not required.

SECTION 5: Fire-fighting measures

5.1. Suitable (and unsuitable) extinguishing media

Suitable extinguishing media : Use extinguishing media appropriate for surrounding fire.

Unsuitable extinguishing media : None.

5.2. Specific hazards arising from the chemical

Fire hazard : This product is not classified as flammable or combustible.

Hazardous decomposition products in case of fire : Toxic fumes may be released.

5.3. Special protective equipment and precautions for fire-fighters

Protection during firefighting : Do not attempt to take action without suitable protective equipment.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

General measures : Remove clothing or PPE immediately if pesticide gets inside. Then wash thoroughly and put on clean clothing. Wear suitable protective clothing. Avoid contact with eyes, skin and clothing.

6.1.1. For non-emergency personnel

No additional information available

6.1.2. For emergency responders

Protective equipment : Do not attempt to take action without suitable protective equipment. For further information refer

to section 8: "Exposure controls/personal protection".

12/21/2023 (Issue date) US - en 2/9

Safety Data Sheet

According to 29CFR 1910.1200 OSHA Hazard Communication Standard

6.2. Environmental precautions

Avoid release to the environment.

6.3. Methods and material for containment and cleaning up

Methods for cleaning up : Take up liquid spill into absorbent material.

Other information : Place in a suitable container for disposal in accordance with the waste regulations (see Section

13).

6.4. Reference to other sections

No additional information available

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Precautions for safe handling : Remove clothing/Personal Protective Equipment (PPE) immediately if pesticide gets inside.

Then wash thoroughly and put on clean clothing. Remove Personal Protective Equipment (PPE) immediately after handling this product. Wash the outside of gloves before removing. As soon as possible, wash thoroughly and change into clean clothing. Avoid contact with eyes, skin and

clothing. Wash hands with water and soap. Ensure adequate ventilation.

Hygiene measures : Do not eat, drink or smoke when using this product. Always wash hands after handling the

product.

7.2. Conditions for safe storage, including any incompatibilities

Storage conditions : Store in dry, cool, well-ventilated area. No special storage required.

Incompatible materials : None known. Storage temperature : 40 - 85 °F

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

White Mineral Oil (Petroleum) (8042-47-5)			
USA - ACGIH - Occupational Exposure Limits	S		
Local name	Mineral oil, excluding metal working fluids Pure, highly and severely refined		
ACGIH OEL TWA	5 mg/m³ (I - Inhalable particulate matter)		
Remark (ACGIH)	Remark (ACGIH) TLV® Basis: URT irr. Notations: A4 (Not classifiable as a Human Carcinogen)		
Regulatory reference ACGIH 2021			
USA - OSHA - Occupational Exposure Limits			
Local name Oil mist, mineral			
OSHA PEL (TWA)	5 mg/m³		
Regulatory reference (US-OSHA) OSHA Annotated Table Z-1			
Silica (112945-52-5)			
USA - OSHA - Occupational Exposure Limits			
Local name	Silica, amorphous, precipitated and gel		
SHA PEL (TWA) 20 mppcf			

12/21/2023 (Issue date) US - en 3/9

Safety Data Sheet

According to 29CFR 1910.1200 OSHA Hazard Communication Standard

Silica (112945-52-5)		
Remark (OSHA)	Table Z-3. For OSHA PEL (TWA): Use formula: (80 mg/m3 / (%SiO2)) for mg/m3. CAS No. source: eCFR Table Z-1.	
Regulatory reference (US-OSHA)	OSHA Annotated Table Z-3 Mineral Dusts	

8.2. Appropriate engineering controls

Appropriate engineering controls : No particular/specific measures required. Environmental exposure controls : Avoid release to the environment.

8.3. Individual protection measures/Personal protective equipment

Hand protection:

Wear suitable gloves

Eye protection:

Use suitable eye protection

Skin and body protection:

Wear suitable protective clothing

Respiratory protection:

In case of insufficient ventilation, wear suitable respiratory equipment. In operations where exposure limits are exceeded or exposure levels are excessive, an approved respirator should be used. Respirator selection and use should be based on contaminant type, form and concentration. Follow applicable regulations and good Industrial Hygiene practice.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state : Liquid
Appearance : Brown. Liquid.
Color : Beige to brown
Odor : None

Odor : None

Odor threshold : No data available pH : 6.2 – 6.6

Melting point : Not applicable Freezing point : No data available Boiling point : No data available No data available

Flash point : ≥ 100 °C

Relative evaporation rate (butyl acetate=1) : No data available Flammability (solid, gas) : Not applicable. Vapor pressure : No data available Relative vapor density at 20°C : No data available

Relative density : 0.954

Solubility No data available Partition coefficient n-octanol/water (Log Pow) : No data available Auto-ignition temperature No data available Decomposition temperature No data available Viscosity, kinematic No data available Viscosity, dynamic 9180.1 mPa·s **Explosion limits** No data available Explosive properties No data available Oxidizing properties : No data available

12/21/2023 (Issue date) US - en 4/9

Safety Data Sheet

According to 29CFR 1910.1200 OSHA Hazard Communication Standard

9.2. Other information

No additional information available

SECTION 10: Stability and reactivity

10.1. Reactivity

The product is non-reactive under normal conditions of use, storage and transport.

10.2. Chemical stability

Stable under normal conditions.

10.3. Possibility of hazardous reactions

No dangerous reactions known under normal conditions of use.

10.4. Conditions to avoid

None known.

10.5. Incompatible materials

None known.

10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity (oral) : Not classified Acute toxicity (dermal) : Not classified Acute toxicity (inhalation) : Not classified

reaction to money (minutes in)		
Mycotrol® ESO		
LD50 oral rat	> 5000	
LD50 dermal rat	> 2000	
LC50 Inhalation - Rat	> 5.17 mg/l	
ATE US (oral)	5000 mg/kg body weight	
ATE US (dermal)	2000 mg/kg body weight	
ATE US (vapors)	5.17 mg/l/4h	
ATE US (dust, mist)	5.17 mg/l/4h	
White Mineral Oil (Petroleum) (8042-47-5)		
LD50 oral rat	> 5000 mg/kg	
LD50 dermal rabbit	> 2000 mg/kg	
LC50 Inhalation - Rat (Dust/Mist)	> 5 mg/l/4h No mortality	
Silica (112945-52-5)		
LD50 oral rat	3160 mg/kg	

12/21/2023 (Issue date) US - en 5/9

Safety Data Sheet

According to 29CFR 1910.1200 OSHA Hazard Communication Standard

Silica (112945-52-5)	
, ,	
LD50 dermal rat	> 2000 mg/kg
ATE US (oral)	3160 mg/kg body weight
Skin corrosion/irritation	: Not classified
	pH: 6.2 – 6.6
Serious eye damage/irritation	: Not classified
	pH: 6.2 – 6.6
Respiratory or skin sensitization	: Not classified
Germ cell mutagenicity	: Not classified
Carcinogenicity	: Not classified
Reproductive toxicity	: Not classified
STOT-single exposure	: Not classified
STOT-repeated exposure	: Not classified
White Mineral Oil (Petroleum) (8042-47-5	
NOAEL (oral,rat,90 days)	≥ 1200 mg/kg body weight
Aspiration hazard	: Not classified
Viscosity, kinematic	: No data available
White Mineral Oil (Petroleum) (8042-47-5	
Viscosity, kinematic	> 3 mm²/s
Hydrocarbon	Yes
Inhalation	: May cause minor irritation to the respiratory tract and to other mucous membranes.
Skin	: May cause slight irritation to the skin.
Eyes	: May cause minor eye irritation.
Ingestion	: May cause gastrointestinal irritation, nausea, vomiting and diarrhea.

SECTION 12: Ecological information

2.1				
Z .		7.	ш	•

Ecology - general : The product is not considered harmful to aquatic organisms or to cause long-term adverse effects in the environment.

White Mineral Oil (Petroleum) (8042-47-5)		
LC50 - Fish [1]	> 100 mg/l	
EC50 - Crustacea [1] > 100 mg/l		
Silica (112945-52-5)		
EC50 72h - Algae [1] > 173.1 mg/l Desmodesmus subspicatus		
LOEC (chronic) 149.2 mg/l Test organisms (species): Daphnia magna Duration: '21 d'		

12.2. Persistence and degradability

Mycotrol® ESO		
Persistence and degradability Rapidly degradable		
White Mineral Oil (Petroleum) (8042-47-5)		
Persistence and degradability	Rapidly degradable	

Safety Data Sheet

According to 29CFR 1910.1200 OSHA Hazard Communication Standard

Silica (112945-52-5)		
Persistence and degradability Biodegradation is not applicable to inorganic compounds		
Beauveria bassiana strain GHA (None Assigned)		
Persistence and degradability Rapidly degradable		

12.3. Bioaccumulative potential

No additional information available

12.4. Mobility in soil

No additional information available

12.5. Other adverse effects

No additional information available

SECTION 13: Disposal considerations

13.1. Disposal methods

Regional waste regulation Waste treatment methods

Product/Packaging disposal recommendations

- : Dispose of in accordance with applicable federal, state, and local regulations.
- Dispose of contents/container in accordance with licensed collector's sorting instructions.
- To avoid wastes, use all material in this container by application to label directions. If wastes cannot be avoided, offer remaining product to waste disposal facility or pesticide disposal program (often such programs are run by state or local governments or by industry.). Container Disposal: Nonrefillable container. Do not reuse or refill this container. Offer for recycling if available. When possible, triple rinse the container and offer for recycling if available.

SECTION 14: Transport information

In accordance with DOT / TDG / IMDG / IATA

DOT	TDG	IMDG	IATA
14.1. UN number			
Not regulated for transport			
14.2. Proper Shipping Name			
Not regulated	Not regulated	Not regulated	Not regulated
14.3. Transport hazard class(es)			
Not regulated	Not regulated	Not regulated	Not regulated
14.4. Packing group			
Not regulated	Not regulated	Not regulated	Not regulated
14.5. Environmental hazards			
Not regulated	Not regulated	Not regulated	Not regulated
No supplementary information available			

14.6. Special precautions for user

DOT

Not regulated

Safety Data Sheet

According to 29CFR 1910.1200 OSHA Hazard Communication Standard

TDG

Not regulated

IMDG

Not regulated

IATA

Not regulated

14.7. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable

SECTION 15: Regulatory information

15.1. US Federal regulations

All components of this product are present and listed as Active on the United States Environmental Protection Agency Toxic Substances Control Act (TSCA) inventory, except for:

Beauveria bassiana strain GHA	CAS-No. None Assigned	10 – 30%
-------------------------------	-----------------------	----------

This product or mixture is not known to contain a toxic chemical or chemicals in excess of the applicable de minimis concentration as specified in 40 CFR §372.38(a) subject to the reporting requirements of section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 and 40 CFR Part 372.

FIFRA Labelling	
EPA Registration Number	82074-1
This chemical is a pesticide product registered by the Environmental Protection Agency and is subject to certain labeling requirements under federal pesticide law. These requirements differ from the classification criteria and hazard information required for safety data sheets, and for workplace labels of non-pesticide chemicals. Following is the hazard information as required on the pesticide label.	
FIFRA Signal Word	Caution
FIFRA Precautionary Statement	Keep out of reach of children. Hazards to Humans and Domestic Animals.
FIFRA Human Health Hazards	CAUTION: Causes moderate eye irritation. Harmful if absorbed through the skin. Avoid contact with eyes, skin, or clothing. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco, or using the toiet. Remove and wash contaminated clothing before reuse.
FIFRA Other	Store between 40F and 85F. Shake Well. For terrestrial uses: Do not apply directly to water, or to areas where surface water is present or to intertidal areas below the high water mark. Do not contaminate water when disposing of equipment washwater or rinsate. Do not apply when weather conditions favor drift or runoff from treated areas.

15.2. International regulations

CANADA

White Mineral Oil (Petroleum) (8042-47-5)

Listed on the Canadian DSL (Domestic Substances List)

Silica (112945-52-5)

Listed on the Canadian DSL (Domestic Substances List)

Safety Data Sheet

According to 29CFR 1910.1200 OSHA Hazard Communication Standard

EU-Regulations

No additional information available

National regulations

Mycotrol[®] ESO

All components of this product are listed, or excluded from listing, on the United States Environmental Protection Agency Toxic Substances Control Act (TSCA) inventory.

15.3. US State regulations

California Proposition 65 - This product does not contain any substances known to the state of California to cause cancer, developmental and/or reproductive harm

SECTION 16: Other information

According to 29CFR 1910.1200 OSHA Hazard Communication Standard

Safety Data Sheet (SDS), USA

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.