

Product Bulletin



Dow AgroSciences LLC

9330 Zionsville Road

Indianapolis, IN 46268-1054 USA

Garlon* 4

EPA Reg. No. 62719-40

2(ee) Recommendation [†]

For Distribution and Use in the State of Hawaii

Thinline Basal and Low Volume Basal Bark Applications on Miconia Trees 6" and Larger In Diameter

ATTENTION

- [†]This recommendation is made as permitted under FIFRA 2(ee) and has not been reviewed or approved by the EPA.
- This recommendation must be in the possession of the user at the time of application.
- Read the label affixed to the container for Garlon* 4 specialty herbicide before applying. Carefully follow all precautionary statements and applicable use directions except as specified below..
- Except as described this Section 2(ee) recommendation, use of Garlon 4 according to this product bulletin is subject to all use precautions and limitations imposed by the label affixed to the product container.

Directions for Use

To control Miconia trees larger than 6" in diameter, use Garlon 4 in a low volume basal bark application at a 10% to 20% concentration mixed with diesel fuel or other penetrating oils. Spray the complete basal circumference for a height of 12 to 15 inches above ground level. Lower use rates on larger diameter trees may reduce control.

To control Miconia trees larger than 6" in diameter, use Garlon 4 in a thinline basal bark application. Apply Garlon 4 either undiluted or mixed at 50-75% v/v with diesel fuel or other penetrating oils in a thin stream to all sides of the basal trunk area. The stream should be directed horizontally to apply a narrow band around each stem. Use a minimum of 2 to 25 milliliters of undiluted Garlon 4 or of the oil mixture with Garlon 4. Use an applicator metered or calibrated to deliver the small amounts required. Lower use rates on larger diameter trees may reduce control.

*Trademark of Dow AgroSciences LLC

R102-001

Issued: 02/04/04

Initial printing.