



Section 24(c) Special Local Need Label

FOR DISTRIBUTION AND USE ONLY IN THE STATE OF WASHINGTON For Control of Pear Psylla Nymphs and Mites

PYRIDABEN	GROUP	21A	INSECTICIDE
-----------	-------	-----	-------------

Nexter[®] SC Miticide/Insecticide

EPA Reg. No 81880-28-10163 / EPA SLN NO. WA-170002b

This label expires and must not be distributed or used in accordance with this SLN registration after December 31, 2026.

DIRECTIONS FOR USE

- It is a violation of federal law to use this product in a manner inconsistent with its labeling.
- This labeling must be in the possession of the user at the time of application.
- Follow all applicable directions, restrictions, Worker Protection Standard requirements, and precautions on the EPA registered label.

RESTRICTED ENTRY INTERVAL: Do not enter or allow worker entry into treated areas during the restricted-entry interval (REI) of 12 hours. Exception: The REI is 2 days for treated pears when hand thinning.

DRIFT MANAGEMENT: Refer to the container label for additional drift mitigation requirements.

- Do not apply Nexter SC when weather conditions favor drift to surface water.
- Do not apply within 110 feet upwind of surface water.
- Do not apply during a temperature inversion.
- **For use under this SLN, do not apply when windspeed is above 8 mph.**

POLLINATOR PROTECTION: This product is highly toxic to bees. Do not apply this product or allow it to drift to blooming crops or weeds while bees are actively visiting the treatment area. Apply Nexter SC between late evening and early morning only.

WSDA AQUATIC ADVISORY: This pesticide is toxic to fish and aquatic invertebrates. Do not apply directly to water or to areas where surface water is present or to intertidal areas below the mean high-water mark. Keep out of lakes, ponds, or streams. Do not contaminate water by cleaning of equipment or disposal of equipment washwaters. Do not apply when weather conditions favor drift from treated area. Drift or runoff from treated areas may be hazardous to fish in adjacent sites. Nexter SC should not be used under this SLN label where impact on listed threatened or endangered species is likely. You may refer to the WSDA Endangered Species Program web site at <https://agr.wa.gov/departments/land-and-water/natural-resources/endangered-species-program>, or contact the Washington Department of Fish & Wildlife, National Marine Fisheries Service (NOAA Fisheries) or US Fish & Wildlife Service for information regarding aquatic species listed as threatened or endangered. Consult the federal label for additional restrictions and precautions to protect aquatic organisms.

WSDA CONTAINER DISPOSAL GUIDANCE: Completely empty the contents of the pesticide container into application equipment and apply to a labeled crop or site. Follow directions on product label for cleaning empty containers. Recycling cleaned containers is the best method of disposal. Information regarding the recycling of empty and cleaned plastic pesticide containers in Washington is available on the WSDA Waste Pesticide Program website at <https://agr.wa.gov/wastepesticide>. Cleaned containers may also be disposed of in a sanitary landfill, if permitted by the county. Burning is not a legal method of container disposal in Washington.

CROP	RATE	PEST	COMMENTS
Pears (including oriental)	17 – 25 ounces / acre	Pear Psylla, European Red Mite, Twospotted Spider Mite, Pear Rust Mite	Apply Nexter SC using conventional dilute or concentrate ground sprayers calibrated to deliver enough water to ensure thorough coverage of foliage. Spray volume will vary with the size and number of trees per acre and foliage density. Nexter SC must be applied to each row for maximum coverage. Pear psylla numbers can increase rapidly; begin application before damaging numbers are reached. Applications may be made early from cluster bud through petal fall to control eggs, early pear psylla instars and mobile mites. Nexter SC is also effective when applied after petal fall as mite and psylla populations begin to build.
RESTRICTIONS / PRECAUTIONS: <ul style="list-style-type: none">• For use under this SLN label, applicators applying this product by airblast application to orchards must wear chemical-resistant headgear in addition to the PPE required on the container label, unless applying in an enclosed cab.• Do not apply within 28 days of harvest (PHI).• Do not make more than 1 application per year.• Do not apply by air.• For use under this SLN label do not apply this product through any type of irrigation system.			

Nexter[®] is a registered trademark of Nissan Chemical Industries, Ltd.

24(c) Registrant: Gowan Company
P.O. Box 5569
Yuma, AZ 85366-5569

Updated 4-21-2022