# FIFRA Section 2(ee) RECOMMENDATION



GROUP 1B INSECTICIDE

# Drexel Dimethoate 4EC

Systemic Insecticide - Miticide

## FOR DISTRIBUTION AND USE ONLY WITHIN THE STATE OF TEXAS ONLY

THIS RECOMMENDATION IS MADE AS PERMITTED UNDER FIFRA SECTION 2(ee) AND HAS NOT BEEN SUBMITTED TO OR APPROVED BY THE EPA.

(EPA REG. NO. 19713-231)

For the Control of Stink Bugs in Sorghum (Milo)

**EXPIRATION DECEMBER 31, 2025** 

### **ACTIVE INGREDIENT:**

Dimethoate*	43.5%
OTHER INGREDIENTS:	56.5%
TOTAL:	100.0%

This product contains 4 pounds of Dimethoate per gallon.

# WARNING / AVISO

Si usted no entiende la etiqueta, busque a alguien para que se la explique a usted en detalle. (If you do not understand the label, find someone to explain it to you in detail.)

# **DIRECTIONS FOR USE**

It is a violation of Federal law to use this product in a manner inconsistent with its labeling. Drexel Dimethoate 4EC can be applied to foliage for the control of Stink Bugs at a rate of 0.75 to 1 pint per acre, according to the table below.

Crop	Pest Controlled	Rate/Acre	Max. Single App. Rate Per Acre (lb. a.i./A)	Max. Ib. a.i./A Per Year (rate/A)	Min. App. Interval (days)	Min. Pre-harvest Interval (days)	Restricted Entry Interval
Sorghum (Milo)	Stink Bugs	0.75 to 1 pt.	1 pt. (0.5 lb.)	1 lb. (2 pt.)	7	28	48 hrs.

**SPECIFIC DIRECTIONS:** Do not feed or graze Milo within 28 days of last application. Do not apply during the pollen shed period if bees are visiting the area.

Remarks and Precautions: Refer to the label for Drexel Dimethoate 4EC for additional use directions, restrictions, rotational crop intervals and precautions.

