

# SAFETY DATA SHEET



## HUSKIE® COMPLETE HERBICIDE

Version 7.0 / USA  
102000020211

1/16  
Revision Date: 12/11/2024  
Print Date: 12/12/2024

### SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

#### Product identifier

Trade name	HUSKIE® COMPLETE HERBICIDE
Product code (UVP)	79380356
SDS Number	102000020211
EPA Registration No.	264-1135

#### 1.2 Relevant identified uses of the substance or mixture and uses advised against

Use	Herbicide
Restrictions on use	See product label for restrictions.
Information on supplier	
Supplier	Bayer CropScience LP 800 North Lindbergh Blvd. St. Louis, MO 63167 USA
Responsible Department	Email: SDSINFO.BCS-NA@bayer.com

#### Emergency telephone no.

Emergency Telephone Number (24hr/ 7 days)	1-800-334-7577
Product Information Telephone Number	1-866-99BAYER (1-866-992-2937)

### SECTION 2: HAZARDS IDENTIFICATION

#### Classification in accordance with regulation HCS 29CFR §1910.1200

Acute toxicity(Oral): Category 4  
Serious eye damage: Category 1  
Reproductive toxicity: Category 2  
Carcinogenicity: Category 2  
Specific target organ toxicity - repeated exposure: Category 2

#### Labelling in accordance with regulation HCS 29CFR §1910.1200



# SAFETY DATA SHEET



## HUSKIE® COMPLETE HERBICIDE

Version 7.0 / USA  
102000020211

2/16  
Revision Date: 12/11/2024  
Print Date: 12/12/2024

**Signal word:** Danger

### Hazard statements

Harmful if swallowed.  
Causes serious eye damage.  
Suspected of causing cancer.  
Suspected of damaging fertility or the unborn child.  
May cause damage to organs through prolonged or repeated exposure.

### Precautionary statements

Obtain special instructions before use.  
Do not handle until all safety precautions have been read and understood.  
Do not breathe dust/ fume/ gas/ mist/ vapours/ spray.  
Wash thoroughly after handling.  
Do not eat, drink or smoke when using this product.  
Wear protective gloves/ protective clothing/ eye protection/ face protection.  
IF SWALLOWED: Call a POISON CENTER/doctor/physician if you feel unwell.  
Rinse mouth.  
IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.  
Immediately call a POISON CENTER/doctor/ physician.  
IF exposed or concerned: Get medical advice/ attention.  
Store locked up.  
Dispose of contents/container in accordance with local regulation.

### Hazards Not Otherwise Classified (HNOC)

No physical hazards not otherwise classified.  
No health hazards not otherwise classified.

## SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

Hazardous Component Name	CAS-No.	Concentration % by weight
Bromoxynil octanoate, heptanoate mixed ester		22.56
Pyrasulfotole	365400-11-9	2.82
Thien carbazon-methyl	317815-83-1	0.45
Solvent Naphtha (petroleum), heavy aromatic, <1% naphthalene	64742-94-5	15 – 40
Alcohols, C11-14-iso-, C13-rich, ethoxylated	78330-21-9	10 – 30
Stearylamine, ethoxylated	26635-92-7	3 – 7
Benzenesulfonic acid, mono-C11-13-branched alkyl derivs., calcium salts	68953-96-8	0.5 – 1.5
Naphthalene	91-20-3	0.1 – 1

The specific chemical identity and/or concentration range is being withheld because it is trade secret information.

## SECTION 4: FIRST AID MEASURES

# SAFETY DATA SHEET



## HUSKIE® COMPLETE HERBICIDE

Version 7.0 / USA  
102000020211

3/16  
Revision Date: 12/11/2024  
Print Date: 12/12/2024

### Description of first aid measures

<b>General advice</b>	When possible, have the product container or label with you when calling a poison control center or doctor or going for treatment.
<b>Inhalation</b>	Move to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth if possible. Call a physician or poison control center immediately.
<b>Skin contact</b>	Wash off immediately with plenty of water for at least 15 minutes. Take off contaminated clothing and shoes immediately. Call a physician or poison control center immediately.
<b>Eye contact</b>	Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a physician or poison control center immediately.
<b>Ingestion</b>	Call a physician or poison control center immediately. Rinse out mouth and give water in small sips to drink. DO NOT induce vomiting unless directed to do so by a physician or poison control center. Never give anything by mouth to an unconscious person. Do not leave victim unattended.

### Most important symptoms and effects, both acute and delayed

<b>Symptoms</b>	If large amounts are ingested, the following symptoms may occur: Headache, Nausea, Dizziness, Somnolence Ingestion may cause gastrointestinal irritation, nausea, vomiting and diarrhoea. Aspiration may cause pulmonary oedema and pneumonitis. Inhalation may provoke the following symptoms: Cough, Shortness of breath, Cyanosis, Fever Symptoms and hazards refer to the solvent.
-----------------	--

### Indication of any immediate medical attention and special treatment needed

<b>Risks</b>	Contains hydrocarbon solvents. May pose an aspiration pneumonia hazard.
<b>Treatment</b>	Treat symptomatically. Gastric lavage is not normally required. However, if a significant amount (more than a mouthful) has been ingested, administer activated charcoal and sodium sulphate. In case of aspiration intubation and bronchial lavage should be considered. Monitor: kidney, liver and pancreas function. Contraindication: derivatives of adrenaline.

# SAFETY DATA SHEET



## HUSKIE® COMPLETE HERBICIDE

Version 7.0 / USA  
102000020211

4/16

Revision Date: 12/11/2024  
Print Date: 12/12/2024

### SECTION 5: FIREFIGHTING MEASURES

#### Extinguishing media

**Suitable** Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.

**Unsuitable** High volume water jet

**Special hazards arising from the substance or mixture** In the event of fire the following may be released: Carbon monoxide (CO), Carbon dioxide (CO<sub>2</sub>), Nitrogen oxides (NO<sub>x</sub>), Sulphur oxides, Hydrogen chloride (HCl)

#### Advice for firefighters

**Special protective equipment for firefighters** In the event of fire and/or explosion do not breathe fumes. Firefighters should wear NIOSH approved self-contained breathing apparatus and full protective clothing.

**Further information** Keep out of smoke. Fight fire from upwind position. Cool closed containers exposed to fire with water spray. Do not allow run-off from fire fighting to enter drains or water courses.

#### Specific hazards from the substance or mixture which can increase the fire

**Flash point** >100 °C / 212 °F

**Auto-ignition temperature** 410 °C / 770 °F

**Lower explosion limit** No data available

**Upper explosion limit** No data available

**Explosivity** Not explosive  
92/69/EEC, A.14 / OECD 113

### SECTION 6: ACCIDENTAL RELEASE MEASURES

#### Personal precautions, protective equipment and emergency procedures

**Precautions** Keep unauthorized people away. Isolate hazard area. Avoid contact with spilled product or contaminated surfaces.

#### Methods and materials for containment and cleaning up

**Methods for cleaning up** Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust). Collect and transfer the product into a properly labelled and tightly closed container. Clean contaminated floors and objects thoroughly, observing environmental regulations.

**Additional advice** Use personal protective equipment. If the product is accidentally spilled, do not allow to enter soil, waterways or waste water canal. Do not allow product to contact non-target plants.

# SAFETY DATA SHEET



## HUSKIE® COMPLETE HERBICIDE

Version 7.0 / USA  
102000020211

5/16  
Revision Date: 12/11/2024  
Print Date: 12/12/2024

This substance contains 10% or more of an oil as defined in 49 CFR 130.5 when it is shipped in a package of 3,500 gallons or more.

**Reference to other sections** Information regarding safe handling, see section 7.  
Information regarding personal protective equipment, see section 8.  
Information regarding waste disposal, see section 13.

## SECTION 7: HANDLING AND STORAGE

### Precautions for safe handling

**Advice on safe handling** Use only in area provided with appropriate exhaust ventilation. Handle and open container in a manner as to prevent spillage.

**Advice on protection against fire and explosion** Keep away from heat and sources of ignition.

**Hygiene measures** Wash hands thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco, using the toilet or applying cosmetics.  
Remove Personal Protective Equipment (PPE) immediately after handling this product. Remove soiled clothing immediately and clean thoroughly before using again. Wash thoroughly and put on clean clothing.

### Conditions for safe storage, including any incompatibilities

**Requirements for storage areas and containers** Store in a cool, dry place and in such a manner as to prevent cross contamination with other crop protection products, fertilizers, food, and feed. Store in original container and out of the reach of children, preferably in a locked storage area. Keep away from direct sunlight.

**Advice on common storage** Keep away from food, drink and animal feedings.

## SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

### Control parameters

Components	CAS-No.	Control parameters	Update	Basis
Bromoxynil octanoate	1689-99-2	0.21 mg/m <sup>3</sup> (SK-SEN)		OES BCS*
Thiencarbazone-methyl	317815-83-1	10 mg/m <sup>3</sup> (TWA)		OES BCS*
Solvent Naphtha (petroleum), heavy aromatic, <1% naphthalene  (Non-aerosol.)	64742-94-5	200 mg/m <sup>3</sup> (TWA)	03 2014	ACGIH
Solvent Naphtha (petroleum), heavy aromatic, <1% naphthalene	64742-94-5	400 mg/m <sup>3</sup> /100 ppm (REL)	2010	NIOSH

# SAFETY DATA SHEET



## HUSKIE® COMPLETE HERBICIDE

Version 7.0 / USA  
102000020211

6/16  
Revision Date: 12/11/2024  
Print Date: 12/12/2024

Solvent Naphtha (petroleum), heavy aromatic, <1% naphthalene	64742-94-5	100 mg/m3 (REL)	2010	NIOSH
Solvent Naphtha (petroleum), heavy aromatic, <1% naphthalene	64742-94-5	400 mg/m3/100 ppm (PEL)	02 2006	OSHA Z1
Solvent Naphtha (petroleum), heavy aromatic, <1% naphthalene	64742-94-5	400 mg/m3/100 ppm (TWA)	1989	OSHA Z1A
Solvent Naphtha (petroleum), heavy aromatic, <1% naphthalene	64742-94-5	400 mg/m3/100 ppm (TWA)	06 2008	TN OEL
Solvent Naphtha (petroleum), heavy aromatic, <1% naphthalene	64742-94-5	1,600 mg/m3/400 ppm (TWA PEL)	08 2010	US CA OEL
Solvent Naphtha (petroleum), heavy aromatic, <1% naphthalene	64742-94-5	1,350 mg/m3/300 ppm (TWA PEL)	09 2013	US CA OEL
Solvent Naphtha (petroleum), heavy aromatic, <1% naphthalene	64742-94-5	1,800 mg/m3/400 ppm (STEL)	09 2013	US CA OEL
Naphthalene	91-20-3	10 ppm (TWA)	2008	ACGIH
Naphthalene	91-20-3	50 mg/m3/10 ppm (REL)	2005	NIOSH
Naphthalene	91-20-3	75 mg/m3/15 ppm (STEL)	2005	NIOSH
Naphthalene	91-20-3	50 mg/m3/10 ppm (PEL)	02 2006	OSHA Z1
Naphthalene	91-20-3	50 mg/m3/10 ppm (TWA)	06 2008	TN OEL
Naphthalene	91-20-3	0.5 mg/m3/0.1 ppm (TWA PEL)	10 2014	US CA OEL
Naphthalene	91-20-3	75 mg/m3/15 ppm (STEL)	01 2019	TN OEL
Naphthalene	91-20-3	10 ppm (TLV)		OES BCS*

\*OES BCS: Internal Bayer AG, Crop Science Division "Occupational Exposure Standard"

### Biological occupational exposure limits

Components	CAS-No.	Parameters	Biological specimen	Sampling time	Conc.	Basis
Naphthalene	91-20-3	1-Naphthol, with hydrolysis + 2-Naphthol, with hydrolysis		Sampling time: End of shift.		ACGIH BEI

# SAFETY DATA SHEET



## HUSKIE® COMPLETE HERBICIDE

Version 7.0 / USA  
102000020211

7/16

Revision Date: 12/11/2024  
Print Date: 12/12/2024

### Exposure controls

#### Personal protective equipment

Formulated product

#### Respiratory protection

When respirators are required, select NIOSH approved equipment based on actual or potential airborne concentrations and in accordance with the appropriate regulatory standards and/or industry recommendations.

#### Hand protection

Chemical-resistant gloves (barrier laminate, butyl rubber, nitrile rubber or Viton)

#### Eye protection

Use tightly sealed goggles and face protection.

#### Skin and body protection

Wear long-sleeved shirt and long pants and shoes plus socks.

#### General protective measures

Follow manufacturer's instructions for cleaning/maintaining PPE. If no such instructions for washables, use detergent and warm/tepid water.  
Keep and wash PPE separately from other laundry.

## SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

### Information on basic physical and chemical properties

Form	Liquid
Colour	dark brown
Odour	aromatic
Odour Threshold	No data available
pH	6.0 - 8.0 (10 %) (23 °C) (deionized water)
Melting point/ range	No data available
Boiling Point	No data available
Flash point	> 100 °C / 212 °F
Flammability	No data available
Auto-ignition temperature	410 °C / 770 °F
Thermal decomposition	No data available
Minimum ignition energy	Not applicable
Self-accelarating decomposition temperature (SADT)	No data available
Upper explosion limit	No data available
Lower explosion limit	No data available

# SAFETY DATA SHEET



## HUSKIE® COMPLETE HERBICIDE

Version 7.0 / USA  
102000020211

8/16  
Revision Date: 12/11/2024  
Print Date: 12/12/2024

<b>Vapour pressure</b>	No data available
<b>Evaporation rate</b>	No data available
<b>Relative vapour density</b>	No data available
<b>Relative density</b>	No data available
<b>Density</b>	ca. 1.11 g/cm <sup>3</sup> (20 °C)
<b>Water solubility</b>	emulsifiable
<b>Partition coefficient: n-octanol/water</b>	Pyrasulfotole: log Pow: -1.362 Bromoxyniloctanoate: log Pow: 5.4 Bromoxynilheptanoate: log Pow: 5.9 Thiencarbazone-methyl: log Pow: -0.13
<b>Viscosity, dynamic</b>	100 - 200 mPa.s (20 °C) Velocity gradient 20 /s 50 - 150 mPa.s (20 °C) Velocity gradient 100 /s
<b>Viscosity, kinematic</b>	105 mm <sup>2</sup> /s (40 °C) Shear rate of 20/sec
<b>Oxidizing properties</b>	No data available
<b>Explosivity</b>	Not explosive 92/69/EEC, A.14 / OECD 113
<b>Other information</b>	Further safety related physical-chemical data are not known.

---

## SECTION 10: STABILITY AND REACTIVITY

<b>Reactivity</b>	Stable under normal conditions.
<b>Chemical stability</b>	Stable under recommended storage conditions.
<b>Possibility of hazardous reactions</b>	No hazardous reactions when stored and handled according to prescribed instructions.
<b>Conditions to avoid</b>	Extremes of temperature and direct sunlight.
<b>Incompatible materials</b>	No incompatible materials known.
<b>Hazardous decomposition products</b>	No decomposition products expected under normal conditions of use.

---



# SAFETY DATA SHEET



## HUSKIE® COMPLETE HERBICIDE

Version 7.0 / USA  
102000020211

9/16  
Revision Date: 12/11/2024  
Print Date: 12/12/2024

### SECTION 11: TOXICOLOGICAL INFORMATION

<b>Exposure routes</b>	Skin contact, Eye contact, Inhalation, Ingestion
<b>Immediate Effects</b>	
<b>Eye</b>	Causes serious eye damage.
<b>Skin</b>	May be harmful in contact with skin. May cause sensitisation by skin contact.
<b>Ingestion</b>	Harmful if swallowed.
<b>Inhalation</b>	Not expected to produce significant adverse effects when recommended use instructions are followed.
<b>Information on toxicological effects</b>	
<b>Acute oral toxicity</b>	LD50 cut-off (Rat) 500 mg/kg
<b>Acute inhalation toxicity</b>	LC50 (Rat) > 3.209 mg/l Exposure time: 4 h Highest attainable concentration. Determined in the form of a respirable aerosol. During intended and foreseen applications, no respirable aerosol is formed.
<b>Acute dermal toxicity</b>	LD50 (Rat) > 2,000 mg/kg
<b>Skin corrosion/irritation</b>	Irritating to skin. (Rabbit)
<b>Serious eye damage/eye irritation</b>	Corrosive - causes irreversible eye damage. (Rabbit)
<b>Respiratory or skin sensitisation</b>	Skin: Non-sensitizing. (Mouse) OECD Test Guideline 429, local lymph node assay (LLNA)

#### Assessment STOT Specific target organ toxicity – single exposure

Pyrasulfotole: Based on available data, the classification criteria are not met.  
Bromoxynil octanoate: Based on available data, the classification criteria are not met.  
Bromoxynil heptanoate: Based on available data, the classification criteria are not met.  
Thiencarbazone-methyl: Based on available data, the classification criteria are not met.

#### Assessment STOT Specific target organ toxicity – repeated exposure

Pyrasulfotole : May cause damage to organs through prolonged or repeated exposure.  
Bromoxynil octanoate caused specific target organ toxicity in experimental animal studies in the following organ(s): Liver. The observed effects do not appear to be relevant for humans.  
Bromoxynil heptanoate caused specific target organ toxicity in experimental animal studies in the following organ(s): Liver. The observed effects do not appear to be relevant for humans.  
Thiencarbazone-methyl did not cause specific target organ toxicity in experimental animal studies.

#### Assessment mutagenicity

Pyrasulfotole was not genotoxic in a battery of in vitro and in vivo tests.  
Bromoxynil octanoate was not mutagenic or genotoxic based on the overall weight of evidence in a battery of in vitro and in vivo tests.  
Bromoxynil heptanoate was not mutagenic or genotoxic based on the overall weight of evidence in a battery of in vitro and in vivo tests.  
Thiencarbazone-methyl was not mutagenic or genotoxic in a battery of in vitro and in vivo tests.

# SAFETY DATA SHEET



## HUSKIE® COMPLETE HERBICIDE

Version 7.0 / USA  
102000020211

10/16

Revision Date: 12/11/2024  
Print Date: 12/12/2024

### Assessment carcinogenicity

Pyrasulfotole caused at high dose levels an increased incidence of tumours in the following organ(s): Cornea, urinary bladder. The mechanism that triggers tumours in rodents and the type of tumours observed are not relevant to humans.

Bromoxynil octanoate caused at high dose levels an increased incidence of tumours in the following organ(s): Liver. The mechanism of tumour formation is not considered to be relevant to man.

Bromoxynil heptanoate caused at high dose levels an increased incidence of tumours in mice in the following organ(s): Liver. The mechanism of tumour formation is not considered to be relevant to man.

Thiencarbazone-methyl was not carcinogenic in a lifetime feeding study in rats. Thiencarbazone-methyl caused at high dose levels an increased incidence of tumours in mice in the following organ(s): urinary bladder. The tumours seen with Thiencarbazone-methyl were caused through the chronic irritation due to the presence of bladder stones.

### ACGIH

Solvent Naphtha (petroleum), heavy aromatic, <1% naphthalene	64742-94-5	Group A3
Naphthalene	91-20-3	Group A3

### NTP

Naphthalene	91-20-3
-------------	---------

### IARC

Solvent Naphtha (petroleum), heavy aromatic, <1% naphthalene	64742-94-5	Overall evaluation: 3
Solvent Naphtha (petroleum), heavy aromatic, <1% naphthalene	64742-94-5	Overall evaluation: 3
Solvent Naphtha (petroleum), heavy aromatic, <1% naphthalene	64742-94-5	Overall evaluation: 3
Naphthalene	91-20-3	Overall evaluation: 2B

### Assessment toxicity to reproduction

Pyrasulfotole did not cause reproductive toxicity in a two-generation study in rats.

Bromoxynil octanoate did not cause reproductive toxicity in a two-generation study in rats.

Bromoxynil heptanoate did not cause reproductive toxicity in a two-generation study in rats.

Thiencarbazone-methyl did not cause reproductive toxicity in a two-generation study in rats.

### Assessment developmental toxicity

Pyrasulfotole did not cause developmental toxicity in rats and rabbits.

Bromoxynil octanoate caused a delayed foetal growth, an increased incidence of non-specific malformations. Bromoxynil octanoate caused developmental toxicity only at dose levels toxic to the dams.

Bromoxynil heptanoate caused developmental toxicity only at dose levels toxic to the dams.

Bromoxynil heptanoate caused a delayed foetal growth, an increased incidence of non-specific malformations.

Thiencarbazone-methyl did not cause developmental toxicity in rats and rabbits.

### Aspiration hazard

Based on available data, the classification criteria are not met.

### Further information

# SAFETY DATA SHEET



## HUSKIE® COMPLETE HERBICIDE

Version 7.0 / USA  
102000020211

11/16  
Revision Date: 12/11/2024  
Print Date: 12/12/2024

Only acute toxicity studies have been performed on the formulated product.  
The non-acute information pertains to the active ingredient(s).  
No further toxicological information is available.

### SECTION 12: ECOLOGICAL INFORMATION

#### Toxicity to fish

LC50 (Oncorhynchus mykiss (rainbow trout)) > 104 mg/l  
Exposure time: 96 h  
The value mentioned relates to the active ingredient thien carbazonemethyl.

LC50 (Lepomis macrochirus (Bluegill sunfish)) 0.041 mg/l  
Exposure time: 96 h  
The value mentioned relates to the active ingredient bromoxynil octanoate.

LC50 (Lepomis macrochirus (Bluegill sunfish)) 0.029 mg/l  
Exposure time: 96 h  
The value mentioned relates to the active ingredient bromoxynil heptanoate.

#### Toxicity to aquatic invertebrates

EC50 (Daphnia magna (Water flea)) > 98.6 mg/l  
Exposure time: 48 h  
The value mentioned relates to the active ingredient thien carbazonemethyl.

EC50 (Daphnia magna (Water flea)) 0.046 mg/l  
Exposure time: 48 h  
The value mentioned relates to the active ingredient bromoxynil octanoate.

EC50 (Daphnia magna (Water flea)) 0.031 mg/l  
Exposure time: 48 h  
The value mentioned relates to the active ingredient bromoxynil heptanoate.

#### Toxicity to aquatic plants

IC50 (Lemna gibba (gibbous duckweed)) 0.00131 mg/l  
Growth rate; Exposure time: 7 d  
The value mentioned relates to the active ingredient thien carbazonemethyl.

IC50 (Raphidocelis subcapitata (freshwater green alga)) 1.017 mg/l  
Growth rate; Exposure time: 72 h  
The value mentioned relates to the active ingredient thien carbazonemethyl.

EC50 (Navicula pelliculosa (Freshwater diatom)) 0.043 mg/l  
Exposure time: 120 h  
The value mentioned relates to the active ingredient bromoxynil octanoate.

EC50 (Lemna gibba (gibbous duckweed)) 0.073 mg/l

# SAFETY DATA SHEET



## HUSKIE® COMPLETE HERBICIDE

Version 7.0 / USA  
102000020211

12/16

Revision Date: 12/11/2024  
Print Date: 12/12/2024

The value mentioned relates to the active ingredient bromoxynil octanoate.

EC50 (Raphidocelis subcapitata (freshwater green alga)) 0.083 mg/l

Exposure time: 120 h

The value mentioned relates to the active ingredient bromoxynil heptanoate.

EC50 (Lemna gibba (gibbous duckweed)) 0.21 mg/l

Exposure time: 336 h

The value mentioned relates to the active ingredient bromoxynil heptanoate.

### Biodegradability

Pyrasulfotole:

Not rapidly biodegradable

Bromoxynil octanoate:

Not rapidly biodegradable

Bromoxynil heptanoate:

Not rapidly biodegradable

Thiencarbazone-methyl:

Not rapidly biodegradable

### Koc

Pyrasulfotole: Koc: 20 - 213; log Koc: 2.34

Bromoxynil octanoate: Koc: 639

Bromoxynil heptanoate: Koc: ca. 600

Thiencarbazone-methyl: Koc: 100

### Bioaccumulation

Pyrasulfotole:

Does not bioaccumulate.

Bromoxynil octanoate: Bioconcentration factor (BCF) 230

Does not bioaccumulate.

Bromoxynil heptanoate:

Does not bioaccumulate.

Thiencarbazone-methyl:

Does not bioaccumulate.

### Mobility in soil

Pyrasulfotole: Moderately mobile in soils

Bromoxynil octanoate: Slightly mobile in soils

Bromoxynil heptanoate: Slightly mobile in soils

Thiencarbazone-methyl: Moderately mobile in soils

### Results of PBT and vPvB assessment

#### PBT and vPvB assessment

Pyrasulfotole: This substance is not considered to be persistent, bioaccumulative and toxic (PBT). This substance is not considered to be very persistent and very bioaccumulative (vPvB).

Bromoxynil octanoate: This substance is not considered to be persistent, bioaccumulative and toxic (PBT). This substance is not considered to be very persistent and very bioaccumulative (vPvB).

Bromoxynil heptanoate: This substance is not considered to be persistent, bioaccumulative and toxic (PBT). This substance is not considered to be very persistent and very bioaccumulative (vPvB).

Thiencarbazone-methyl: This substance is not considered to be persistent, bioaccumulative and toxic (PBT). This substance is not considered to be very persistent and very bioaccumulative (vPvB).

# SAFETY DATA SHEET



## HUSKIE® COMPLETE HERBICIDE

Version 7.0 / USA  
102000020211

13/16  
Revision Date: 12/11/2024  
Print Date: 12/12/2024

### Additional ecological information

No other effects to be mentioned.

### Environmental precautions

Do not allow to get into surface water, drains and ground water.  
Do not contaminate surface or ground water by cleaning equipment or disposal of wastes, including equipment wash water.

## SECTION 13: DISPOSAL CONSIDERATIONS

### Waste treatment methods

#### Product

Dispose of in accordance with local and national regulations.

#### Contaminated packaging

Consult state and local regulations regarding the proper disposal of container.  
Follow advice on product label and/or leaflet.

#### RCRA Information

Characterization and proper disposal of this material as a special or hazardous waste is dependent upon Federal, State and local laws and are the user's responsibility. RCRA classification may apply.

## SECTION 14: TRANSPORT INFORMATION

### 49CFR

UN number	<b>3082</b>
Class	9
Packaging group	III
Marine pollutant	Marine pollutant
Proper shipping name	ENVIRONMENTALLY HAZARDOUS SUBSTANCES, LIQUID, N.O.S. (BROMOXYNIL, THIENCARBAZONE-METHYL, NAPHTHALENE)
RQ	Reportable Quantity is reached with 33,333 lb of product.

### IMDG

UN number	<b>3082</b>
Class	9
Packaging group	III
Marine pollutant	YES
Proper shipping name	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (BROMOXYNIL, THIENCARBAZONE-METHYL SOLUTION)

### IATA

UN number	<b>3082</b>
Class	9
Packaging group	III
Environm. Hazardous Mark	YES
Proper shipping name	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.

# SAFETY DATA SHEET



## HUSKIE® COMPLETE HERBICIDE

Version 7.0 / USA  
102000020211

14/16  
Revision Date: 12/11/2024  
Print Date: 12/12/2024

(BROMOXYNIL, THIENCARBAZONE-METHYL SOLUTION )

This transportation information is not intended to convey all specific regulatory information relating to this product. It does not address regulatory variations due to package size or special transportation requirements.

### Further Information

This substance contains 10% or more of an oil as defined in 49 CFR 130.5 when it is shipped in a package of 3,500 gallons or more.

## SECTION 15: REGULATORY INFORMATION

**EPA Registration No.** 264-1135

### US Federal Regulations

#### TSCA list

Solvent Naphtha (petroleum), heavy aromatic, <1% naphthalene	64742-94-5
Alcohols, C11-14-iso-, C13-rich, ethoxylated	78330-21-9
Bromoxynil octanoate	1689-99-2
Fatty acids, rape-oil, Me esters	85586-25-0
Stearylamine, ethoxylated	26635-92-7
Castor oil, ethoxylated	61791-12-6
Mefenpyr-diethyl	135590-91-9
Benzenesulfonic acid, mono-C11-13-branched alkyl derivs., calcium salts	68953-96-8
Silane, dichlorodimethyl-, reaction products with silica	68611-44-9
Dipotassium hydrogenorthophosphate	7758-11-4

### US. Toxic Substances Control Act (TSCA) Section 12(b) Export Notification (40 CFR 707, Subpt D)

No export notification needs to be made.

### SARA Title III - Section 302 - Notification and Information

Not applicable.

### SARA Title III - Section 313 - Toxic Chemical Release Reporting

Yes

### US States Regulatory Reporting

#### CA Prop65

WARNING: This product contains a chemical known to the State of California to cause cancer. For more information go to [www.P65Warnings.ca.gov](http://www.P65Warnings.ca.gov).

Naphthalene	91-20-3	Carcinogenic
-------------	---------	--------------

WARNING: This product contains a chemical known to the State of California to cause birth defects or other reproductive harm. For more information go to [www.P65Warnings.ca.gov](http://www.P65Warnings.ca.gov).

Bromoxynil octanoate	1689-99-2	Developmental toxin.
----------------------	-----------	----------------------

### US State Right-To-Know Ingredients

# SAFETY DATA SHEET



## HUSKIE® COMPLETE HERBICIDE

Version 7.0 / USA  
102000020211

15/16  
Revision Date: 12/11/2024  
Print Date: 12/12/2024

Solvent Naphtha (petroleum), heavy aromatic, <1% naphthalene	64742-94-5	CT, IL, NJ, RI
Bromoxynil octanoate	1689-99-2	CT, NJ
Silane, dichlorodimethyl-, reaction products with silica	68611-44-9	CA, MN, RI

### Environmental

#### CERCLA

Yes

Solvent Naphtha (petroleum), heavy aromatic, <1% naphthalene	64742-94-5
--	------------

#### Clean Water Section 307(a)(1)

Yes

Naphthalene	91-20-3
-------------	---------

#### Safe Drinking Water Act Maximum Contaminant Levels

Yes

Naphthalene	91-20-3
-------------	---------

### EPA/FIFRA Information:

This chemical is a pesticide product regulated by the Environmental Protection Agency and is subject to certain labeling requirements under federal pesticide law. These requirements differ from the classification criteria and hazard information required for safety data sheets, and for workplace labels of non-pesticide chemicals. Following is the hazard information required on the pesticide label:

**Signal word:** Danger!

**Hazard statements:** Corrosive - causes irreversible eye damage.  
May be fatal if swallowed.  
Harmful if absorbed through skin.  
Prolonged or frequently repeated skin contact may cause allergic reactions in some individuals.

## SECTION 16: OTHER INFORMATION

### Abbreviations and acronyms

49CFR	Code of Federal Regulations, Title 49
ACGIH	US. ACGIH Threshold Limit Values
ATE	Acute toxicity estimate
CAS-Nr.	Chemical Abstracts Service number
CERCLA	Comprehensive Environmental Response, Compensation, and Liability Act
EINECS	European inventory of existing commercial substances
ELINCS	European list of notified chemical substances
IARC	International Agency for Research on Cancer
IATA	International Air Transport Association
IMDG	International Maritime Dangerous Goods
N.O.S.	Not otherwise specified

# SAFETY DATA SHEET



## HUSKIE® COMPLETE HERBICIDE

Version 7.0 / USA  
102000020211

16/16  
Revision Date: 12/11/2024  
Print Date: 12/12/2024

NTP	US. National Toxicology Program (NTP) Report on Carcinogens
OECD	Organization for Economic Co-operation and Development
TDG	Transportation of Dangerous Goods
TWA	Time weighted average
UN	United Nations
WHO	World health organisation

### NFPA 704 (National Fire Protection Association):

Health - 3      Flammability - 1      Instability - 0      Others - none

### HMIS (Hazardous Materials Identification System, based on the Fourth Edition Ratings Guide)

Health - 3\*      Flammability - 1      Physical Hazard - 0      PPE -

0 = minimal hazard, 1 = slight hazard, 2 = moderate hazard, 3 = severe hazard, 4 = extreme hazard,

\* = chronic health hazard

**Reason for Revision:** The following sections have been revised: Section 2: Hazards Identification.  
Section 3: Composition / Information on Ingredients. Section 8: Exposure Controls / Personal Protection.  
Reviewed and updated for general editorial purposes.

**Revision Date:** 12/11/2024

Changes since the last version are highlighted in the margin. This version replaces all previous versions.

This information is provided in good faith but without express or implied warranty. The customer assumes all responsibility for safety and use not in accordance with label instructions. The product names are registered trademarks of Bayer.