FIFRA Section 24(c) Special Local Need Label

FOR DISTRIBUTION AND USE ONLY WITHIN THE STATE OF NORTH DAKOTA

MIDAC® 4

To allow in-furrow application in sugar beets.

KEEP OUT OF REACH OF CHILDREN CAUTION

EPA Reg. No. 89118-16 EPA SLN No. ND-250001

THIS LABEL IS VALID UNTIL DEC 31ST, 2030 UNLESS OTHERWISE AMENDED, WITHDRAWN, CANCELLED, OR SUSPENDED.

ATTENTION

- It is a violation of Federal law to use this product in a manner inconsistent with its labeling.
- This labeling must be in the possession of the user at the time of application.
- Read the label affixed to the container for Midac 4 before applying.
- Carefully follow all precautionary statements and applicable use directions.
- Use of Midac 4 according to this supplemental labeling is subject to all use precautions and limitations imposed by the label affixed to the container for Midac 4.

SPECIFIC DIRECTIONS FOR USE

SUGAR BEETS FIELD SOIL APPLICATIONS					
PESTS	USE RATES fl oz product/A (lb a.i./A)				
Sugar Beet Root Maggot	6.0 (0.19)				

Field Soil Application Methods:

Make an application as an in-furrow dribble or spray directed on or below the seed during planting.

Field Soil Use Restrictions:

- Application Timing: DO NOT apply during bloom or within 10 days prior to bloom or when bees are foraging.
- Application Restrictions:
 - DO NOT use on crops grown for seed.
 - o **DO NOT** use on fields planted with imidacloprid treated seed.
- Annual Maximum:
 - o **DO NOT** exceed 6.0 fl oz of VCP-034 (0.19 lb a.i.) per acre per calendar year.
 - DO NOT exceed 0.19 lb imidacloprid per acre per calendar year from all imidacloprid containing products.

At Plant In-Furrow Application Rates (fl oz product per 1000 row ft)								
fl oz product per	Average Row Spacing (inches)							
acre	20	22	24	26	28	30		
6.0	0.23	0.25	0.28	0.30	0.32	0.34		

