Product Bulletin



Dow AgroSciences LLC

9330 Zionsville Road

Indianapolis, IN 46268-1054 USA

Tordon* K

EPA Reg. No. 62719-17

Special 2(ee) Recommendation †
(For Distribution and Use in the State of New York)

Allowing for Modified High Volume Leaf-Stem Treatments

ATTENTION

- [†] This recommendation is made as permitted under FIFRA 2(ee) and has not been submitted to or approved by the EPA.
- It as a violation of Federal law to use this product in a manner inconsistent with its labeling.
- Read the label affixed to the container for Tordon* K herbicide before applying. Carefully follow all precautionary statements and applicable use directions.
- Except as described in this product bulletin; use of Tordon* K herbicide is subject to all use precautions and limitations imposed by the label affixed to the product container.
- Tordon K herbicide is a restricted use pesticide.

Directions for Use

For modified high volume leaf-stem treatments of woody brush, mix 1 to 3 quarts of Tordon* K in 100 gallons of water. To control a wider range of woody plant species, mix 1/2 to 1 quart of Tordon* K with 1 to 3 quarts of Garlon* 4 herbicide or 1 to 4 quarts of Garlon 3A herbicide and dilute to make 100 gallons of spray. Apply after the foliage is well developed and in a manner which thoroughly wets all leaves, stems, and root collars.

The maximum application rate for Tordon K is 2 quarts per acre. The amount of spray mixture required per acre will vary with plant size and density. To avoid exceeding the maximum application rate for Tordon K, do not exceed the per acre spray volumes for dilution rates indicted in the following table:

Dilution Rate of Tordon K	Maximum Amount of Spray Volume Per Acre
1 qt/100 gal	200 gal
2 qt/100 gal	100 gal
3 qt/100 gal	67 gal

*Trademark of Dow AgroSciences LLC	
D06-112-002 Issued: 01-22-03	
Initial printing.	