



We create chemistry

# Safety Data Sheet

## Clear Zone Double Impact Farm Fly Spray

Revision date : 2025/10/21

Version: 6.0

Page: 1/15

(30487417/SDS\_CPA\_US/EN)

### 1. Identification

**Product identifier used on the label**

**Clear Zone Double Impact Farm Fly Spray**

**Recommended use of the chemical and restriction on use**

Recommended use\*: crop protection product, insecticide

Recommended use\*: insecticide

\* The "Recommended use" identified for this product is provided solely to comply with a Federal requirement and is not part of the seller's published specification. The terms of this Safety Data Sheet (SDS) do not create or infer any warranty, express or implied, including by incorporation into or reference in the seller's sales agreement.

**Details of the supplier of the safety data sheet**

Company:

BASF CORPORATION

100 Park Avenue

Florham Park, NJ 07932, USA

Telephone: +1 973 245-6000

**Emergency telephone number**

24 Hour Emergency Response Information

CHEMTREC: 1-800-424-9300

BASF HOTLINE: 1-800-832-HELP (4357)

**Other means of identification**

Substance number: 414183

Registration number: EPA Registration number: 499-320

Chemical family: No applicable information available.

Synonyms: Pyrethrins + permethrin + piperonyl butoxide

### 2. Hazards Identification

**According to Regulation 2024 OSHA Hazard Communication Standard; 29 CFR Part 1910.1200**

**Classification of the product**

Aerosol 1

Asp. Tox. 1

Aquatic Acute 1

Aerosols

Aspiration hazard

Hazardous to the aquatic environment - acute

# Safety Data Sheet

## Clear Zone Double Impact Farm Fly Spray

Revision date: 2025/10/21

Version: 6.0

Page: 2/15

(30487417/SDS\_CPA\_US/EN)

Aquatic Chronic	1	Hazardous to the aquatic environment - chronic
Ozone	1	Hazardous to the ozone layer

### Label elements

Pictogram:



Signal Word:

Danger

Hazard Statement:

H222	Extremely flammable aerosol.
H229	Pressurized container: May burst if heated.
H304	May be fatal if swallowed and enters airways.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.
H420	Harms public health and the environment by destroying ozone in the upper atmosphere.

Precautionary Statements (Prevention):

P210	Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
P273	Avoid release to the environment.
P211	Do not spray on an open flame or other ignition source.
P251	Do not pierce or burn, even after use.

Precautionary Statements (Response):

P301 + P310	IF SWALLOWED: Immediately call a POISON CENTER or physician.
P391	Collect spillage.
P331	Do NOT induce vomiting.

Precautionary Statements (Storage):

P410 + P412	Protect from sunlight. Do not expose to temperatures exceeding 50 °C/122°F.
P405	Store locked up.

Precautionary Statements (Disposal):

P501	Dispose of contents/container in accordance with local regulations.
P502	Refer to manufacturer or supplier for information on recovery or recycling

### Hazards not otherwise classified

Labeling of special preparations (GHS):

Repeated exposure may cause skin dryness or cracking.  
May cause paraesthesia. Contains: Pyrethrins, permethrin

# Safety Data Sheet

## Clear Zone Double Impact Farm Fly Spray

Revision date: 2025/10/21  
Version: 6.0

Page: 3/15  
(30487417/SDS\_CPA\_US/EN)

### 3. Composition / Information on Ingredients

#### According to Regulation 2024 OSHA Hazard Communication Standard; 29 CFR Part 1910.1200

Piperonylbutoxide

CAS Number: 51-03-6  
Content (W/W): 2.0 %  
Synonym: Piperonylbutoxide

Pyrethrins

CAS Number: 8003-34-7  
Content (W/W): 0.25 %  
Synonym: Pyrethrin

Permethrin

CAS Number: 52645-53-1  
Content (W/W): 0.25 %  
Synonym: Permethrin

Ethane, 1,1-difluoro-

CAS Number: 75-37-6  
Content (W/W):  $\geq 45.0$  -  $\leq 70.0\%$   
Synonym: No data available.

Distillates (petroleum), hydrotreated light

CAS Number: 64742-47-8  
Content (W/W):  $\geq 10.0$  -  $\leq 30.0\%$   
Synonym: No data available.

dimethyl ether

CAS Number: 115-10-6  
Content (W/W):  $\geq 10.0$  -  $\leq 30.0\%$   
Synonym: Dimethyl ether

The actual concentration is withheld as a trade secret.  
NJ TSRN: New Jersey Trade Secret Registry Number

### 4. First-Aid Measures

#### Description of first aid measures

##### General advice:

First aid personnel should pay attention to their own safety. If the patient is likely to become unconscious, place and transport in stable sideways position (recovery position). Immediately remove contaminated clothing.

##### If inhaled:

Keep patient calm, remove to fresh air, seek medical attention.

##### If on skin:

Immediately wash thoroughly with soap and water, seek medical attention.

# Safety Data Sheet

## Clear Zone Double Impact Farm Fly Spray

Revision date: 2025/10/21  
Version: 6.0

Page: 4/15  
(30487417/SDS\_CPA\_US/EN)

### **If in eyes:**

Wash affected eyes for at least 15 minutes under running water with eyelids held open, consult an eye specialist.

### **If swallowed:**

Immediately rinse mouth and then drink 200-300 ml of water, seek medical attention. Do not induce vomiting due to aspiration hazard.

### **Most important symptoms and effects, both acute and delayed**

Symptoms: Information, i.e. additional information on symptoms and effects may be included in the GHS labeling phrases available in Section 2 and in the Toxicological assessments available in Section 11., (Further) symptoms and / or effects are not known so far

Hazards: Vomiting may cause aspiration pneumonia due to the ingredients.

Information, i.e. additional information on symptoms and effects may be included in the GHS labeling phrases available in Section 2 and in the Toxicological assessments available in Section 11. (Further) symptoms and / or effects are not known so far

### **Indication of any immediate medical attention and special treatment needed**

#### Note to physician

Treatment: Vomiting may cause aspiration pneumonia due to the ingredients.

Treatment: Treat according to symptoms (decontamination, vital functions), no known specific antidote.

---

## **5. Fire-Fighting Measures**

### **Extinguishing media**

Suitable extinguishing media:  
foam, dry powder, carbon dioxide

### **Special hazards arising from the substance or mixture**

Hazards during fire-fighting:

carbon monoxide, carbon dioxide, Hydrogen chloride, hydrogen fluoride, halogenated hydrocarbons, halogenated compounds, hydrocarbons

The substances/groups of substances mentioned can be released in case of fire. Aerosol container contains flammable gas under pressure. Risk of explosion at excessive temperatures.

### **Advice for fire-fighters**

Protective equipment for fire-fighting:

Firefighters should be equipped with self-contained breathing apparatus and turn-out gear.

### **Further information:**

Evacuate area of all unnecessary personnel. Contain contaminated water/firefighting water. Do not allow to enter drains or waterways.

---

## **6. Accidental release measures**

### **Personal precautions, protective equipment and emergency procedures**

# Safety Data Sheet

## Clear Zone Double Impact Farm Fly Spray

Revision date: 2025/10/21

Version: 6.0

Page: 5/15

(30487417/SDS\_CPA\_US/EN)

Take appropriate protective measures. Clear area. Shut off source of leak only under safe conditions. Extinguish sources of ignition nearby and downwind. Ensure adequate ventilation. Wear suitable personal protective clothing and equipment.

### Environmental precautions

Do not discharge into the subsoil/soil. Do not discharge into drains/surface waters/groundwater. Contain contaminated water/firefighting water. A spill of or in excess of the reportable quantity requires notification to state, local and national emergency authorities. This product is regulated by CERCLA ('Superfund').

### Methods and material for containment and cleaning up

Dike spillage. Pick up with suitable absorbent material. Spilled substance/product should be recovered and applied according to label rates whenever possible. If application of spilled substance/product is not possible, then spills should be contained, solidified, and placed in suitable containers for disposal. After decontamination, spill area can be washed with water. Collect wash water for approved disposal.

---

## 7. Handling and Storage

### Precautions for safe handling

RECOMMENDATIONS ARE FOR MANUFACTURING, COMMERCIAL BLENDING, AND PACKAGING WORKERS. PESTICIDE APPLICATORS & WORKERS must refer to the Product Label and Directions for Use attached to the product. Provide good ventilation of working area (local exhaust ventilation if necessary). Keep away from sources of ignition - No smoking. Keep container tightly sealed. Protect against heat. Handle and open container with care. Do not open until ready to use. Once container is opened, content should be used as soon as possible. Provide means for controlling leaks and spills. Follow label warnings even after container is emptied. The substance/product may be handled only by appropriately trained personnel. Avoid all direct contact with the substance/product. Avoid contact with the skin, eyes and clothing. Avoid inhalation of dusts/mists/vapours. Wear suitable personal protective clothing and equipment.

Protection against fire and explosion:

Aerosol container contains flammable gas under pressure. The relevant fire protection measures should be noted. Fire extinguishers should be kept handy. Avoid all sources of ignition: heat, sparks, open flame. Avoid extreme heat. Ground all transfer equipment properly to prevent electrostatic discharge. Electrostatic discharge may cause ignition.

### Conditions for safe storage, including any incompatibilities

Segregate from incompatible substances. Segregate from foods and animal feeds. Segregate from textiles and similar materials.

Further information on storage conditions: Protect containers from physical damage. Store in a cool, dry, well-ventilated area. Avoid all sources of ignition: heat, sparks, open flame.

Storage stability:

May be kept indefinitely if stored properly.

If an expiry date is mentioned on the packaging/label this takes priority over the statements on storage duration in this safety data sheet.

Protect from temperatures above: 130 °F

Explosive at or above indicated temperature.

---

# Safety Data Sheet

## Clear Zone Double Impact Farm Fly Spray

Revision date: 2025/10/21  
Version: 6.0

Page: 6/15  
(30487417/SDS\_CPA\_US/EN)

### 8. Exposure Controls/Personal Protection

**Users of a pesticidal product should refer to the product label for personal protective equipment requirements.**

No substance specific occupational exposure limits known.

#### **Advice on system design:**

Whenever possible, engineering controls should be used to minimize the need for personal protective equipment.

#### **Personal protective equipment**

#### **RECOMMENDATIONS FOR MANUFACTURING, COMMERCIAL BLENDING, AND PACKAGING WORKERS:**

##### **Respiratory protection:**

Wear respiratory protection if ventilation is inadequate. Wear a NIOSH-certified (or equivalent) organic vapour/particulate respirator. For situations where the airborne concentrations may exceed the level for which an air purifying respirator is effective, or where the levels are unknown or Immediately Dangerous to Life or Health (IDLH), use NIOSH-certified full facepiece pressure demand self-contained breathing apparatus (SCBA) or a full facepiece pressure demand supplied-air respirator (SAR) with escape provisions.

##### **Hand protection:**

Chemical resistant protective gloves, Protective glove selection must be based on the user's assessment of the workplace hazards.

##### **Eye protection:**

Safety glasses with side-shields. Tightly fitting safety goggles (chemical goggles). Wear face shield if splashing hazard exists.

##### **Body protection:**

Body protection must be chosen depending on activity and possible exposure, e.g. head protection, apron, protective boots, chemical-protection suit.

##### **General safety and hygiene measures:**

RECOMMENDATIONS FOR MANUFACTURING, COMMERCIAL BLENDING, AND PACKAGING WORKERS Wear long sleeved work shirt and long work pants in addition to other stated personal protective equipment. Work place should be equipped with a shower and an eye wash. Handle in accordance with good industrial hygiene and safety practice. Personal protective equipment should be decontaminated prior to reuse. Gloves must be inspected regularly and prior to each use. Replace if necessary (e.g. pinhole leaks). Take off immediately all contaminated clothing. Store work clothing separately. Hands and/or face should be washed before breaks and at the end of the shift. No eating, drinking, smoking or tobacco use at the place of work. Keep away from food, drink and animal feeding stuffs.

### 9. Physical and Chemical Properties

Physical state:	liquid
Form:	liquid
Odour:	characteristic, of petroleum
Odour threshold:	Not determined due to potential health hazard by inhalation.
Colour:	yellow

# Safety Data Sheet

## Clear Zone Double Impact Farm Fly Spray

Revision date: 2025/10/21  
Version: 6.0

Page: 7/15  
(30487417/SDS\_CPA\_US/EN)

pH value:	approx. 5 - 7 ( 10 g/l, approx. 22 °C)
Melting point:	approx. -30 °C Information applies to the solvent.
Sublimation point:	No applicable information available.
Flash point:	not determined
Flammability:	Extremely flammable.
Flammability of Aerosol Products:	> 18 in (ASTM D 3065)
NFPA 30B flammability:	Level 1 Aerosol
Lower explosion limit:	As a result of our experience with this product and our knowledge of its composition we do not expect any hazard as long as the product is used appropriately and in accordance with the intended use.
Upper explosion limit:	As a result of our experience with this product and our knowledge of its composition we do not expect any hazard as long as the product is used appropriately and in accordance with the intended use.
Heat of Combustion:	15.08 kJ/g Calculated using literature data
Density:	approx. 0.81 g/cm <sup>3</sup> ( 20 °C)
Relative density:	No data available.
Relative vapour density:	not applicable
Partitioning coefficient n-octanol/water (log Pow):	not applicable for mixtures
Thermal decomposition:	carbon monoxide, carbon dioxide, Hydrogen chloride, hydrogen fluoride, halogenated hydrocarbons Stable at ambient temperature. If product is heated above decomposition temperature toxic vapours may be released. To avoid thermal decomposition, do not overheat.
Viscosity, dynamic:	2.43 mPa.s (approx. 21.7 °C)
Viscosity, kinematic:	No data available.
Solubility in water:	dispersible
Solubility (quantitative):	No data available.
Solubility (qualitative):	No data available.
Molecular weight:	No data available.
Evaporation rate:	not applicable
Other Information:	If necessary, information on other physical and chemical parameters is indicated in this section.

### Particle characteristics

Particle size distribution: The substance / product is marketed or used in a non solid or granular form.

## 10. Stability and Reactivity

### Reactivity

No hazardous reactions if stored and handled as prescribed/indicated.

# Safety Data Sheet

## Clear Zone Double Impact Farm Fly Spray

Revision date: 2025/10/21

Version: 6.0

Page: 8/15

(30487417/SDS\_CPA\_US/EN)

Corrosion to metals:  
Corrosive effects to metal are not anticipated.

Oxidizing properties:  
Based on its structural properties the product is not classified as oxidizing.

### Chemical stability

The product is stable if stored and handled as prescribed/indicated.

### Possibility of hazardous reactions

The product is chemically stable.

### Conditions to avoid

Avoid all sources of ignition: heat, sparks, open flame. Avoid prolonged storage. Avoid electro-static discharge. Avoid contamination. Avoid prolonged exposure to extreme heat. Avoid extreme temperatures.

### Incompatible materials

strong acids, Alkalines

### Hazardous decomposition products

Decomposition products:  
No hazardous decomposition products if stored and handled as prescribed/indicated., Prolonged thermal loading can result in products of degradation being given off.

Thermal decomposition:

Possible thermal decomposition products:

carbon monoxide, carbon dioxide, Hydrogen chloride, hydrogen fluoride, halogenated hydrocarbons  
Stable at ambient temperature. If product is heated above decomposition temperature toxic vapours may be released. To avoid thermal decomposition, do not overheat.

---

## 11. Toxicological information

### Primary routes of exposure

Routes of entry for solids and liquids are ingestion and inhalation, but may include eye or skin contact. Routes of entry for gases include inhalation and eye contact. Skin contact may be a route of entry for liquefied gases.

### Acute Toxicity/Effects

#### Acute toxicity

Assessment of acute toxicity: Slightly toxic after single ingestion. Slightly toxic after short-term skin contact. Relatively nontoxic after short-term inhalation.

#### Oral

Type of value: LD50

Species: rat

Value: > 2,000 - < 5,000 mg/kg

#### Inhalation

Type of value: LC50

Species: rat

Value: > 4.35 mg/l



# Safety Data Sheet

## Clear Zone Double Impact Farm Fly Spray

Revision date: 2025/10/21  
Version: 6.0

Page: 9/15  
(30487417/SDS\_CPA\_US/EN)

Exposure time: 4 h  
An aerosol was tested.  
No mortality was observed.

### Dermal

Type of value: LD50  
Species: rabbit  
Value: > 2,000 mg/kg  
No mortality was observed.

### Assessment other acute effects

Assessment of STOT single:

Based on the available information there is no specific target organ toxicity to be expected after a single exposure.

The product has not been tested. The statement has been derived from the properties of the individual components.

### Irritation / corrosion

Assessment of irritating effects: Not irritating to eyes and skin.

### Skin

Species: rabbit  
Result: non-irritant

### Eye

Species: rabbit  
Result: non-irritant

### Sensitization

Assessment of sensitization: No sensitizing effect.

modified Buehler test  
Species: guinea pig  
Result: Non-sensitizing.

### Aspiration Hazard

The product has not been tested. The statement has been derived from the properties of the individual components. May also damage the lung at swallowing (aspiration hazard).

## **Chronic Toxicity/Effects**

### Repeated dose toxicity

Assessment of repeated dose toxicity: The product has not been tested. The statement has been derived from the properties of the individual components.

### *Information on: Piperonylbutoxide*

*Assessment of repeated dose toxicity: The substance may cause damage to the liver after repeated ingestion of high doses, as shown in animal studies. The substance may cause damage to the liver after repeated inhalation of high doses. Repeated dermal uptake of the substance did not cause substance-related effects.*

-----

### Genetic toxicity

# Safety Data Sheet

## Clear Zone Double Impact Farm Fly Spray

Revision date: 2025/10/21  
Version: 6.0

Page: 10/15  
(30487417/SDS\_CPA\_US/EN)

Assessment of mutagenicity: The product has not been tested. The statement has been derived from the properties of the individual components. Mutagenicity tests revealed no genotoxic potential.

### Carcinogenicity

Assessment of carcinogenicity: The product has not been tested. The statement has been derived from the properties of the individual components.

*Information on: permethrin*

*Assessment of carcinogenicity: Indication of possible carcinogenic effect in animal tests.*

### Reproductive toxicity

Assessment of reproduction toxicity: The product has not been tested. The statement has been derived from the properties of the individual components. The results of animal studies gave no indication of a fertility impairing effect.

### Teratogenicity

Assessment of teratogenicity: The product has not been tested. The statement has been derived from the properties of the individual components.

*Information on: permethrin*

*Assessment of teratogenicity: The substance did not cause malformations in animal studies. When given in high doses embryotoxicity was observed.*

### Other Information

Misuse can be harmful to health.  
Has a degreasing effect on skin.

---

## 12. Ecological Information

### **Toxicity**

#### Toxicity to fish

*Information on: Piperonylbutoxide*

*LC50 (96 h) 3.49 mg/l, Cyprinodon variegatus (OECD Guideline 203, Flow through.)*

*The product has low solubility in the test medium. An aqueous solution prepared with solubilizers has been tested.*

*Information on: Pyrethrins*

*LC50 (96 h) 0.0052 mg/l, Oncorhynchus mykiss*

*Information on: permethrin*

*LC50 (96 h) 0.012 mg/l, Salmo salar*

#### Aquatic invertebrates

*Information on: Piperonylbutoxide*

*EC50 (48 h) 0.51 mg/l, Daphnia magna (OECD Guideline 202, part 1, Flow through.)*

*The product has low solubility in the test medium. An aqueous solution prepared with solubilizers has been tested.*

*No observed effect concentration (28 d) 0.063 mg/l, aquatic arthropod (other)*

# Safety Data Sheet

## Clear Zone Double Impact Farm Fly Spray

Revision date: 2025/10/21  
Version: 6.0

Page: 11/15  
(30487417/SDS\_CPA\_US/EN)

*The details of the toxic effect relate to the nominal concentration. The product has low solubility in the test medium. An aqueous solution prepared with solubilizers has been tested. Limit concentration test only (LIMIT test).*

*Information on: Pyrethrins  
EC50 (96 h) 0.0014 mg/l, Mysidopsis bahia*

*Information on: permethrin  
EC50 (96 h) 0.000019 mg/l, Americamysis bahia*  
-----

### Aquatic plants

*Information on: Piperonylbutoxide  
EC50 (72 h) 3.89 mg/l (growth rate), Pseudokirchneriella subcapitata (OECD Guideline 201, static)  
The product has low solubility in the test medium. An aqueous solution prepared with solubilizers has been tested.  
No observed effect concentration (72 h) 0.824 mg/l (growth rate), Pseudokirchneriella subcapitata (OECD Guideline 201, static)  
The product has low solubility in the test medium. An aqueous solution prepared with solubilizers has been tested.*  
-----

### Chronic toxicity to fish

*Information on: Piperonylbutoxide  
No observed effect concentration (35 d) 0.18 mg/l, Pimephales promelas (OPP 72-4 (EPA-Guideline), Flow through.)  
The details of the toxic effect relate to the nominal concentration. The product has low solubility in the test medium. An aqueous solution prepared with solubilizers has been tested.*

*Information on: Pyrethrins  
No observed effect concentration 0.0019 mg/l, Pimephales promelas*

*Information on: permethrin  
No observed effect concentration 0.0003 mg/l, Pimephales promelas*  
-----

### Chronic toxicity to aquatic invertebrates

*Information on: Piperonylbutoxide  
No observed effect concentration (21 d) 0.03 mg/l, Daphnia magna (OPP 72-4 (EPA-Guideline), Flow through.)  
The details of the toxic effect relate to the nominal concentration. The product has low solubility in the test medium. An aqueous solution prepared with solubilizers has been tested.*

*Information on: Pyrethrins  
No observed effect concentration (28 d) 0.00086 mg/l, Daphnia magna*

*Information on: permethrin  
No observed effect concentration (30 d) 0.000011 mg/l, Mysidopsis bahia*  
-----

## **Persistence and degradability**

Assessment biodegradation and elimination (H<sub>2</sub>O)

# Safety Data Sheet

## Clear Zone Double Impact Farm Fly Spray

Revision date: 2025/10/21  
Version: 6.0

Page: 12/15  
(30487417/SDS\_CPA\_US/EN)

*Information on: Piperonylbutoxide*

*Not readily biodegradable (by OECD criteria).*

*Information on: Pyrethrins*

*Not readily biodegradable (by OECD criteria).*

*Information on: permethrin*

*Not readily biodegradable (by OECD criteria).*

### **Bioaccumulative potential**

#### Assessment bioaccumulation potential

The product has not been tested. The statement has been derived from the properties of the individual components.

#### Bioaccumulation potential

*Information on: Piperonylbutoxide*

*Bioconcentration factor: 91 - 380 (28 d), Lepomis macrochirus (OECD Guideline 305 E)*

*Information on: Pyrethrins*

*Bioconcentration factor: 471*

*Accumulation in organisms is not to be expected.*

*Information on: permethrin*

*Bioconcentration factor: 570 - 610, Lepomis macrochirus*

*Accumulation in organisms is not to be expected.*

### **Mobility in soil**

#### Assessment transport between environmental compartments

The product has not been tested. The statement has been derived from the properties of the individual components.

*Information on: Piperonylbutoxide*

*Adsorption to solid soil phase is not expected.*

*Information on: Pyrethrins*

*Following exposure to soil, adsorption to solid soil particles is probable, therefore contamination of groundwater is not expected.*

*Information on: permethrin*

*Following exposure to soil, adsorption to solid soil particles is probable, therefore contamination of groundwater is not expected.*

# Safety Data Sheet

## Clear Zone Double Impact Farm Fly Spray

Revision date: 2025/10/21  
Version: 6.0

Page: 13/15  
(30487417/SDS\_CPA\_US/EN)

-----

### Additional information

Other ecotoxicological advice:  
Do not discharge product into the environment without control.

---

## 13. Disposal considerations

### Waste disposal of substance:

Pesticide wastes are regulated. If pesticide wastes cannot be disposed of according to label instructions, contact the State Pesticide or Environmental Control Agency or the Hazardous Waste representative at the nearest EPA Regional Office for guidance.

### Container disposal:

Do not cut, puncture, crush, or incinerate empty aerosol containers. Consult state or local disposal authorities for approved alternative procedures such as container recycling. Empty aerosol cans may meet the definition of RCRA D003. Consult local and/or regional EPA for further guidance.

---

## 14. Transport Information

### Land transport

USDOT  
Hazard class: 2.1  
ID number: UN 1950  
Hazard label: 2.1, EHSM  
Proper shipping name: AEROSOLS

### Sea transport

IMDG  
Hazard class: 2.1  
ID number: UN 1950  
Hazard label: 2.1, EHSM  
Marine pollutant: YES  
Proper shipping name: AEROSOLS (contains 1,1-DIFLUOROETHANE, PYRETHRINS)

### Air transport

IATA/ICAO  
Hazard class: 2.1  
ID number: UN 1950  
Hazard label: 2.1  
Proper shipping name: AEROSOLS, FLAMMABLE

### Further information

DOT: This product may be classified as ORM-D (Consumer Commodity) or Limited Quantity. After 12/31/2020, ORM-D will not apply.

---

## 15. Regulatory Information

### Federal Regulations

#### Registration status:

Crop Protection      TSCA, US    released / exempt

# Safety Data Sheet

## Clear Zone Double Impact Farm Fly Spray

Revision date: 2025/10/21

Version: 6.0

Page: 14/15

(30487417/SDS\_CPA\_US/EN)

**EPCRA 311/312 (Hazard categories):** Refer to SDS section 2 for GHS hazard classes applicable for this product.

### EPCRA 313:

#### CAS Number

51-03-6

Chemical name

Piperonylbutoxide

#### CERCLA RQ

100 LBS

1 LBS

#### CAS Number

115-10-6; 64742-47-8

52645-53-1; 8003-34-7

#### Chemical name

dimethyl ether; Distillates (petroleum), hydrotreated light

Permethrin; Pyrethrins

### State regulations

#### State RTK

PA

NJ

#### CAS Number

115-10-6

115-10-6

75-37-6

51-03-6

#### Chemical name

dimethyl ether

dimethyl ether

Ethane, 1,1-difluoro-

Piperonylbutoxide

### **Labeling requirements under FIFRA**

This chemical is a pesticide product regulated by the Environmental Protection Agency and is subject to certain labeling requirements under federal pesticide law. These requirements differ from the classification criteria and hazard information required for safety data sheets, and workplace labels of non-pesticide chemicals. Following is the hazard information as required on the pesticide label.

CAUTION:

KEEP OUT OF REACH OF CHILDREN.

KEEP OUT OF REACH OF DOMESTIC ANIMALS.

Hazards to humans and domestic animals.

HARMFUL IF SWALLOWED.

HARMFUL IF INHALED.

HARMFUL IF ABSORBED THROUGH SKIN.

Avoid contact with the skin, eyes and clothing.

Avoid inhalation of dusts.

Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco or using the toilet.

Take off immediately all contaminated clothing.

Remove PPE immediately after handling this product.

Wash the outside of gloves before removing.

As soon as possible, wash thoroughly and change into clean clothing.

Remove clothing/PPE immediately if pesticide gets inside. Then wash thoroughly and put on clean clothing.

Flammable Liquid

Aerosol container contains flammable gas under pressure.

Keep away from heat, open flames, and sparks.

## 16. Other Information

### **SDS Prepared by:**

BASF NA Product Regulations

# Safety Data Sheet

## Clear Zone Double Impact Farm Fly Spray

Revision date: 2025/10/21

Version: 6.0

Page: 15/15

(30487417/SDS\_CPA\_US/EN)

SDS Prepared on: 2025/10/21

We support worldwide Responsible Care® initiatives. We value the health and safety of our employees, customers, suppliers and neighbors, and the protection of the environment. Our commitment to Responsible Care is integral to conducting our business and operating our facilities in a safe and environmentally responsible fashion, supporting our customers and suppliers in ensuring the safe and environmentally sound handling of our products, and minimizing the impact of our operations on society and the environment during production, storage, transport, use and disposal of our products.

IMPORTANT: WHILE THE DESCRIPTIONS, DESIGNS, DATA AND INFORMATION CONTAINED HEREIN ARE PRESENTED IN GOOD FAITH AND BELIEVED TO BE ACCURATE, IT IS PROVIDED FOR YOUR GUIDANCE ONLY. BECAUSE MANY FACTORS MAY AFFECT PROCESSING OR APPLICATION/USE, WE RECOMMEND THAT YOU MAKE TESTS TO DETERMINE THE SUITABILITY OF A PRODUCT FOR YOUR PARTICULAR PURPOSE PRIOR TO USE. NO WARRANTIES OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING WARRANTIES OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE, ARE MADE REGARDING PRODUCTS DESCRIBED OR DESIGNS, DATA OR INFORMATION SET FORTH, OR THAT THE PRODUCTS, DESIGNS, DATA OR INFORMATION MAY BE USED WITHOUT INFRINGING THE INTELLECTUAL PROPERTY RIGHTS OF OTHERS. IN NO CASE SHALL THE DESCRIPTIONS, INFORMATION, DATA OR DESIGNS PROVIDED BE CONSIDERED A PART OF OUR TERMS AND CONDITIONS OF SALE. FURTHER, YOU EXPRESSLY UNDERSTAND AND AGREE THAT THE DESCRIPTIONS, DESIGNS, DATA, AND INFORMATION FURNISHED BY OUR COMPANY HEREUNDER ARE GIVEN GRATIS AND WE ASSUME NO OBLIGATION OR LIABILITY FOR THE DESCRIPTION, DESIGNS, DATA AND INFORMATION GIVEN OR RESULTS OBTAINED, ALL SUCH BEING GIVEN AND ACCEPTED AT YOUR RISK.

Date / Revised: 2025/10/21

Version: 6.0

Date / Previous version: 2024/01/30

Previous version: 5.0

END OF DATA SHEET