

Off-Shoot-T[®]

Tobacco Sucker Control Agent High Active Formula

ACTIVE INGREDIENTS: (% by weight)

Octanol (C ₈)	36.2%*
Decanol (C ₁₀)	48.2%*
Related compounds (dodecanol - C ₁₂)	0.3%*
OTHER INGREDIENTS:	15.3%
TOTAL:	100.0%

*Contains 2.57 pounds Octanol, 3.43 pounds Decanol and 0.02 pounds Dodecanol per gallon.

*Contains 308 grams Octanol, 411 grams Decanol and 3 grams Dodecanol per liter.

KEEP OUT OF REACH OF CHILDREN

DANGER / PELIGRO

Si usted no entiende la etiqueta, busque a alguien para que se la explique a usted en detalle. (If you do not understand the label, find someone to explain it to you in detail.)

[See **FIRST AID** Below]

[See Side (Back) Panel for **FIRST AID**]

[See Page ___ for **FIRST AID**]

[See Container Labeling for (**FIRST AID** and) Complete Directions for Use]

[See (Attached) Booklet (Container Labeling) for Complete Directions for Use]

EPA Reg. No. 19713-732

Net Content:

EPA Est. No. 19713-XX-X

FIRST AID

IF IN EYES:

- Hold eye open and rinse slowly and gently with water for 15 to 20 minutes.
- Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye.
- Call a poison control center or doctor for treatment advice.

IF INHALED:

- Move person to fresh air.
- If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably by mouth-to-mouth, if possible.
- Call a poison control center or doctor for further treatment advice.

IF ON SKIN OR ON CLOTHING:

- Take off contaminated clothing.
- Rinse skin immediately with plenty of water for 15 to 20 minutes.
- Call a poison control center or doctor for treatment advice.

NOTE TO PHYSICIAN: Probable mucosal damage may contraindicate the use of gastric lavage.

Have the product container or label with you when calling a poison control center or doctor or going for treatment. You may also contact CHEMTREC at 800-424-9300 for emergency.

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMAL DANGER

Corrosive. Causes irreversible eye damage. Do not get in eyes or on clothing. Prolonged or frequently repeated skin contact may cause allergic reactions in some individuals.

PERSONAL PROTECTIVE EQUIPMENT (PPE):

Some materials that are chemical-resistant to this product are barrier laminate, butyl rubber, neoprene rubber, polyvinyl chloride or viton. If you want more options, follow the instructions for Category C on an EPA chemical-resistance category selection chart.

Mixers, Loaders, Applicators and Other Handlers Must Wear: long-sleeved shirt and long pants; shoes plus socks; and goggles or face shield. Follow manufacturer's instructions for cleaning and maintaining PPE. If no such instructions for washables exist, use detergent and hot water. Keep and wash PPE separately from other laundry. Discard clothing and other absorbent materials that have been drenched or heavily contaminated with this product's concentrate. Do not reuse them. When handlers use closed systems or enclosed cabs in a manner that meets the requirements listed in the Worker Protection Standard (WPS) for Agricultural Pesticides [40 CFR 170.240(d)(4-5)], the handler PPE requirements may be reduced or modified as specified in the WPS.

USER SAFETY RECOMMENDATIONS

Users should:

- Wash hands before eating, drinking, chewing gum, using Tobacco, or using the toilet.
- Remove clothing/PPE immediately if pesticide gets inside. Then wash thoroughly and put on clean clothing.
- Remove PPE immediately after handling this product. Wash the outside of gloves before removing. As soon as possible, wash thoroughly and change into clean clothing.

ENVIRONMENTAL HAZARDS

Do not apply directly to water, or to areas where surface water is present or to intertidal areas below the mean high water mark.

Do not contaminate water when disposing of equipment wash water or rinsate.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling. Read all label directions carefully before use.

Do not apply this product through any type of irrigation system. Do not apply this product in a way that will contact workers or other persons, either directly or through drift. Only protected handlers may be in the area during application. For any requirements specific to your state or tribe, consult the agency responsible for pesticide regulation.

AGRICULTURAL USE REQUIREMENTS

Use this product only in accordance with its labeling and with the Worker Protection Standard, 40 CFR Part 170. This Standard contains requirements for the protection of agricultural workers on farms, forests, nurseries, and greenhouses, and handlers of agricultural pesticides. It contains requirements for training, decontamination, notification, and emergency assistance. It also contains specific instructions and exceptions pertaining to the statements on this label about personal protective equipment (PPE) and restricted entry interval. The requirements in this box only apply to uses of this product that are covered by the Worker Protection Standard.

Do not enter or allow worker entry into treated areas during the **Restricted Entry Interval (REI) of 24 hours.**

PPE required for early entry to treated areas that is permitted under the Worker Protection Standard and that involves contact with anything that has been treated, such as plants, soil, or water, is: coveralls; chemical resistant gloves made of any waterproof material; shoes plus socks; protective eyewear.

Manufactured By:

Drexel Chemical Company

P.O. Box 13327, Memphis, TN 38113-0327

SINCE 1972



OFF-SHOOT-T® is a carefully balanced combination of fatty alcohols and wetting agents used for the contact control of sucker growth on Burley, Flue-Cured, Dark, Maryland and Cigar Tobacco. The concentrated product is diluted with water to form a creamy emulsion which is applied as a coarse spray. The emulsion is effective only when it comes in direct contact with the suckers; therefore, the material is applied so that maximum contact is made with the suckers.

DIRECTIONS FOR APPLICATION WHEN TO APPLY

This product can be applied either before or after topping. Best results are usually obtained by spraying the Tobacco with this product before topping in the early to late button stage and then topping the Tobacco within a few days, removing any suckers that were missed. If you top the Tobacco plants before spraying, remove any suckers over one inch in length as you top and apply this product immediately after topping. Because this product is a contact type agent, it is necessary to straighten any plants that are leaning so that the emulsion flows down the stalk evenly and contacts each sucker.

This product can be applied any time during the day. For best results, we recommend that you wait until the dew dries before spraying. Do not apply during the rain or when plants are wet. If, however, it rains after this product has been on the plants for over an hour, you should not have to apply this product again. Do not spray after the leaves begin to close in the evening. Because the underside of leaves may be injured by contact with this product, do not apply when the wind is high enough to turn top leaves over.

HOW MUCH TO APPLY

Flue-Cured: For Power Sprayer - use 1.5 to 2.5 gallons in 50 gallons of water. For Hand Sprayer - use 4 to 5 fluid ounces per gallon of water.

Burley: For Power Sprayer - use 1.75 to 2 gallons in 50 gallons of water. For Hand Sprayer - use 4 to 5 fluid ounces per gallon of water.

Dark: Use 6 to 8 fluid ounces per gallon of water to apply with hand sprayer.

Cigar: Use 4 to 5 fluid ounces per gallon of water to apply with hand sprayer.

Maryland: Use 4 to 4.5 fluid ounces per gallon of water to apply with hand sprayer.

When applied by hand, 1 gallon of this diluted product will treat approximately 190 plants. If a power sprayer is used, 40 to 60 gallons of diluted product should be applied per acre of Tobacco.

HOW TO APPLY

Prepare the diluted emulsion by adding the required amount of this product to your spray tank and then adding the water. For the best results, it is important to add the water to this product, rather than this product to the water.

If you use a hand-held or back-pack sprayer, the diluted emulsion must be applied at a rate of 0.666 to 1 fluid ounce per plant (or enough to assure run down to the bottom of the plant). A coarse spray is recommended, directed downward at the top of the stalk from 6 to 8 inches above the top leaves. Very little tank pressure is required, and in no case use more than 20 pounds per square inch (psi).

When applied with power equipment, use three nozzles per row. TG-3 full-cone tips, or equivalent, may be used. Alternatively the center TG-3 nozzle may be replaced with a TG-5 full-cone nozzle, which provides more spray solution down the stalk. One nozzle must be directed downward over the center of the row and one must be about 9 inches on either side directly at or slightly above the top of the stalk. Apply the diluted this product to the Tobacco as a coarse spray 12 to 16 inches above the top of the stalk. Keep the boom pressure at 20 to 25 psi, and never exceed 25 psi. If you use the spray tips such as described above, spray at approximately 20 psi pressure, and operate at ground speed of 2.5 to 3 mph, you will apply approximately 50 gallons of diluted emulsion per acre of Tobacco.

HOW OFTEN TO APPLY

In many cases, a single application of this product is satisfactory to control both primary and secondary suckers. On uneven Tobacco or if secondary sucker growth appears vigorous, 2nd and 3rd applications 3 to 5 days apart may be advantageous. It is often best to use a 5% concentration (2.5 gal. in 50 gal. of water) for the second and third applications.

To help avoid using more than the recommended amount of Maleic Hydrazide (MH), a 5% application of this product can also be made 3 to 4 weeks after applying MH. This application should be made when suckers are less than one inch in length, or suckers longer than one inch should be removed by hand.

Some growers of Burley, Flue-Cured, and Dark tobacco may favor a sequential treatment using this product (not for the early button stage) followed 1 to 2 weeks later with Super Sucker-Stuff® (or other MH systemic sucker control agent) used in accordance with manufacturer's instructions. If a sequential treatment is used on Burley or Flue-Cured tobacco, application of 1.5 to 2 gallons of this product in 50 gallons of water is adequate. If a sequential treatment is used on Dark tobacco, this product should be used at 6 to 9 fluid ounces per gallon of water if applied by hand sprayer.

APPLICATION NOTES

If allowed to stand for more than 30 minutes, the diluted emulsion may separate. Always mix well before use.

DO NOT MIX THIS PRODUCT WITH OTHER CHEMICALS SUCH AS INSECTICIDES OR DEFOAMERS. Do not apply to Tobacco plants that have recently been treated with other chemicals (except Super Sucker-Stuff or other MH systemic sucker control agent). Be sure that all spray equipment is clean before using.

In Burley tobacco, during long periods of high heat and humidity, and under other conditions that may favor the spread of hollow stalk or dry rot disease, delay application of this product until these conditions pass.

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage and disposal.

PESTICIDE STORAGE: Store in original container only. After partial use, replace lid and close tightly. Store in a secure place that is temperate, dry and out of direct sunlight.

PESTICIDE DISPOSAL: Wastes resulting from the use of this product may be disposed of on site or in an approved waste disposal facility.

EQUIPMENT CLEANING: This product is not corrosive to spray equipment. Following applications, all spray equipment should be thoroughly rinsed with water. Do not contaminate water when disposing of equipment washwater or rinsate.

CONTAINER HANDLING:

Nonrefillable Container

Plastic Containers: Do not reuse or refill this container. Triple rinse container (or equivalent) promptly after emptying. Then offer container for recycling if available, reconditioning, or puncture and dispose of in a sanitary landfill, by incineration, or if allowed by state and local authorities, by burning. If burned, stay out of smoke.

Triple rinse as follows: *For containers small enough to shake:* Empty the remaining contents into application or a mix tank and drain for 10 seconds after the flow begins to drip. Fill the container 0.25 full with water and recap. Shake for 10 seconds. Pour rinsate into application equipment or a mix tank or store rinsate for later use or disposal. Drain for 10 seconds after the flow begins to drip. Repeat this procedure two more times.

For containers with capacities greater than 5 gallons or 50 lbs.: Empty remaining contents into application equipment or a mix tank. Fill the container full with water. Replace and tighten closures. Tip container on its side and roll it back and forth, ensuring at least one complete revolution, for 30 seconds. Stand the container on its end and tip it back and forth several times. Turn the container over onto its other end and tip it back and forth several times. Empty the rinsate into application equipment or a mix tank or store rinsate for later use or disposal. Repeat this procedure two more times.

Recycling: Once cleaned, some agricultural plastic pesticide containers can be taken to a container collection site or picked up for recycling. To find the nearest site, contact your chemical dealer or manufacturer, or contact the Ag Container Recycling Council (ACRC) at 1-877-952-2272 (toll free) or www.acrecycle.org.

Refillable Container

Mini-Bulk Containers: Refill this container with pesticide only. Do not reuse this container for any other purpose. Cleaning the container before final disposal is the responsibility of the person disposing of the container. Cleaning before refilling is the responsibility of the refiller.

To clean the container before final disposal, empty the remaining contents from this container into application equipment or mix tank. Fill the container about 10 percent full with water. Agitate vigorously or recirculate water with the pump for 2 minutes. Pour or pump rinsate into application equipment or rinsate collection system. Repeat this procedure two more times.

WARRANTY—CONDITIONS OF SALE

OUR DIRECTIONS FOR USE of this product are based upon tests believed reliable. Follow directions carefully. Timing and method of application, weather and crop conditions, mixtures with other chemicals not specifically recommended and other influencing factors in the use of this product are beyond the control of the Seller. To the extent consistent with applicable law, Buyer assumes all risks of use, storage and handling of this material not in strict accordance with directions given herewith. To the extent consistent with applicable law, in no case shall the Manufacturer or the Seller be liable for consequential, special or indirect damages resulting from the use or handling of this product when such use and/or handling is not in strict accordance with directions given herewith. The foregoing is a condition of sale by the Seller and is accepted as such by the Buyer.

OFF-SHOOT-T and SUCKER-STUFF are registered trademarks of Drexel Chemical Company.