

Revision date: 2021/04/27 Page: 1/14

Version: 7.0 (30247658/SDS\_CPA\_US/EN)

## 1. Identification

## Product identifier used on the label

# **Clearpath Herbicide For Clearfield Rice**

#### Recommended use of the chemical and restriction on use

Recommended use\*: crop protection product, herbicide

# Details of the supplier of the safety data sheet

Company:

BASF CORPORATION 100 Park Avenue Florham Park, NJ 07932, USA

Telephone: +1 973 245-6000

# **Emergency telephone number**

24 Hour Emergency Response Information

CHEMTREC: 1-800-424-9300

BASF HOTLINE: 1-800-832-HELP (4357)

## Other means of identification

Substance number: 168564 EPA Registration number: 7969-222

Molecular formula: C10 H5 N O2 Cl2 C15 H19 N3 O3 Chemical family: quinoline derivative, imidazole derivative

Synonyms: quinclorac; imazethapyr

# 2. Hazards Identification

## According to Regulation 2012 OSHA Hazard Communication Standard; 29 CFR Part 1910.1200

## Classification of the product

Acute Tox. 4 (oral) Acute toxicity

Aquatic Acute 1 Hazardous to the aquatic environment - acute Hazardous to the aquatic environment - chronic

<sup>\*</sup> The "Recommended use" identified for this product is provided solely to comply with a Federal requirement and is not part of the seller's published specification. The terms of this Safety Data Sheet (SDS) do not create or infer any warranty, express or implied, including by incorporation into or reference in the seller's sales agreement.

# Clearpath Herbicide For Clearfield Rice

Revision date: 2021/04/27 Page: 2/14 Version: 7.0 (30247658/SDS\_CPA\_US/EN)

Combustible Dust (1) Combustible Dust Carc. Combustible Dust (1) Carcinogenicity

#### Label elements

Pictogram:



Signal Word: Danger

Hazard Statement:

May form combustible dust concentration in air.

H302 Harmful if swallowed.

H350 May cause cancer by inhalation.

H400 Very toxic to aquatic life.

H410 Very toxic to aquatic life with long lasting effects.

Precautionary Statements (Prevention):

P280 Wear protective gloves, protective clothing and eye protection or face

protection.

P201 Obtain special instructions before use. P273 Avoid release to the environment.

P202 Do not handle until all safety precautions have been read and

understood.

P270 Do not eat, drink or smoke when using this product.
P264 Wash contaminated body parts thoroughly after handling.

Precautionary Statements (Response):

P308 + P313 IF exposed or concerned: Get medical attention.

P301 + P312 IF SWALLOWED: Call a POISON CENTER or doctor/physician if you

feel unwell.

P330 Rinse mouth P391 Collect spillage.

Precautionary Statements (Storage): P405 Store locked up.

Precautionary Statements (Disposal):

P501 Dispose of contents/container in accordance with local regulations.

#### Hazards not otherwise classified

Labeling of special preparations (GHS):

May produce an allergic reaction. Contains: quinclorac

# 3. Composition / Information on Ingredients

#### According to Regulation 2012 OSHA Hazard Communication Standard; 29 CFR Part 1910.1200

quinclorac

CAS Number: 84087-01-4 Content (W/W): 61.98 %

Synonym: 3,7-dichloro-8-quinolinecarboxylic acid

# Clearpath Herbicide For Clearfield Rice

Revision date: 2021/04/27 Page: 3/14 Version: 7.0 (30247658/SDS\_CPA\_US/EN)

Imazethapyr

CAS Number: 81335-77-5 Content (W/W): 13.02 %

Synonym: 3-Pyridinecarboxylic acid, 2-[4,5-dihydro-4-methyl-4-(1-methylethyl)-5-

oxo- 1H-imidazol-2-yl]-5-ethyl-

Kaolin

CAS Number: 1332-58-7 Content (W/W): < 15.0% Synonym: No data available.

sodium-di-ethyl-hexyl-sulfosuccinate

CAS Number: 577-11-7 Content (W/W): 0.1 - 1.0%

Synonym: Sulfobutanedioic acid 1,4-bis(2-ethylhexyl) ester, sodium salt; Docusa

te sodium, Sodium dioctyl sulfosuccinate, Dioctyl sodium sulfosuccinat

е

crystalline silica

CAS Number: 14808-60-7 Content (W/W): 0.1 - 1.0% Synonym: No data available.

# 4. First-Aid Measures

## **Description of first aid measures**

#### General advice:

Remove contaminated clothing.

#### If inhaled:

Keep patient calm, remove to fresh air, seek medical attention.

# If on skin:

Wash thoroughly with soap and water

#### If in eyes:

Wash affected eyes for at least 15 minutes under running water with eyelids held open.

# If swallowed:

Immediately rinse mouth and then drink 200-300 ml of water, seek medical attention.

# Most important symptoms and effects, both acute and delayed

Symptoms: (Further) symptoms and / or effects are not known so far

## Indication of any immediate medical attention and special treatment needed

Note to physician

Treatment: Treat according to symptoms (decontamination, vital functions), no

known specific antidote.

Revision date: 2021/04/27 Page: 4/14 Version: 7.0 (30247658/SDS\_CPA\_US/EN)

# 5. Fire-Fighting Measures

# **Extinguishing media**

Suitable extinguishing media: foam, dry powder, carbon dioxide, water spray

# Special hazards arising from the substance or mixture

Hazards during fire-fighting:

carbon monoxide, hydrogen cyanide, carbon dioxide, Hydrogen chloride, nitrogen oxides, organochloric compounds, sulfur oxides, silica compounds

The substances/groups of substances mentioned can be released in case of fire.

# Advice for fire-fighters

Protective equipment for fire-fighting:

Firefighters should be equipped with self-contained breathing apparatus and turn-out gear.

#### Further information:

Evacuate area of all unnecessary personnel. Contain contaminated water/firefighting water. Do not allow to enter drains or waterways.

# 6. Accidental release measures

# Personal precautions, protective equipment and emergency procedures

Take appropriate protective measures. Clear area. Shut off source of leak only under safe conditions. Extinguish sources of ignition nearby and downwind. Ensure adequate ventilation. Wear suitable personal protective clothing and equipment.

# **Environmental precautions**

Do not discharge into the subsoil/soil. Do not discharge into drains/surface waters/groundwater. Contain contaminated water/firefighting water.

#### Methods and material for containment and cleaning up

Sweep/shovel up. Place into suitable containers for reuse or disposal in a licensed facility. Spilled substance/product should be recovered and applied according to label rates whenever possible. If application of spilled substance/product is not possible, then spills should be contained, solidified, and placed in suitable containers for disposal. After decontamination, spill area can be washed with water. Collect wash water for approved disposal.

# 7. Handling and Storage

## Precautions for safe handling

RECOMMENDATIONS ARE FOR MANUFACTURING, COMMERCIAL BLENDING, AND PACKAGING WORKERS. PESTICIDE APPLICATORS & WORKERS must refer to the Product Label and Directions for Use attached to the product for Agricultural Use Requirements in accordance with the EPA Worker Protection Standard 40 CFR part 170. Ensure adequate ventilation. Provide good ventilation of working area (local exhaust ventilation if necessary). Keep away from sources of ignition - No smoking. Keep container tightly sealed. Protect contents from the effects of light. Protect against heat. Protect from air. Handle and open container with care. Do not open until ready to use. Once container is opened, content should be used as soon as possible. Avoid aerosol formation. Avoid dust formation. Provide means for controlling leaks and spills. Do not return residues to the storage containers. Follow label warnings even after container is emptied. The substance/ product may be handled only by appropriately trained personnel. Avoid all direct contact

Revision date: 2021/04/27 Page: 5/14 Version: 7.0 (30247658/SDS\_CPA\_US/EN)

with the substance/product. Avoid contact with the skin, eyes and clothing. Avoid inhalation of dusts/mists/vapours. Wear suitable personal protective clothing and equipment.

#### Protection against fire and explosion:

The relevant fire protection measures should be noted. Fire extinguishers should be kept handy. Avoid all sources of ignition: heat, sparks, open flame. Sources of ignition should be kept well clear. Avoid extreme heat. Keep away from oxidizable substances. Electrical equipment should conform to national electric code. Ground all transfer equipment properly to prevent electrostatic discharge. Electrostatic discharge may cause ignition.

Dust explosion class: Dust explosion class 1 (Kst-value >0 up to 200 bar m s-1).

# Conditions for safe storage, including any incompatibilities

Segregate from incompatible substances. Segregate from foods and animal feeds. Segregate from textiles and similar materials.

Further information on storage conditions: Keep only in the original container in a cool, dry, well-ventilated place away from ignition sources, heat or flame. Protect containers from physical damage. Protect against contamination. The authority permits and storage regulations must be observed.

# 8. Exposure Controls/Personal Protection

Users of a pesticidal product should refer to the product label for personal protective equipment requirements.

#### Components with occupational exposure limits

Kaolin ACGIH, US: TWA value 2 mg/m3 Respirable fraction; The

value is for particulate matter containing no

asbestos and <1% crystalline silica.

OSHA Z1: PEL 5 mg/m3 Respirable fraction;

OSHA Z1: PEL 15 mg/m3 Total dust;

OSHA Z1A: TWA value 5 mg/m3 Respirable fraction;

OSHA Z1A: TWA value 10 mg/m3 Total dust;

#### Advice on system design:

Whenever possible, engineering controls should be used to minimize the need for personal protective equipment.

# Personal protective equipment

RECOMMENDATIONS FOR MANUFACTURING, COMMERCIAL BLENDING, AND PACKAGING WORKERS:

#### Respiratory protection:

Wear respiratory protection if ventilation is inadequate. Wear a NIOSH-certified (or equivalent) TC23C Chemical/Mechanical type filter system to remove a combination of particles, gas and vapours. For situations where the airborne concentrations may exceed the level for which an air purifying respirator is effective, or where the levels are unknown or Immediately Dangerous to Life or Health (IDLH), use NIOSH-certified full facepiece pressure demand self-contained breathing apparatus (SCBA) or a full facepiece pressure demand supplied-air respirator (SAR) with escape provisions.

#### Hand protection:

Chemical resistant protective gloves, Protective glove selection must be based on the user's assessment of the workplace hazards.

Revision date: 2021/04/27 Page: 6/14 Version: 7.0 (30247658/SDS\_CPA\_US/EN)

# Eye protection:

Safety glasses with side-shields. Tightly fitting safety goggles (chemical goggles). Wear face shield if splashing hazard exists.

#### **Body protection:**

Body protection must be chosen depending on activity and possible exposure, e.g. head protection, apron, protective boots, chemical-protection suit.

# General safety and hygiene measures:

Wear long sleeved work shirt and long work pants in addition to other stated personal protective equipment. Work place should be equipped with a shower and an eye wash. Handle in accordance with good industrial hygiene and safety practice. Personal protective equipment should be decontaminated prior to reuse. Gloves must be inspected regularly and prior to each use. Replace if necessary (e.g. pinhole leaks). Take off immediately all contaminated clothing. Store work clothing separately. Hands and/or face should be washed before breaks and at the end of the shift. No eating, drinking, smoking or tobacco use at the place of work. Keep away from food, drink and animal feeding stuffs.

# 9. Physical and Chemical Properties

Form: solid

Odour: characteristic

Odour threshold: Not determined due to potential health hazard by inhalation.

Colour: light brown pH value: approx. 2 - 4

(1 %(m), 25 °C)

Melting point: not applicable, The substance /

product decomposes therefore not

determined.

Boiling point: The product is a non-volatile solid.,

not applicable

Flash point: not applicable

Flammability: Product is combustible.

Lower explosion limit: As a result of our experience with this

product and our knowledge of its composition we do not expect any hazard as long as the product is used appropriately and in accordance with

the intended use.

Upper explosion limit: As a result of our experience with this

product and our knowledge of its composition we do not expect any hazard as long as the product is used appropriately and in accordance with

the intended use.

Autoignition: not applicable Vapour pressure: negligible

Bulk density: approx. 0.74 kg/m3 Vapour density: not applicable

Partitioning coefficient n- The statements are based on the

octanol/water (log Pow): properties of the individual

components.

Information on: quinclorac

Partitioning coefficient n- -0.74 (Directive octanol/water (log Pow): (20 °C) 92/69/EEC, A.8)

Information on: 3-Pyridinecarboxylic acid, 2-[4,5-dihydro-4-methyl-4-(1-methylethyl)-5-oxo- 1H-

imidazol-2-yl]-5-ethyl-

# Clearpath Herbicide For Clearfield Rice

Revision date: 2021/04/27 Page: 7/14 Version: 7.0 (30247658/SDS\_CPA\_US/EN)

Partitioning coefficient n- 1.49 octanol/water (log Pow): (25 °C)

Self-ignition

not self-igniting

temperature:

Thermal decomposition: 252 °C

carbon monoxide, carbon dioxide, nitrogen oxide, nitrogen dioxide, Hydrogen chloride, halogenated hydrocarbons
Stable at ambient temperature. If product is heated above decomposition temperature toxic vapours may be released. If product is heated above decomposition temperature hazardous

fumes may be released.

Viscosity, dynamic: not applicable, the product is a solid

Solubility in water: dispersible Evaporation rate: not applicable

Other Information: If necessary, information on other physical and chemical

parameters is indicated in this section.

# 10. Stability and Reactivity

# Reactivity

No hazardous reactions if stored and handled as prescribed/indicated.

Oxidizing properties:

Not an oxidizer.

Dust explosivity characteristics:

Kst: 176 m.bar/s Pmax = 6.2 BARA

Dust explosion class:

Dust explosion class 1 (Kst-value >0 up to 200 bar m s-1) (St 1)

Minimum ignition energy:

100 - 300 mJ

## Chemical stability

The product is stable if stored and handled as prescribed/indicated.

#### Possibility of hazardous reactions

The product is chemically stable.

No hazardous reactions if stored and handled as prescribed/indicated.

#### Conditions to avoid

Avoid all sources of ignition: heat, sparks, open flame. Avoid prolonged storage. Avoid electro-static discharge. Avoid contamination. Avoid prolonged exposure to extreme heat. Avoid extreme temperatures. This product may form an explosive mixture if: 1. the dust is suspended in the atmosphere as a dust cloud AND 2. the concentration of the dust is above the lower explosion limit (LEL) AND 3. the limiting oxygen concentration (LOC) is exceeded.

#### Incompatible materials

strong acids, strong bases, strong oxidizing agents

#### Hazardous decomposition products

Decomposition products:

# Clearpath Herbicide For Clearfield Rice

Revision date : 2021/04/27 Page: 8/14 Version: 7.0 (30247658/SDS\_CPA\_US/EN)

Hazardous decomposition products: No hazardous decomposition products if stored and handled as prescribed/indicated.

Thermal decomposition:

252 °C

Possible thermal decomposition products:

carbon monoxide, carbon dioxide, nitrogen oxide, nitrogen dioxide, Hydrogen chloride, halogenated

Stable at ambient temperature. If product is heated above decomposition temperature toxic vapours may be released. If product is heated above decomposition temperature hazardous fumes may be released.

# 11. Toxicological information

# Primary routes of exposure

Routes of entry for solids and liquids are ingestion and inhalation, but may include eye or skin contact. Routes of entry for gases include inhalation and eye contact. Skin contact may be a route of entry for liquefied gases.

# **Acute Toxicity/Effects**

#### Acute toxicity

Assessment of acute toxicity: Moderately toxic after single ingestion. Relatively nontoxic after short-term inhalation. Slightly toxic after short-term skin contact.

#### Oral

Type of value: LD50 Species: rat (female) Value: < 2,000 mg/kg

#### Inhalation

Type of value: LC50 Species: rat (male/female)

Value: > 5.5 mg/l Exposure time: 4 h

No mortality was observed.

## **Dermal**

Type of value: LD50 Species: rat (male/female) Value: > 2,000 mg/kg No mortality was observed.

# Assessment other acute effects

Assessment of STOT single:

Based on the available information there is no specific target organ toxicity to be expected after a single exposure.

The product has not been tested. The statement has been derived from the properties of the individual components.

#### Irritation / corrosion

Assessment of irritating effects: May cause moderate but temporary irritation to the eyes. May cause slight irritation to the skin.

# Skin

Revision date: 2021/04/27 Page: 9/14 Version: 7.0 (30247658/SDS\_CPA\_US/EN)

Species: rabbit

May cause slight irritation to the skin.

Eye

Species: rabbit

May cause moderate but temporary irritation to the eyes.

#### Sensitization

Assessment of sensitization: Skin sensitizing effects were not observed in animal studies.

# modified Buehler test Species: guinea pig

Result: Skin sensitizing effects were not observed in animal studies.

Method: OECD Guideline 406

#### Aspiration Hazard

No aspiration hazard expected. The product has not been tested. The statement has been derived from the properties of the individual components.

# **Chronic Toxicity/Effects**

# Repeated dose toxicity

Assessment of repeated dose toxicity: The product has not been tested. The statement has been derived from the properties of the individual components.

Information on: Kaolin

Assessment of repeated dose toxicity: Repeated inhalative uptake of particles/dust reaching the alveoli may cause damage to the lungs.

#### Information on: crystalline silica

Assessment of repeated dose toxicity: Prolonged or repeated inhalation of respirable crystalline silica may result in silicosis. Repeated inhalation exposure may cause inflammatory effects in the lung. The substance may cause increase in lung mass and lung tissue changes after repeated inhalation. This product may contain greater than 0.1% crystalline silica. Repeated exposure to high concentrations results in silicosis, a lung disease characterized by coughing, difficult breathing, wheezing, scarring of the lungs, and repeated, non-specific chest illnesses.

OSHA (Occupational Safety and Health Administration) has classified this substance as harmful to the lung, kidney and immune system following repeated inhalation exposure.

-----

#### Genetic toxicity

Assessment of mutagenicity: The product has not been tested. The statement has been derived from the properties of the individual components. Mutagenicity tests revealed no genotoxic potential.

#### Carcinogenicity

Assessment of carcinogenicity: The product has not been tested. The statement has been derived from the properties of the individual components.

The respirable fraction is < 0.1 %, therefore the classification regarding inhalation toxicity does not apply.

# Information on: Quinclorac

Assessment of carcinogenicity: In long-term studies in rats and mice in which the substance was given by feed, a carcinogenic effect was not observed.

#### Information on: imazethapyr

Assessment of carcinogenicity: In long-term studies in rats and mice in which the substance was given by feed, a carcinogenic effect was not observed.

Revision date : 2021/04/27 Page: 10/14 Version: 7.0 (30247658/SDS\_CPA\_US/EN)

-----

Information on: crystalline silica

Assessment of carcinogenicity: May cause cancer by inhalation. The substance was found to cause cancer in animal experiments. Epidemiological studies stated a carcinogenic activity also in humans. The substance and its compounds in the form of respirable dusts/aerosolsis classified by the German MAK commision as a category 1 carcinogen (substances that cause cancer to humans). The International Agency for Research on Cancer (IARC) has classified this substance as a Group 1 (known) human carcinogen.

NTP listed carcinogen

OSHA (Occupational Safety and Health Administration) has classified this substance as carcinogenic.

-----

#### Reproductive toxicity

Assessment of reproduction toxicity: The product has not been tested. The statement has been derived from the properties of the individual components. The results of animal studies gave no indication of a fertility impairing effect.

#### **Teratogenicity**

Assessment of teratogenicity: The product has not been tested. The statement has been derived from the properties of the individual components. Animal studies gave no indication of a developmental toxic effect at doses that were not toxic to the parental animals.

#### Other Information

Misuse can be harmful to health.

# 12. Ecological Information

# **Toxicity**

Aquatic toxicity

Assessment of aquatic toxicity:

Very toxic (acute effect) to aquatic plants. There is a high probability that the product is not acutely harmful to fish. There is a high probability that the product is not acutely harmful to aquatic invertebrates.

#### Toxicity to fish

Information on: quinclorac

LC50 (96 h) > 100 mg/l, Salmo gairdneri, syn. O. mykiss

Information on: 3-Pyridinecarboxylic acid, 2-[4,5-dihydro-4-methyl-4-(1-methylethyl)-5-oxo- 1H-imidazol-2-vll-5-ethyl-

LC50 (96 h) 340 mg/l. Oncorhynchus mykiss (OPP 72-1 (EPA-Guideline), static)

LC50 (96 h) 240 mg/l, Ictalurus punctatus, syn: I. robustus

\_\_\_\_\_

## Aquatic invertebrates

Information on: quinclorac

LC50 (96 h) 67 mg/l, Mysidopsis bahia LC50 (96 h) > 100 mg/l, Daphnia magna

# Clearpath Herbicide For Clearfield Rice

Revision date: 2021/04/27 Page: 11/14 Version: 7.0 (30247658/SDS\_CPA\_US/EN)

Information on: 3-Pyridinecarboxylic acid, 2-[4,5-dihydro-4-methyl-4-(1-methylethyl)-5-oxo- 1H-imidazol-2-yl]-5-ethyl-

-----

## Aquatic plants

Information on: quinclorac

EC50 (96 h) > 100 mg/l (growth rate), Pseudokirchneriella subcapitata (OECD Guideline 201, static) No observed effect concentration (96 h) 19.3 mg/l, Chlorella fusca

EC50 (96 h) 43.6 mg/l, Chlorella fusca

Information on: 3-Pyridinecarboxylic acid, 2-[4,5-dihydro-4-methyl-4-(1-methylethyl)-5-oxo- 1H-imidazol-2-yl]-5-ethyl-

EC50 (14 d) 0.0101 mg/l, Lemna gibba

No observed effect concentration 0.00438 mg/l, Lemna gibba

EC50 (96 h) 71 mg/l, Selenastrum capricornutum

No observed effect concentration (96 h) 50 mg/l, Selenastrum capricornutum

\_\_\_\_\_

## Chronic toxicity to fish

Information on: quinclorac

No observed effect concentration (38 d) 31 mg/l, Pimephales promelas

Information on: 3-Pyridinecarboxylic acid, 2-[4,5-dihydro-4-methyl-4-(1-methylethyl)-5-oxo- 1H-

imidazol-2-yl]-5-ethyl-

No observed effect concentration (34 d) > 14 mg/l, Pimephales promelas

-----

#### Chronic toxicity to aquatic invertebrates

Information on: quinclorac

No observed effect concentration (21 d) 110 mg/l, Daphnia magna

Information on: 3-Pyridinecarboxylic acid, 2-[4,5-dihydro-4-methyl-4-(1-methylethyl)-5-oxo- 1H-

imidazol-2-yl]-5-ethyl-

No observed effect concentration (21 d) 103 mg/l, Daphnia magna

-----

## Assessment of terrestrial toxicity

With high probability not acutely harmful to terrestrial organisms.

# Persistence and degradability

## Assessment biodegradation and elimination (H2O)

The product has not been tested. The statement has been derived from the properties of the individual components.

#### Assessment biodegradation and elimination (H2O)

Information on: quinclorac

Not readily biodegradable (by OECD criteria).

Information on: 3-Pyridinecarboxylic acid, 2-[4,5-dihydro-4-methyl-4-(1-methylethyl)-5-oxo- 1H-imidazol-2-yl]-5-ethyl-

Not readily biodegradable (by OECD criteria).

Revision date : 2021/04/27 Page: 12/14 Version: 7.0 (30247658/SDS\_CPA\_US/EN)

-----

# Bioaccumulative potential

#### Assessment bioaccumulation potential

The product has not been tested. The statement has been derived from the properties of the individual components.

# Mobility in soil

# Assessment transport between environmental compartments

The product has not been tested. The statement has been derived from the properties of the individual components.

Information on: quinclorac

Following exposure to soil, the product trickles away and can - dependant on degradation - be transported to deeper soil areas with larger water loads.

Information on: 3-Pyridinecarboxylic acid, 2-[4,5-dihydro-4-methyl-4-(1-methylethyl)-5-oxo- 1H-imidazol-2-yl]-5-ethyl-

Following exposure to soil, the product trickles away and can - dependant on degradation - be transported to deeper soil areas with larger water loads.

#### **Additional information**

Other ecotoxicological advice:

The ecological data given are those of the active ingredient. Do not release untreated into natural waters.

# 13. Disposal considerations

## Waste disposal of substance:

Pesticide wastes are regulated. Improper disposal of excess pesticide, spray mix or rinsate is a violation of federal law. If pesticide wastes cannot be disposed of according to label instructions, contact the State Pesticide or Environmental Control Agency or the Hazardous Waste representative at the nearest EPA Regional Office for guidance.

# Container disposal:

Rinse thoroughly at least three times (triple rinse) in accordance with EPA recommendations. Consult state or local disposal authorities for approved alternative procedures such as container recycling. Recommend crushing, puncturing or other means to prevent unauthorized use of used containers.

# RCRA:

This product is not regulated by RCRA.

# 14. Transport Information

Land transport USDOT

Not classified as a dangerous good under transport regulations

# Clearpath Herbicide For Clearfield Rice

Revision date: 2021/04/27 Page: 13/14 Version: 7.0 (30247658/SDS\_CPA\_US/EN)

Sea transport

**IMDG** 

Hazard class: 9
Packing group: III
ID number: UN 3077

Hazard label: 9, EHSM Marine pollutant: YES

Proper shipping name: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S.

(contains IMAZETHAPYR)

Air transport

IATA/ICAO

Hazard class: 9
Packing group: III
ID number: UN

ID number: UN 3077 Hazard label: 9, EHSM

Proper shipping name: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S.

(contains IMAZETHAPYR)

#### **Further information**

Product may be shipped as non-hazardous in suitable packages containing a net quantity of 5 kg or less under the provisions of various regulatory agencies: ADR, RID, ADN: Special Provision 375; IMDG: 2.10.2.7; IATA: A197; TDG: Special Provision 99(2); 49CFR: §171.4 (c) (2).

# 15. Regulatory Information

# **Federal Regulations**

Registration status:

Chemical TSCA, US blocked / not listed

Crop Protection TSCA, US released / exempt

**EPCRA 311/312 (Hazard categories):** Refer to SDS section 2 for GHS hazard classes applicable for this product.

# State regulations

State RTK	<u>CAS Number</u>	Chemical name
PA	1332-58-7	Kaolin
MA	1332-58-7	Kaolin
NJ	1332-58-7	Kaolin

#### Safe Drinking Water & Toxic Enforcement Act, CA Prop. 65:

**WARNING:** This product can expose you to chemicals including TITANIUM DIOXIDE (AIRBORNE, UNBOUND PARTICLES OF RESPIRABLE SIZE), which is known to the State of California to cause cancer, and TOLUENE, which is known to the State of California to cause birth defects or other reproductive harm. For more information, go to www.P65Warnings.ca.gov.

#### Labeling requirements under FIFRA

Revision date: 2021/04/27 Page: 14/14 Version: 7.0 (30247658/SDS\_CPA\_US/EN)

This chemical is a pesticide product registered by the Environmental Protection Agency and is subject to certain labeling requirements under federal pesticide law. These requirements differ from the classification criteria and hazard information required for safety data sheets, and workplace labels of non-pesticide chemicals. Following is the hazard information as required on the pesticide label.

CAUTION:

MAY BE HARMFUL IF SWALLOWED.
HARMFUL IF INHALED.
HARMFUL IN CONTACT WITH SKIN.
MAY CAUSE ALLERGIC SKIN REACTION.
Causes eye irritation.

#### 16. Other Information

SDS Prepared by:

BASF NA Product Regulations SDS Prepared on: 2021/04/27

We support worldwide Responsible Care® initiatives. We value the health and safety of our employees, customers, suppliers and neighbors, and the protection of the environment. Our commitment to Responsible Care is integral to conducting our business and operating our facilities in a safe and environmentally responsible fashion, supporting our customers and suppliers in ensuring the safe and environmentally sound handling of our products, and minimizing the impact of our operations on society and the environment during production, storage, transport, use and disposal of our products.

IMPORTANT: WHILE THE DESCRIPTIONS, DESIGNS, DATA AND INFORMATION CONTAINED HEREIN ARE PRESENTED IN GOOD FAITH AND BELIEVED TO BE ACCURATE, IT IS PROVIDED FOR YOUR GUIDANCE ONLY. BECAUSE MANY FACTORS MAY AFFECT PROCESSING OR APPLICATION/USE, WE RECOMMEND THAT YOU MAKE TESTS TO DETERMINE THE SUITABILITY OF A PRODUCT FOR YOUR PARTICULAR PURPOSE PRIOR TO USE. NO WARRANTIES OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING WARRANTIES OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE, ARE MADE REGARDING PRODUCTS DESCRIBED OR DESIGNS, DATA OR INFORMATION SET FORTH, OR THAT THE PRODUCTS, DESIGNS, DATA OR INFORMATION MAY BE USED WITHOUT INFRINGING THE INTELLECTUAL PROPERTY RIGHTS OF OTHERS. IN NO CASE SHALL THE DESCRIPTIONS, INFORMATION, DATA OR DESIGNS PROVIDED BE CONSIDERED A PART OF OUR TERMS AND CONDITIONS OF SALE. FURTHER, YOU EXPRESSLY UNDERSTAND AND AGREE THAT THE DESCRIPTIONS, DESIGNS, DATA, AND INFORMATION FURNISHED BY OUR COMPANY HEREUNDER ARE GIVEN GRATIS AND WE ASSUME NO OBLIGATION OR LIABILITY FOR THE DESCRIPTION. DESIGNS. DATA AND INFORMATION GIVEN OR RESULTS OBTAINED, ALL SUCH BEING GIVEN AND ACCEPTED AT YOUR RISK. **END OF DATA SHEET**