



FIFRA Section 24(c)  
**SPECIAL LOCAL NEED LABEL**

FOR DISTRIBUTION AND USE ONLY IN THE STATE OF OREGON

NOVALURON	GROUP	15	INSECTICIDE
-----------	-------	----	-------------

## RIMON® 0.83EC Insecticide

EPA Reg. No. 66222-35-70506

EPA SLN No. OR-190011

### FOR CONTROL OF LYGUS BUGS IN ALFALFA GROWN FOR SEED

This label is valid until December 31, 2029 or until otherwise amended, withdrawn, cancelled, or suspended.

ACTIVE INGREDIENT: Novaluron:	% BY WT.
1-[3-chloro-4-(1,1,2-trifluoro-2-trifluoro-methoxyethoxy)phenyl]-	
3-(2,6-difluorobenzoyl)urea* .....	9.3%
OTHER INGREDIENTS: .....	90.7%
TOTAL .....	100.0%

\*Contains 0.83 lbs. novaluron per gallon.

### KEEP OUT OF REACH OF CHILDREN WARNING-AVISO

Si usted no entiende la etiqueta, busque a alguien para que se la explique a usted en detalle. (If you do not understand the label, find someone to explain it to you in detail.)

### ENVIRONMENTAL HAZARDS

Follow all applicable directions, restrictions, and precautions in the Environmental Hazards section of the label affixed to the main container of RIMON 0.83EC Insecticide.

### DIRECTIONS FOR USE

- It is a violation of Federal law to use this product in a manner inconsistent with its labeling.
- This Special Local Need label and the label affixed to the main container of RIMON 0.83EC INSECTICIDE must be in the possession of the user at the time of pesticide application.
- Follow all applicable directions, restrictions, Worker Protection Standard requirements, and precautions on this SLN label and the label affixed to the main container of Rimon 0.83EC Insecticide.

#### Ground Application

Use a minimum spray volume of 20 gallons per acre with ground spray equipment.

#### Aerial Application

For aerial application apply in a minimum of 5 gallons per acre using a nozzle configuration that will provide a median droplet size of 200-300 microns.

# INSECTS CONTROLLED BY RIMON 0.83EC INSECTICIDE IN ALFALFA GROWN FOR SEED

Target Pests	Application Rate (Fl. Oz. Per Acre)	Application Timing
Lygus bugs	9 - 12	Begin application when Lygus bugs appear and oviposition is initiated. Repeat at 7 to 14 day intervals as needed to maintain control. RIMON 0.83EC INSECTICIDE will not control adults.  Use higher labeled rates and higher spray volumes when foliage canopy is dense and high infestations occur. For the most effective control, fields should be scouted.

## Restrictions:

- Do not apply more than 48 fl. oz. RIMON 0.8EC INSECTICIDE per acre per year.
- Do not apply more than 4 applications per year.
- Do not apply within 14 days of harvest.
- For use under this SLN registration, do not apply this product through any type of irrigation system.
- BUFFER ZONES: A vegetative filter strip and a no-spray buffer are required when applying this product. Refer to the BUFFER ZONES section of the label affixed to the main container of RIMON 0.83EC INSECTICIDE for buffer requirements.
- Ultra Low Volume (ULV) application is not permitted.

## Special Crop Use Restrictions:

The pesticide applicator, the producer of the crop, and the seed conditioner must be aware that use of this product according to this labeling is deemed a nonfeed/non-food use by the Oregon Department of Agriculture, and is regulated by Oregon Administrative Rule (OAR) 603-057-0535, Pesticide Use On Crops Grown For Seed. If the applicator of this pesticide is not the producer, the applicator must provide a copy of this labeling to the producer of the crop. Producers of this crop who use this product, or cause the product to be used on a field they operate, must provide a copy of this pesticide label to the seed conditioner.

This pesticide does not have an established pesticide residue tolerance for this crop. Consequently, no portion of this seed crop may be used or distributed for food or feed for 1 year (365 days) after the last application of this product. This restriction pertains to, but is not limited to, green chop, forage, hay, pellets, meal, whole seed, cracked seed, straw, roots, bulbs, foliage or seed screenings, and to the grazing of the crop field, stubble or regrowth. All seed screenings shall be disposed of in such a manner that the screenings cannot be distributed or used for food or feed purposes, as indicated in OAR 603-057-0535. Additional regulations concerning seed screenings are stated in OAR 603-057-0535.

Any seed from a field treated with this pesticide product shall bear specific and conspicuous container labeling, or if shipped in bulk, on the shipment invoice or bill of lading. The labeling shall contain the following statement:

"This seed was produced using one or more products for which the United States Environmental Protection Agency has not established pesticide residue tolerances. This seed, in whole, as sprouts, or in any form, may not be used for human consumption or animal feed. Failure to comply with this condition may violate requirements of the Federal Food and Drug Administration, the Oregon Department of Agriculture and other regulatory agencies."

Read the “**LIMITATION OF WARRANTY AND LIABILITY**” in the label booklet for Rimon 0.83EC before using.

RIMON® is a trademark of Makhteshim Chemical Works Ltd.

Section 24(c) Registrant:

Makhteshim Agan of North America, Inc.

d/b/a ADAMA

8601 Six Forks Road, Suite 300

**Distributed by:**

**UPL NA Inc.**

630 Freedom Business Center,

Suite 402 King of Prussia, PA 19406 U.S.A.

Rev. 7/2/2025