

FENAZAQUIN	GROUP	21A	ACARICIDE
FENAZAQUIN	GROUP	39	FUNGICIDE

**FIFRA SECTION 24(C) SPECIAL LOCAL NEED LABEL  
FOR DISTRIBUTION AND USE ONLY WITHIN THE STATE OF OREGON**



**EPA Reg. No. 10163-322**

**EPA SLN No. OR-240007**

For Control of Mites and Powdery Mildew on Carrots Grown for Seed

This label is valid until December 31, 2029 or until otherwise amended, withdrawn, canceled, or suspended

**ACTIVE INGREDIENT:** Fenazaquin

4-tert-butylphenethyl quinazolin-4-yl ether (IUPAC).....18.79%

**OTHER INGREDIENTS:**.....81.21%  
TOTAL 100.0%

Contains 1.7 pounds active ingredient per gallon.

**KEEP OUT OF REACH OF CHILDREN  
WARNING/AVISO**


Si usted no entiende la etiqueta, busque a alguien para que se la explique a usted en detalle. (If you do not understand the label, find someone to explain it to you in detail.)

**ENVIRONMENTAL HAZARDS:** Follow all applicable directions, restrictions, and precautions in the Environmental Hazards section of the label affixed to the main container of Magister SC.

**PROTECTION OF POLLINATORS :** Follow all applicable directions, restrictions, and precautions in the Protection of Pollinators section of the label affixed to the main container of Magister SC.

**DIRECTIONS FOR USE**

- It is a violation of Federal law to use this product in a manner inconsistent with its labeling.
- This SLN label and the label affixed to the main container of Magister SC must be in the possession of the user at the time of the pesticide application.
- Follow all applicable directions, restrictions, Worker Protection Standard requirements and precautions on this SLN label and the label affixed to the main container of Magister SC

CROP	INSECT	RATE Fl Oz/Acre	LB A.I./Acre	COMMENTS
 Carrots grown for seed	Mites, Powdery Mildew	32	0.43	Ground: Apply at least 20 gallons of water per acre

**RESTRICTIONS**

- Do not apply this product through any type of irrigation system.
- Do not apply by aerial application.
- Do not apply during conditions when product will drift to other crops and non-target areas. Follow all applicable directions, restrictions, and precautions in the Spray Drift Management section of the label affixed to the main container of Magister SC.
- Do not apply more than 32 fl oz of Magister SC per acre per application.
- Do not apply more than 32 fl oz Magister SC per acre per year.
- Do not apply within 100 feet of water bodies (including, but not limited to, lakes; reservoirs; rivers; permanent streams; marshes or natural ponds; estuaries; and commercial fish farm ponds).

## 1. FOR CROPS UNDER CONTRACTED POLLINATION SERVICES



- Do not apply this product while bees are foraging
- Do not apply this product until flowering is complete and all petals have fallen unless the following condition has been met:

If an application must be made when managed bees are at the treatment site, the beekeeper providing the pollination services must be notified no less than 48-hours prior to the time of the planned application so that the bees can be removed, covered or otherwise protected for 3 hours following application.

### **Special Crop Use Restrictions:**

The pesticide applicator, the producer of the crop, and the seed conditioner must be aware that use of this product according to this labeling is deemed a nonfeed/non-food use by the Oregon Department of Agriculture, and is regulated by Oregon Administrative Rule (OAR) 603-057-0535, Pesticide Use on Crops Grown for Seed. If the applicator of this pesticide is not the producer, the applicator must provide a copy of this labeling to the producer of the crop. Producers of this crop who use this product, or cause the product to be used on a field they operate, must provide a copy of this pesticide label to the seed conditioner.

This pesticide does not have an established pesticide residue tolerance for this crop. Consequently, no portion of this seed crop may be used or distributed for food or feed for 1 year (365 days) after the last application of the product. This restriction pertains to, but is not limited to, green chop, forage, hay, pellets, meal, whole seed, cracked seed, straw, roots, bulbs, foliage or seed screenings, and to the grazing of the crop field, stubble or regrowth. All seed screenings shall be disposed of in such a manner that the screenings cannot be distributed or used for food or feed purposes, as indicated in OAR 603-057-0535. Additional regulations concerning seed screenings are stated in OAR 603-057-0535.

Any seed from a field treated with this pesticide product shall bear specific and conspicuous container labeling, or if shipped in bulk, on the shipment invoice or bill of lading. The labeling shall contain the following statement:

"This seed was produced using one or more products for which the United States Environmental Protection Agency has not established pesticide residue tolerances. This seed, in whole, as sprouts, or in any form, may not be used for human consumption or animal feed. Failure to comply with this condition may violate requirements of the Federal Food and Drug Administration, the Oregon Department of Agriculture and other regulatory agencies."

Section 24(c) Registrant:  
Gowan Company  
P. O. Box 5569  
Yuma, AZ 85366-5569