

MEC AMINE-D

SDS REVISIONS: ALL SECTIONS DATE OF ISSUE: 05/07/2020 SUPERSEDES: 12/04/2017

1. PRODUCT AND COMPANY IDENTIFICATION

Product identifier

Product Name MEC AMINE-D

Other means of identification

Product Code PST-00109 UN3082 UN/ID no **Synonyms** None 34704-239 Registration Number(s)

Recommended use of the chemical and restrictions on use

Recommended Use Herbicide.

Uses advised against No information available

Details of the supplier of the safety data sheet

Manufacturer Address LOVELAND PRODUCTS, INC. P.O. Box 1286

Greeley, CO 80632-1286

Emergency telephone number

Company Phone Number **Emergency Telephone**

1-888-LPI-CUST (574-2878) Chemtrec 1-800-424-9300

Medical Emergencies: 1-866-944-8565

US regulations require reporting spills of this material that could reach any surface waters.

The toll-free phone number for the US Coast Guard National Response Center is

1-800-424-8802

2. HAZARDS IDENTIFICATION

Classification

OSHA Regulatory Status

This chemical is considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

Acute toxicity - Oral	Category 4 - (H302)
Skin corrosion/irritation	Category 1 Sub-category B - (H314)
Serious eye damage/eye irritation	Category 1 - (H318)
Skin sensitization	Category 1 - (H317)
Carcinogenicity	Category 1A - (H350)
Specific target organ toxicity (single exposure)	Category 3 - (H335)

Label elements



Signal word

DANGER

H302 - Harmful if swallowed **Hazard statements**

H314 - Causes severe skin burns and eye damage

H317 - May cause an allergic skin reaction



MEC AMINE-D

SUPERSEDES: 12/04/2017

SDS REVISIONS: ALL SECTIONS DATE OF ISSUE: 05/07/2020

H335 - May cause respiratory irritation

H350 - May cause cancer

Precautionary Statements -

Prevention

P201 - Obtain special instructions before use

P202 - Do not handle until all safety precautions have been read and understood

P281 - Use personal protective equipment as required

P264 - Wash face, hands and any exposed skin thoroughly after handling

P270 - Do not eat, drink or smoke when using this product P260 - Do not breathe dust/fume/gas/mist/vapors/spray

P272 - Contaminated work clothing should not be allowed out of the workplace

P280 - Wear protective gloves

P271 - Use only outdoors or in a well-ventilated area

Precautionary Statements - Response

P301 + P312 - IF SWALLOWED: Call a POISON CENTER or doctor/physician if you feel

unwell

P303 + P361 + P353 - IF ON SKIN (or hair): Remove/Take off immediately all contaminated

clothing. Rinse skin with water/shower

P304 + P340 - IF INHALED: Remove victim to fresh air and keep at rest in a position

comfortable for breathing

P305 + P351 + P338 - IF IN EYES: Rinse cautiously with water for several minutes.

Remove contact lenses, if present and easy to do. Continue rinsing P310 - Immediately call a POISON CENTER or doctor/physician P312 - Call a POISON CENTER or doctor/physician if you feel unwell

P330 - Rinse mouth

P331 - Do NOT induce vomiting

P333 + P313 - If skin irritation or rash occurs: Get medical advice/attention

P363 - Wash contaminated clothing before reuse

Precautionary Statements -

Storage

P405 - Store locked up

P403 + P233 - Store in a well-ventilated place. Keep container tightly closed

Precautionary Statements -

Disposal

P501 - Dispose of contents/ container to an approved waste disposal plant

Hazards not otherwise classified (HNOC)

Not applicable



MEC AMINE-D

SDS REVISIONS: ALL SECTIONS DATE OF ISSUE: 05/07/2020

SUPERSEDES: 12/04/2017

3. COMPOSITION/INFORMATION ON INGREDIENTS

<u>Mixture</u>

Chemical Name	CAS No	Weight-%	GHS Classification	Trade Secret
2,4-D	94-75-7	10 - 30	Acute Tox. 4 (H302) Eye Dam. 1 (H318) Skin Sens. 1 (H317) STOT SE 3 (H335) Aquatic Chronic 3 (H412)	*
DIMETHYLAMINE, ANHYDROUS	124-40-3	7 - 13	Acute Tox. 4 (H332) Skin Irrit. 2 (H315) Eye Dam. 1 (H318) STOT SE 3 (H335) Flam. Gas 1 (H220) Press. Gas	*
Dicamba Acid Technical	1918-00-9	1 - 5	Acute Tox. 4 (H302) Eye Dam. 1 (H318) Aquatic Chronic 3 (H412)	*
IPA-Anhydrous 2-Propanol	67-63-0	1 - 5	Eye Irrit. 2 (H319) STOT SE 3 (H336) Flam. Liq. 2 (H225)	*
Diethanolamine	111-42-2	0.1 - 1	Acute Tox. 4 (H302) Skin Irrit. 2 (H315) Eye Dam. 1 (H318) STOT RE 2 (H373)	*

^{*}The exact percentage (concentration) of composition has been withheld as a trade secret.

OSHA Hazard Communication 29 CFR 1910.1200



MEC AMINE-D

SDS REVISIONS: ALL SECTIONS DATE OF ISSUE: 05/07/2020

SUPERSEDES: 12/04/2017 4. FIRST AID MEASURES

Description of first aid measures

General advice Get medical attention if symptoms occur.

Hold eyelids apart and flush eyes with plenty of water for at least 15 minutes. Get medical Eve contact

attention. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing

eye. Call a poison control center or doctor for treatment advice.

Skin contact Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20

minutes. Call a poison control center or doctor for treatment advice.

Inhalation Remove to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial

respiration, preferable by mouth-to-mouth, if possible. Call a poison control center or doctor

for treatment advice.

Ingestion Call a poison control center or doctor for treatment advice. Have person sip a glass of water

if able to swallow. Do NOT induce vomiting unless directed to do so by medical personnel.

Never give anything by mouth to an unconscious person.

Use personal protective equipment as required. Avoid contact with skin, eyes or clothing. Self-protection of the first aider

Most important symptoms and effects, both acute and delayed

Symptoms No information available.

Indication of any immediate medical attention and special treatment needed

Treatment: Treat symptomatically. Symptoms may be delayed. Have the product container or label with

you when calling a poison control center or doctor or going for treatment. You may also call

1-866-944-8565 for emergency medical treatment information.

Note to physicians No specific antidote. Treat symptomatically.

Antidotes No data available

5. FIRE-FIGHTING MEASURES

Suitable extinguishing media

Use extinguishing agent suitable for type of surrounding fire, Use CO2, dry chemical, or foam

Specific hazards arising from the chemical

The product causes burns of eyes, skin and mucous membranes. Thermal decomposition can lead to release of irritating and toxic gases and vapors. In the event of fire and/or explosion do not breathe fumes.

Explosion data

Sensitivity to Mechanical Impact None. Sensitivity to Static Discharge None.

Protective equipment and precautions for firefighters

Self-contained breathing apparatus and full protective gear should be worn in fighting large fires involving chemicals. Use water spray to keep fire exposed containers cool. Keep people away. Isolate fire and deny unnecessary entry.



MEC AMINE-D

SDS REVISIONS: ALL SECTIONS DATE OF ISSUE: 05/07/2020

SUPERSEDES: 12/04/2017

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

Personal precautions Avoid contact with skin, eyes or clothing. Use personal protective equipment as required.

Evacuate personnel to safe areas. Keep people away from and upwind of spill/leak.

Environmental precautions

Environmental precautionsDo not allow into any sewer, on the ground or into any body of water. Should not be

released into the environment. Do not flush into surface water or sanitary sewer system. Prevent further leakage or spillage if safe to do so. Prevent product from entering drains.

See Section 12 for additional ecological information.

Methods and material for containment and cleaning up

Methods for containment Prevent further leakage or spillage if safe to do so.

Methods for cleaning up Take up mechanically, placing in appropriate containers for disposal. Clean contaminated

surface thoroughly. Use personal protective equipment as required. Dam up. Cover liquid spill with sand, earth or other non-combustible absorbent material. Soak up with inert

absorbent material. After cleaning, flush away traces with water.

7. HANDLING AND STORAGE

Precautions for safe handling

Advice on safe handling Avoid contact with skin, eyes or clothing. Use personal protective equipment as required.

Ensure adequate ventilation, especially in confined areas. In case of insufficient ventilation, wear suitable respiratory equipment. Use only with adequate ventilation and in closed

systems.

Conditions for safe storage, including any incompatibilities

Storage Conditions Keep container tightly closed in a dry and well-ventilated place. Keep out of the reach of

children. Keep containers tightly closed in a cool, well-ventilated place. Keep containers tightly closed in a dry, cool and well-ventilated place. Keep in properly labeled containers.

lightly closed in a dry, cool and well-ventilated place. Reep in properly labeled containers

Incompatible materials Incompatible with strong acids and bases. Incompatible with oxidizing agents.



MEC AMINE-D

SDS REVISIONS: ALL SECTIONS DATE OF ISSUE: 05/07/2020

SUPERSEDES: 12/04/2017

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Control parameters

Exposure Guidelines

Appropriate engineering controls

Engineering Controls Showers

Eyewash stations Ventilation systems.

Individual protection measures, such as personal protective equipment

Eye/face protection Tight sealing safety goggles. Face protection shield.

Skin and body protection Wear impervious protective clothing, including boots, gloves, lab coat, apron or coveralls,

as appropriate, to prevent skin contact.

Respiratory protection Dependent on job function. If vapors or dusts exceed acceptable levels, wear a

MSHA/NIOSH approved air-purifying respirator with any cartridges/filters approved for pesticides. If respirators are used, a program should be in place to assure compliance with 29 CFR 1910.134, the OSHA Respiratory Protection Standard. Wear a supplied air

respirator if exposure concentrations are unknown.

General Hygiene Considerations When using do not eat, drink or smoke. Wash contaminated clothing before reuse. Keep

away from food, drink and animal feeding stuffs. Contaminated work clothing should not be allowed out of the workplace. Regular cleaning of equipment, work area and clothing is recommended. Avoid contact with skin, eyes or clothing. Take off all contaminated clothing

and wash it before reuse. Wear suitable gloves and eye/face protection.



MEC AMINE-D

SDS REVISIONS: ALL SECTIONS DATE OF ISSUE: 05/07/2020

SUPERSEDES: 12/04/2017

9. PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and chemical properties

Physical state Liquid

AppearanceAqueous solutionColorClear Light amber

Odor Phenoxy

Odor threshold No data available

<u>Property</u> <u>Values (Remarks - Method)</u>

pH 6.6 (Neat)
Melting point / freezing point No data available
Boiling point No data available

Flash point > 100 °C / > 212 °F CC (closed cup)

Evaporation rate No data available Flammability (solid, gas) No data available

Flammability Limit in Air

Upper flammability limit:No data availableLower flammability limit:No data available

Vapor pressure0.002 mmHg@ 20 °CVapor densityNo data available

Vapor density No data av Specific Gravity 1.13 g/ml

Water solubility Miscible

Solubility in other solvents No data available Partition coefficient No data available No data available **Autoignition temperature** No data available **Decomposition temperature** Kinematic viscosity No data available **Dynamic viscosity** No data available **Explosive properties** No data available **Oxidizing properties** No data available

Other Information

VOC Content (%) No data available Density 9.43lbs/gal

<u>Note:</u> These physical data are typical values based on material tested but may vary from sample to sample. Typical values should not be construed as a guaranteed analysis of any specific lot or as specification items.



MEC AMINE-D SUPERSEDES: 12/04/2017

SDS REVISIONS: ALL SECTIONS DATE OF ISSUE: 05/07/2020

10. STABILITY AND REACTIVITY

Reactivity

No data available

Chemical stability

Stable under recommended storage conditions.

Possibility of Hazardous Reactions

None under normal processing.

Conditions to avoid

Exposure to air or moisture over prolonged periods.

Incompatible materials

Incompatible with strong acids and bases. Incompatible with oxidizing agents.

<u>Hazardous Decomposition Products</u>
Thermal decomposition can lead to release of irritating and toxic gases and vapors.



MEC AMINE-D

SDS REVISIONS: ALL SECTIONS DATE OF ISSUE: 05/07/2020

SUPERSEDES: 12/04/2017

11. TOXICOLOGICAL INFORMATION

Acute toxicity of the formulated product:

Chemical Name	Oral LD50	Dermal LD50	Inhalation LC50
2,4-D	= 420 mg/kg (Rat) = 375 mg/kg (= 1500 mg/kg (Rat)	
	Rat)		
DIMETHYLAMINE, ANHYDROUS	= 698 mg/kg (Rat)	= 3900 mg/kg (Rat)	= 4540 ppm (Rat) 6 h
Dicamba Acid Technical	= 1039 mg/kg (Rat)	> 1 g/kg (Rat) > 2 g/kg (Rabbit)	
IPA-Anhydrous 2-Propanol	= 1870 mg/kg (Rat)	= 4059 mg/kg (Rabbit)	= 72600 mg/m ³ (Rat) 4 h
Diethanolamine	$= 0.62 \text{ mL/kg} (\text{Rat}) = 620 \mu\text{L/kg} ($	= 7640 μL/kg (Rabbit)	
	Rat)		

Chemical Name	Skin corrosion/irritation	Eye damage/irritation	Respiratory sensitization	Skin sensitization
2,4-D		Category 1		Category 1
94-75-7				
DIMETHYLAMINE, ANHYDROUS	Category 2 Category 1	Category 1		
124-40-3				
Dicamba Acid Technical		Category 1		
1918-00-9				
IPA-Anhydrous 2-Propanol		Category 2		
67-63-0				
Diethanolamine	Category 2	Category 1		
111-42-2				

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Germ cell mutagenicity No information available.

Carcinogenicity The table below indicates whether each agency has listed any ingredient as a carcinogen.

Chemical Name	ACGIH	IARC	NTP	OSHA
2,4-D	-	Group 2B	-	X
94-75-7		•		
IPA-Anhydrous 2-Propanol	-	Group 3	-	X
67-63-0		•		
Diethanolamine	A3	Group 2B	-	X
111-42-2		•		

ACGIH (American Conference of Governmental Industrial Hygienists)

A3 - Animal Carcinogen

IARC (International Agency for Research on Cancer)

Group 2B - Possibly Carcinogenic to Humans

Not classifiable as a human carcinogen

OSHA (Occupational Safety and Health Administration of the US Department of Labor)

X - Present

Reproductive toxicity No information available. STOT - single exposure No information available. STOT - repeated exposure No information available.

Chronic exposure to corrosive fumes/gases may cause erosion of the teeth followed by jaw **Chronic toxicity**

necrosis. Bronchial irritation with chronic cough and frequent attacks of pneumonia are common. Gastrointestinal disturbances may also be seen. Avoid repeated exposure.

Possible risk of irreversible effects. May cause adverse liver effects.

Central nervous system, Eye damage/irritation, kidney, liver, Respiratory system, Skin. **Target Organ Effects**

Aspiration hazard No information available.

Information on likely routes of exposure

Product Information No data available

Inhalation No data available.

No data available. Eye contact

Skin contact No data available.



MEC AMINE-D

SDS REVISIONS: ALL SECTIONS DATE OF ISSUE: 05/07/2020

SUPERSEDES: 12/04/2017

Ingestion No data available.

12. ECOLOGICAL INFORMATION

Ecotoxicity

Chemical Name	Algae/aquatic plants	Fish	Crustacea
2,4-D	EC50 20 - 52 mg/L 120 h	LC50 20 mg/L 96 h Cyprinus carpio	EC50 17.6 - 32.6 mg/L 48 h
94-75-7	Pseudokirchneriella subcapitata	LC50 127.9 - 141.7 mg/L 96 h	Daphnia magna EC50 417.8 mg/L
	EC50 23.7 - 24.7 mg/L 96 h	Cyprinus carpio LC50 180 mg/L 96	72 h Daphnia magna
	Pseudokirchneriella subcapitata	h Lepomis macrochirus LC50 77 -	
		157 mg/L 96 h Oncorhynchus	
		mykiss LC50 2450 - 3160 mg/L 96 h	
		Oryzias latipes LC50 103 - 171	
		mg/L 96 h Pimephales promelas	
		LC50 165 mg/L 96 h Pimephales	
		promelas LC50 70.7 mg/L 96 h	
		Poecilia reticulata LC50 6.3 - 11.0	
		mg/L 96 h Poecilia reticulata	
DIMETHYLAMINE, ANHYDROUS	EC50 9 mg/L 96 h	LC50 111 - 125 mg/L 96 h	EC50 88.7 mg/L 48 h Daphnia
124-40-3	Pseudokirchneriella subcapitata	Oncorhynchus mykiss LC50 120	magna Straus
		mg/L 96 h Oncorhynchus mykiss	
		LC50 210 mg/L 96 h Poecilia	
		reticulata LC50 127 - 349 mg/L 96 h	
		Poecilia reticulata LC50 396 mg/L	
		96 h Brachydanio rerio	
IPA-Anhydrous 2-Propanol	EC50 1000 mg/L 96 h	LC50 9640 mg/L 96 h Pimephales	EC50 13299 mg/L 48 h Daphnia
67-63-0	Desmodesmus subspicatus EC50	promelas LC50 11130 mg/L 96 h	magna
	1000 mg/L 72 h Desmodesmus	Pimephales promelas LC50	
	subspicatus	1400000 µg/L 96 h Lepomis	
		macrochirus	
Diethanolamine	EC50 7.8 mg/L 72 h Desmodesmus		EC50 55 mg/L 48 h Daphnia magna
111-42-2	subspicatus EC50 2.1 - 2.3 mg/L 96	Pimephales promelas LC50 600 -	
	h Pseudokirchneriella subcapitata	1000 mg/L 96 h Lepomis	
		macrochirus LC50 1200 - 1580	
		mg/L 96 h Pimephales promelas	

Persistence and degradability

Biodegradability: Biochemical oxygen demand is 0.72 for 5, 10 and 20 days. Chemical oxygen demand is 0.72. Under aerobic soil conditions, the half-life is 4 – 23 days. Under aerobic aquatic conditions, the half-life is 0.5 – 11 days.

Bioaccumulation

Bioaccumulative potential.

Mobility

No information available.

Other adverse effects No information available



MEC AMINE-D

SDS REVISIONS: ALL SECTIONS DATE OF ISSUE: 05/07/2020

SUPERSEDES: 12/04/2017

13. DISPOSAL CONSIDERATIONS

Waste treatment methods

Disposal of wastes

Wastes may be disposed of on site or at an approved waste disposal facility. Triple rinse (or equivalent), adding rinse water to spray tank. Offer container for recycling or dispose of in a sanitary landfill or by other procedures approved by appropriate authorities. Recycling decontaminated containers is the best option of container disposal. The Agricultural Container Recycling Council (ACRC) operates the national recycling program. To contact your state and local ACRC recycler visit the ACRC web page at http://www.acrecycle.org/. Do not contaminate water, food or feed by storage or disposal.

Contaminated packaging

Do not reuse container.

Chemical Name	RCRA	RCRA - Basis for Listing	RCRA - D Series Wastes	RCRA - U Series Wastes
2,4-D	U240	Included in waste stream:	10.0 mg/L regulatory level	U240
94-75-7		F039		
DIMETHYLAMINE,	=	-	-	U092
ANHYDROUS				
124-40-3				

Chemical Name	RCRA - Halogenated Organic Compounds	RCRA - P Series Wastes	RCRA - F Series Wastes	RCRA - K Series Wastes
2,4-D	Category IV - Phenoxyacetic	-	-	-
94-75-7	Acid Herbicides			

14. TRANSPORT INFORMATION

Note: LESS THAN 35 GALLONS: NOT REGULATED BY DOT

DOT

UN/ID no UN3082

Proper shipping name Greater than 35 gallons: Environmentally Hazardous Substance,

Liquid, N.O.S., (2,4-D)

U.S. Surface Freight Classification: COMPOUND, TREE OR WEED KILLING, NOI (NMFC 50320,

SUB 2: CLASS: 60)

Hazard Class
Packing Group

Packing Group

Reportable Quantity (RQ)

III

Diethanolamine: RQ kg= 9080.00, Dicamba: RQ kg= 18160.00,

9

Dimethylamine: RQ kg= 3667.21, Acetic acid,

2,4-dichlorophenoxy-: RQ kg= 174.41

Special Provisions 8, 146, 173, 335, IB3, T4, TP1, TP29

Emergency Response Guide Number 1



MEC AMINE-D

SDS REVISIONS: ALL SECTIONS DATE OF ISSUE: 05/07/2020

SUPERSEDES: 12/04/2017

15. REGULATORY INFORMATION

NFPA Health hazards 3 Flammability 1 Instability 0 Physical and Chemical

Properties -

HMIS Health hazards 3 Flammability 1 Physical hazards 0 Personal protection X

0 - Least 1 - Slight 2 - Moderate 3 - High 4 - Severe

US Federal Regulations

SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product contains a chemical or chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

Chemical Name	SARA 313 - Threshold Values %
2,4-D - 94-75-7	0.1
DIMETHYLAMINE, ANHYDROUS - 124-40-3	1.0
Dicamba Acid Technical - 1918-00-9	1.0
IPA-Anhydrous 2-Propanol - 67-63-0	1.0

SARA 311/312 Hazard Categories

Acute health hazard	Yes
Chronic Health Hazard	Yes
Fire hazard	No
Sudden release of pressure hazard	No
Reactive Hazard	No

CWA (Clean Water Act)

This product contains the following substances which are regulated pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)

Chemical Name	CWA - Reportable Quantities	CWA - Toxic Pollutants	CWA - Priority Pollutants	CWA - Hazardous Substances
2,4-D 94-75-7	100 lb	-	-	X
DIMETHYLAMINE, ANHYDROUS 124-40-3	1000 lb	-	-	Х
Dicamba Acid Technical 1918-00-9	1000 lb	-	-	X

CERCLA

This material, as supplied, contains one or more substances regulated as a hazardous substance under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302)

Chemical Name	Hazardous Substances RQs	CERCLA/SARA RQ	Reportable Quantity (RQ)
2,4-D	100 lb	-	RQ 100 lb final RQ
94-75-7			RQ 45.4 kg final RQ
DIMETHYLAMINE, ANHYDROUS	1000 lb	-	RQ 1000 lb final RQ
124-40-3			RQ 454 kg final RQ
Dicamba Acid Technical	1000 lb	-	RQ 1000 lb final RQ
1918-00-9			RQ 454 kg final RQ
Diethanolamine	100 lb	-	RQ 100 lb final RQ
111-42-2			RQ 45.4 kg final RQ

US State Regulations

California Proposition 65

This product contains the following Proposition 65 chemicals

Chemical Name	California Proposition 65
Diethanolamine - 111-42-2	Carcinogen



MEC AMINE-D

SDS REVISIONS: ALL SECTIONS DATE OF ISSUE: 05/07/2020 SUPERSEDES: 12/04/2017

U.S. EPA Label Information

EPA Registration Number 34704-239

EPA Statement

This chemical is a pesticide product registered by the Environmental Protection Agency and is subject to certain labeling requirements under federal pesticide law. These requirements differ from the classification criteria and hazard information required for safety data sheets, and for workplace labels of non-pesticide chemicals. Following is the hazard information as required on the pesticide label:

DANGER

Difference between SDS and EPA Pesticide label

Corrosive. Causes irreversible eye damage. Harmful if swallowed. Do not get in eyes or on clothing.

16. OTHER INFORMATION

Prepared By Product Stewardship and Regulatory Affairs Reviewed By Safety, Health and Environment

 Issue Date
 05/07/2020

 Revision Date
 05/07/2020

Revision Note

All SDS sections updated

MEC AMINE-D is a registered trademark of Loveland Products, Inc.

Disclaimer

This safety data sheet was developed from information on the constituent materials identified herein and does not relate to the use of such materials in combination with any other material or process. No warranty is expressed or implied with respect to the completeness or ongoing accuracy of the information contained in this data sheet, and LOVELAND PRODUCTS, INC. disclaims all liability for reliance on such information. This data sheet is not a guarantee of safety. Users are responsible for ensuring that they have all current information necessary to safely use the product described by this data sheet for their specific purpose.

End of Safety Data Sheet