

TECHNICAL INFORMATION BULLETIN
FOR THE USE OF Venerate XC® BIOINSECTICIDE
Apple Leafcurling Midge on Apple

FIFRA Section 2(ee) Recommendation

This recommendation is made as permitted by Section 2(ee) of FIFRA, as amended, and has not been submitted to or approved by the U. S. Environmental Protection Agency.

FOR USE IN ALL STATES WHERE CROP AND PEST(S) EXIST AND WHERE 2(Ee) RECOMMENDATIONS ARE RECOGNIZED.

Venerate XC®
EPA Reg. No. 84059-14

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

Crop	Target Insect	Application Method	Product Use Rate per Application	Application Instructions
Apples	Apple leafcurling midge	Foliar (Ground application) in a minimum of 50 gallons of water per acre	2-4 quarts per acre	Careful attention to the leafcurling midge life cycle is required for successful control. Apple leafcurling midge typically have 2-3 generations per year. Applications should start from petal fall to target emerging larvae, or at the first sign of egg laying or at early egg hatch. Re-applications should be made on a 7-14 day schedule.
Venerate XC® has a pre-harvest interval (PHI) of 0 days . Do not enter or allow worker entry into treated areas during the restricted-entry interval (REI) of 4 hours .				

All applicable directions, restrictions and precautions on the EPA-registered label are to be followed.

This FIFRA Section 2(ee) recommendation contains new or additional directions for use of this product, which may not appear on the package label. Read and carefully observe the cautionary statements plus all the other information appearing on the product label.

This recommendation must be in the possession of the user at the time of pesticide application.

Venerate XC® is a registered trademark of Marrone Bio Innovations, Inc.
© Copyright Marrone Bio Innovations, Inc., 2023
Marrone Bio Innovations, Inc.
1540 Drew Ave.
Davis, California 95618
Telephone (530) 750-2800
info@marronebio.com