SAFETY DATA SHEET



1. Identification

Product identifier TILL-IT CARBO-ZINC

Other means of identification None.

Recommended use Ag Product - Plant Nutrition

Recommended restrictions None known.

Manufacturer/Importer/Supplier/Distributor information

Manufacturer

Company nameWilbur-Ellis Company LLCAddress16300 Christensen Rd. Ste 135

Tukwila, WA 98188 United States

Telephone Branded Products

Information

E-mail SDS@wilburellis.com

Emergency phone number Chemtrec - Domestic (800) 424-9300

Chemtrec - International +1 703-741-5970

Manufactured For: Not available.

2. Hazard(s) identification

Physical hazards Not classified.

Health hazards Skin corrosion/irritation Category 2

Serious eye damage/eye irritation Category 2

(800) 500-1698

Environmental hazards Hazardous to the aquatic environment, acute Category 3

hazard

OSHA defined hazards Not classified.

Label elements



Signal word Warning

Hazard statement Causes skin irritation. Causes serious eye irritation. Harmful to aquatic life.

Precautionary statement

Prevention Wash thoroughly after handling. Avoid release to the environment. Wear eye protection/face

protection. Wear protective gloves.

Response IF ON SKIN: Wash with plenty of soap and water. If in eyes: Rinse cautiously with water for

several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If skin

irritation occurs: Get medical advice/attention. If eye irritation persists: Get medical

advice/attention. Take off contaminated clothing and wash it before reuse.

Storage Not available.

Disposal Dispose of contents/container in accordance with local/regional/national/international regulations.

Hazard(s) not otherwise

classified (HNOC)

None known.

Supplemental information None.

3. Composition/information on ingredients

Mixtures

Chemical name	Common name and synonyms	CAS number	%
Zinc Ammonium Complex		14639-98-6	10 - < 20

Material name: TILL-IT CARBO-ZINC

1069 Version #: 06 Revision date: 05-21-2024 Issue date: 02-23-2016

Chemical name	Common name and synonyms	CAS number	%
Citric Acid		77-92-9	3 - < 5
Ammonium Hydroxide		1336-21-6	1 - < 3
Proprietary		Proprietary	Proprietary
Other components below reportable levels			70 - < 80

Occupational Exposure Limits for impurities are listed in Section 8. **Composition comments**

4. First-aid measures

Inhalation Move to fresh air. Call a physician if symptoms develop or persist.

Skin contact Remove contaminated clothing. Wash with plenty of soap and water. If skin irritation occurs: Get

medical advice/attention. Wash contaminated clothing before reuse.

Immediately flush eyes with plenty of water for at least 15 minutes. Remove contact lenses, if Eve contact

present and easy to do. Continue rinsing. Get medical attention if irritation develops and persists.

Severe eye irritation. Symptoms may include stinging, tearing, redness, swelling, and blurred

Rinse mouth. Get medical attention if symptoms occur. Ingestion

Most important

symptoms/effects, acute and

delayed Indication of immediate

medical attention and special treatment needed

Provide general supportive measures and treat symptomatically. Keep victim under observation. Symptoms may be delayed.

vision. Skin irritation. May cause redness and pain.

General information Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves.

Water fog. Foam. Dry chemical powder. Carbon dioxide (CO2).

Do not use water jet as an extinguisher, as this will spread the fire.

5. Fire-fighting measures

Suitable extinguishing media

Unsuitable extinguishing media

Specific hazards arising from the chemical

During fire, gases hazardous to health may be formed.

Special protective equipment and precautions for firefighters

Self-contained breathing apparatus and full protective clothing must be worn in case of fire.

Use standard firefighting procedures and consider the hazards of other involved materials.

Fire fighting

equipment/instructions

Specific methods

Move containers from fire area if you can do so without risk.

General fire hazards No unusual fire or explosion hazards noted.

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

Keep unnecessary personnel away. Keep people away from and upwind of spill/leak. Wear appropriate protective equipment and clothing during clean-up. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Ensure adequate ventilation. Local authorities should be advised if significant spillages cannot be contained. For personal protection, see section 8 of the SDS.

Methods and materials for containment and cleaning up Prevent product from entering drains.

Large Spills: Stop the flow of material, if this is without risk. Dike the spilled material, where this is possible. Absorb in vermiculite, dry sand or earth and place into containers. Following product recovery, flush area with water.

Small Spills: Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to remove residual contamination.

Never return spills to original containers for re-use. For waste disposal, see section 13 of the SDS.

Environmental precautions

Avoid release to the environment. Inform appropriate managerial or supervisory personnel of all environmental releases. Prevent further leakage or spillage if safe to do so. Avoid discharge into drains, water courses or onto the ground.

7. Handling and storage

Precautions for safe handling

Do not get in eyes, on skin, or on clothing. Avoid prolonged exposure. Provide adequate ventilation. Wear appropriate personal protective equipment. Avoid release to the environment. Observe good industrial hygiene practices.

2/8

Material name: TILL-IT CARBO-ZINC SDS US Store in tightly closed container. Store away from incompatible materials (see Section 10 of the SDS).

8. Exposure controls/personal protection

Occupational exposure limits

The following constituents are the only constituents of the product which have a PEL, TLV or other recommended exposure limit. At this time, the other constituents have no known exposure limits.

Components	Туре	Value
Ammonium Hydroxide (CAS 1336-21-6)	PEL	35 mg/m3
		50 ppm
Proprietary	PEL	6 mg/m3
		3 ppm
US. ACGIH Threshold Limit	Values (TLV)	
Components	Туре	Value
Ammonium Hydroxide (CAS 1336-21-6)	STEL	35 ppm
	TWA	25 ppm
Proprietary	STEL	6 ppm
	TWA	3 ppm
NIOSH. Immediately Danger	ous to Life or Health (IDLH) Values, a	as amended
Components	Туре	Value
Ammonium Hydroxide (CAS 1336-21-6)	IDLH	15 %
		300 ppm
Proprietary	IDLH	3 %
		30 ppm
US. NIOSH: Pocket Guide to Components	o Chemical Hazards Recommended E Type	xposure Limits (REL) Value
Ammonium Hydroxide (CAS 1336-21-6)	STEL	27 mg/m3
		35 ppm
	TWA	18 mg/m3
		25 ppm
Proprietary	STEL	15 mg/m3
		6 ppm
	TWA	8 mg/m3
		3 ppm
ogical limit values	No biological exposure limits noted fo	r the ingredient(s).
ropriate engineering	Good general ventilation should be us applicable, use process enclosures, lo maintain airborne levels below recom	sed. Ventilation rates should be matched to conditions. If ocal exhaust ventilation, or other engineering controls to mended exposure limits. If exposure limits have not bee
ropriate engineering trols vidual protection measures,	Good general ventilation should be us applicable, use process enclosures, lo maintain airborne levels below recomestablished, maintain airborne levels	sed. Ventilation rates should be matched to conditions. If ocal exhaust ventilation, or other engineering controls to mended exposure limits. If exposure limits have not bee to an acceptable level. Provide eyewash station and safe
ropriate engineering trols vidual protection measures, Eye/face protection	Good general ventilation should be us applicable, use process enclosures, to maintain airborne levels below recome stablished, maintain airborne levels shower. such as personal protective equipments.	sed. Ventilation rates should be matched to conditions. If ocal exhaust ventilation, or other engineering controls to mended exposure limits. If exposure limits have not bee to an acceptable level. Provide eyewash station and safe ent (or goggles).
ropriate engineering trols vidual protection measures, Eye/face protection Skin protection Hand protection	Good general ventilation should be us applicable, use process enclosures, to maintain airborne levels below recome stablished, maintain airborne levels shower. such as personal protective equipmed Wear safety glasses with side shields Wear appropriate chemical resistant of	sed. Ventilation rates should be matched to conditions. If ocal exhaust ventilation, or other engineering controls to mended exposure limits. If exposure limits have not bee to an acceptable level. Provide eyewash station and safe ent (or goggles).
vidual protection measures, Eye/face protection	Good general ventilation should be us applicable, use process enclosures, to maintain airborne levels below recome stablished, maintain airborne levels shower. such as personal protective equipmed Wear safety glasses with side shields	sed. Ventilation rates should be matched to conditions. If cocal exhaust ventilation, or other engineering controls to mended exposure limits. If exposure limits have not been to an acceptable level. Provide eyewash station and safe ent (or goggles). gloves.

Material name: TILL-IT CARBO-ZINC

SDS US

1069 Version #: 06 Revision date: 05-21-2024 Issue date: 02-23-2016

General hygiene considerations

Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants.

9. Physical and chemical properties

Appearance Brown liquid.

Physical state Liquid.
Form Liquid.
Color Brown
Odor Earthy

Odor thresholdNot available.pH> 9.8 - < 10.2</th>Melting point/freezing pointNot available.Initial boiling point and boilingNot available.

range

Flash point Not available.

Evaporation rate Not available.

Flammability (solid, gas) Not applicable.

Upper/lower flammability or explosive limits

Explosive limit - lower (%) Not available.
Explosive limit - upper (%) Not available.
Vapor pressure Not available.
Vapor density Not available.
Relative density Not available.

Solubility(ies)

Solubility (water) Soluble

Partition coefficient (n-octanol/water)

Not available.

Auto-ignition temperature Not available.

Decomposition temperature Not available.

Viscosity Not available.

Other information

Density 9.84 lb/gal typical
Explosive properties Not explosive.
Oxidizing properties Not oxidizing.
Specific gravity 1.18 typical

10. Stability and reactivity

ReactivityThe product is stable and non-reactive under normal conditions of use, storage and transport.

Chemical stability Material is stable under normal conditions.

Possibility of hazardous

reactions

No dangerous reaction known under conditions of normal use.

Conditions to avoidContact with incompatible materials.

Incompatible materials Strong oxidizing agents.

Hazardous decomposition Irritating and/

products

Irritating and/or toxic fumes and gases may be emitted upon the product's decomposition.

11. Toxicological information

Information on likely routes of exposure

Inhalation Prolonged inhalation may be harmful.

Material name: TILL-IT CARBO-ZINC SDS US

Skin contact Causes skin irritation.

Prolonged or repeated exposure may cause liver and kidney damage. These effects have not

been observed in humans.

Eye contact Causes serious eye irritation.

Ingestion Expected to be a low ingestion hazard.

Symptoms related to the physical, chemical and toxicological characteristics

Severe eye irritation. Symptoms may include stinging, tearing, redness, swelling, and blurred

vision. Skin irritation. May cause redness and pain.

Information on toxicological effects

Acute toxicity	Not known.		
Product	Species	Test Results	
TILL-IT CARBO-ZINC			
<u>Acute</u>			
Dermal			
Liquid			
LD50	Rabbit	> 2000 mg/kg, 24 hours	
Oral			
Liquid	Det	. 40000 //	
LD50	Rat	> 10000 mg/kg	
Components	Species	Test Results	
Ammonium Hydroxide (CAS 13	336-21-6)		
Acute Orol			
Oral LD50	Rat	350 mg/kg, 4 hours	
Citric Acid (CAS 77-92-9)	rat	ooo mg/kg, 4 nours	
Acute			
<u> Dermal</u>			
LD50	Rat	> 2000 mg/kg, 24 Hours	
Oral		3 3	
LD50	Mouse	5400 mg/kg	
Proprietary		ŭ ŭ	
Acute			
Dermal			
LD50	Rabbit	2.46 - 2.83 ml/kg, 24 Hours	
		2881 mg/kg, 24 Hours	
Inhalation			
LC50	Rat	10 - 20 mg/l, 4 Hours	
Oral			
LD50	Rat	1515 mg/kg	
		1089 mg/kg	
		1.19 ml/kg	
Zinc Ammonium Complex (CA	S 14639-98-6)		
<u>Acute</u>			
Dermal			
LD50	Rat	> 2000 mg/kg, 24 Hours	
Oral			
LD50	Rat	>= 2000 mg/kg	
Skin corrosion/irritation	Causes skin irritation.		
Serious eye damage/eye irritation	Causes serious eye irritation.		

Material name: TILL-IT CARBO-ZINC

SDS US

1069 Version #: 06 Revision date: 05-21-2024 Issue date: 02-23-2016

Respiratory or skin sensitization

Respiratory sensitization Due to partial or complete lack of data the classification is not possible. Skin sensitization Due to partial or complete lack of data the classification is not possible. Due to partial or complete lack of data the classification is not possible. Germ cell mutagenicity Carcinogenicity Due to partial or complete lack of data the classification is not possible.

IARC Monographs. Overall Evaluation of Carcinogenicity

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1053)

Not listed.

US. National Toxicology Program (NTP) Report on Carcinogens

Not listed.

Due to partial or complete lack of data the classification is not possible. Reproductive toxicity

Specific target organ toxicity single exposure

Due to partial or complete lack of data the classification is not possible.

Specific target organ toxicity -

Due to partial or complete lack of data the classification is not possible.

repeated exposure

Aspiration hazard

Due to partial or complete lack of data the classification is not possible.

Chronic effects

Prolonged inhalation may be harmful. May be harmful if absorbed through skin.

Prolonged or repeated exposure may cause liver and kidney damage. These effects have not

been observed in humans.

12. Ecological information

Ecotoxicity Harmful to aquatic life.

Persistence and degradability No data is available on the degradability of any ingredients in the mixture.

Bioaccumulative potential

Partition coefficient n-octanol / water (log Kow)

Ammonium Hydroxide -2.66Citric Acid -1.64Proprietary -1.31

Mobility in soil No data available.

Other adverse effects No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation

potential, endocrine disruption, global warming potential) are expected from this component.

13. Disposal considerations

Disposal instructions Collect and reclaim or dispose in sealed containers at licensed waste disposal site. Do not allow

this material to drain into sewers/water supplies. Do not contaminate ponds, waterways or ditches

with chemical or used container. Dispose of contents/container in accordance with

local/regional/national/international regulations.

Local disposal regulations

Dispose in accordance with all applicable regulations.

Hazardous waste code

The waste code should be assigned in discussion between the user, the producer and the waste

disposal company.

Waste from residues / unused

products

Dispose of in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see:

Disposal instructions).

Contaminated packaging

Since emptied containers may retain product residue, follow label warnings even after container is emptied. Empty containers should be taken to an approved waste handling site for recycling or

disposal.

14. Transport information

DOT

Not regulated as dangerous goods.

IATA

Not regulated as dangerous goods.

IMDG

Not regulated as dangerous goods.

Material name: TILL-IT CARBO-ZINC SDS US 6/8 Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not established.

15. Regulatory information

US federal regulations This product is a "Hazardous Chemical" as defined by the OSHA Hazard Communication

Standard, 29 CFR 1910.1200. All components are listed on or exempted from the U.S. EPA TSCA

All components of the mixture on the TSCA 8(b) inventory are designated

Inventory List.

"active".

TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)

Not regulated.

Toxic Substances Control Act (TSCA)

CERCLA Hazardous Substance List (40 CFR 302.4)

Ammonium Hydroxide (CAS 1336-21-6) Listed. Zinc Ammonium Complex (CAS 14639-98-6) Listed.

SARA 304 Emergency release notification

Ammonia; Ammonia (anhydrous) (CAS 1336-21-6) 100 LBS OSHA Specifically Regulated Substances (29 CFR 1910.1001-1053)

Superfund Amendments and Reauthorization Act of 1986 (SARA)

SARA 302 Extremely hazardous substance

Threshold Chemical name **CAS** number Reportable **Threshold** Threshold quantity planning quantity planning quantity, planning quantity, (pounds) (pounds) lower value upper value (pounds) (pounds)

Ammonium Hydroxide 1336-21-6 100 500 Yes

SARA 311/312 Hazardous

chemical

Classified hazard Skin corrosion or irritation

categories Serious eye damage or eye irritation

SARA 313 (TRI reporting)

Chemical name **CAS** number % by wt. Zinc Compounds 14639-98-6 10 - < 20

Other federal regulations

Clean Air Act (CAA) Section 112 Hazardous Air Pollutants (HAPs) List

Not regulated.

Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130)

Ammonium Hydroxide (CAS 1336-21-6) Safe Drinking Water Act Not regulated.

(SDWA)

US state regulations

US. California. Candidate Chemicals List. Safer Consumer Products Regulations (Cal. Code Regs, tit. 22, 69502.3, subd.

(a))

Ammonium Hydroxide (CAS 1336-21-6)

California Proposition 65



WARNING: This product can expose you to cadmium, which is known to the State of California to cause cancer and birth defects or other reproductive harm. For more information go

to www.P65Warnings.ca.gov.

Cadmium (CAS 7440-43-9)

16. Other information, including date of preparation or last revision

02-23-2016 Issue date 05-21-2024 **Revision date**

Version # 06

Material name: TILL-IT CARBO-ZINC SDS US **NFPA** ratings

Health: 2 Flammability: 0 Instability: 0

NFPA ratings



Disclaimer

This information was developed from information on the constituent materials. No warranty is expressed or implied regarding the completeness or continuing accuracy of the information contained herein, and the manufacturer disclaims all liability for reliance thereon. The user should satisfy himself that he has all current data relevant to his particular use.

Material name: TILL-IT CARBO-ZINC