



FIFRA Section 24(c) Special Local Need Label (SLN)

FOR DISTRIBUTION AND USE ONLY WITHIN THE STATE OF OREGON

BRAVO WEATHER STIK®

EPA Reg. No. 66222-276

EPA SLN No. OR-200014

**For Control of Fungal Leaf Spot Diseases on Spinach Grown for Seed
and Swiss Chard Grown for Seed**

This label is valid until December 31, 2025 or until otherwise amended, withdrawn, cancelled, or suspended.

Active Ingredient:	% by WT
Chlorothalonil (tetrachloroisophthalonitrile).....	54.0%
Other Ingredients	46.0%
Total:	100.0%

Contains 6.0 lb. a.i. chlorothalonil per gallon.

**KEEP OUT OF REACH OF CHILDREN
CAUTION**

ENVIRONMENTAL HAZARDS

This product is toxic to aquatic invertebrates and wildlife. DO NOT apply directly to water, to areas where surface water is present, or to intertidal areas below the mean high water mark. Drift and runoff may be hazardous to aquatic organisms in neighboring areas. DO NOT contaminate water when disposing of equipment washwater or rinsate.

Groundwater Advisory

Chlorothalonil is known to leach through soil into groundwater under certain conditions as a result of label use. This chemical may leach into groundwater if used in areas where soils are permeable, particularly where the water table is shallow.

Surface Water Advisory

This chemical can contaminate surface water through spray drift. Under some conditions, it may also have a high potential for runoff into surface water for several days to weeks after application. These include poorly draining or wet soils with readily visible slopes toward adjacent surface waters, frequently flooded areas, areas overlaying extremely shallow groundwater, areas with infield canals or ditches that drain to surface water, areas not separated from adjacent surface waters with vegetated filter strips, and areas overlaying tile drainage systems that drain to surface water.

DIRECTIONS FOR USE

- It is a violation of Federal law to use this product in a manner inconsistent with its labeling.
- This Section 24(c) Special Local Need (SLN) labeling and the federal label for this product must be in the possession of the user at the time of application.
- Follow all applicable directions, restrictions, precautions, and Worker Protection Standard requirements on the EPA-registered label for Bravo Weather Stik, EPA Reg. No. 66222-276, and on this SLN label.
- Do not apply this product in a way that will contact workers or other persons, or pets either directly or through drift. Only protected handlers may be in the area during application.

CROPS	DISEASES (Pathogen)	APPLICATION RATE	APPLICATION DIRECTIONS
Spinach grown for seed Swiss chard grown for seed	Cladosporium leaf spot (<i>Cladosporium variable</i>) Stemphylium leaf spot (<i>Stemphylium botryosum</i>) Phoma leaf spot (<i>Phoma betae</i>) Cercospora leaf spot (<i>Cercospora beticola</i>)	3.0 pints/acre (2.25 lb a.i./acre)	<p>Apply as a broadcast foliar application in sufficient water to obtain good coverage on the foliage and stems. Apply when disease threatens and repeat every 7 to 14 days until conditions no longer favor disease development.</p> <p>In spinach seed crops, begin applications immediately prior to initiation of pollen shed, as pollen enhances disease pressure.</p> <p>Applications of Bravo Weather Stik (chlorothalonil) may be alternated with fungicides that have site-specific modes of action to minimize the development of fungicide resistance.</p>

Restrictions/Precautions:

- Do not enter or allow workers to enter treated areas during the restricted-entry interval (REI) of 12 hours.
- Do not apply more than 4 applications of Bravo Weather Stik per acre per year.
- Do not apply more than 12 pints of Bravo Weather Stik (9.0 lb a.i.) per acre per year.
- Do not apply this product by air, or through any type of irrigation system.
- This product must not be applied within 25 feet of marine/estuarine water bodies, unless there is an untreated buffer area of that width between the area to be treated and the water body.
- Sensitive Areas: The pesticide should only be applied when the potential for drift to adjacent sensitive areas (e.g., residential areas, bodies of water, known habitat for threatened or endangered species, non-target crops) is minimal (e.g., when wind is blowing away from the sensitive areas).

SPECIAL CROP USE RESTRICTIONS

- The pesticide applicator, the producer of the crop, and the seed conditioner must be aware that use of this product according to this labeling is deemed a non-feed/non-food use by the Oregon Department of Agriculture, and is regulated by Oregon Administrative Rule (OAR) 603-057-0535, Pesticide Use On Crops Grown For Seed. If the applicator of this pesticide is not the producer, the applicator must provide a copy of this labeling to the producer of the crop. Producers of this crop who use this product, or cause the product to be used on a field they operate, must provide a copy of this pesticide label to the seed conditioner.
- This pesticide does not have an established pesticide residue tolerance for this crop. Consequently, no portion of this seed crop may be used or distributed for food or feed for 1 year (365 days) after the last application of this product. This restriction pertains to, but is not limited to: green chop, forage, hay, pellets, meal, whole seed, cracked seed, straw, roots, bulbs, foliage or seed screenings, and to the grazing of the crop field, stubble or regrowth. All seed screenings shall be disposed of in such a manner that the screenings cannot be distributed or used for food or feed purposes, as indicated in OAR 603-057-0535. Additional regulations concerning seed screenings are stated in OAR 603-057-0535.
- Any seed from a field treated with this pesticide product shall bear specific and conspicuous container labeling, or if shipped in bulk, on the shipment invoice or bill of lading. The labeling shall contain the following statement:

"This seed was produced using one or more products for which the United States Environmental Protection Agency has not established pesticide residue tolerances. This seed, in whole, as sprouts, or in any form, may not be used for human consumption or animal feed. Failure to comply with this condition may violate requirements of the Federal Food and Drug Administration, the Oregon Department of Agriculture and other regulatory agencies."

Bravo Weather Stik is a registered trademark of ADAMA
10162020

Section 24(c) Registrant:
Makhteshim Agan of North America, Inc. d/b/a ADAMA
3120 Highwoods Blvd., Suite 100
Raleigh, NC 27604

