



Drexel Chemical Company

FIFRA Section 2(ee) RECOMMENDATION

FOR DISTRIBUTION AND USE WITHIN THE STATE

OF FLORIDA ONLY

MALATHION 5EC

(EPA REG. NO. 19713-217)

For The Control Of Insects In Citrus With Reduced Water Volumes

ACTIVE INGREDIENT:

MALATHION..... 57.0%
OTHER INGREDIENTS: 43.0%
TOTAL: 100.0%

KEEP OUT OF REACH OF CHILDREN

WARNING/AVISO

Si usted no entiende la etiqueta, busque a alguien para que se la explique
a usted en detalle. (If you do not understand the label, find someone to explain it to you in detail.)

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling. Drexel Malathion 5EC can be applied to foliage for the control of Citrus Pests according to the table below.

Crop	Pest Controlled	Rate/Acre	Max. Single App. Rate year (lb ai/A)	Max. # of App. Per Year	Min. App. Interval (days)	Min. Pre-harvest Interval (days)	Restricted Entry Interval (days)
Citrus Fruits (grapefruits lemons, limes, oranges, tangerines tangelo)	Citrus Red mites, Thrips, Citrus Psyllid	1.25-2.4 pints	1.5	3	30	7	12 hrs

Apply with sufficient water to obtain full coverage of foliage. When applying with ground equipment, apply in a minimum of 3 gallons of water per acre. By air equipment apply the recommended amount of Malathion 5 EC in not less than 2 gallons of water per acre.

Remarks and Precautions:

Refer to the label for Drexel Malathion 5 EC for additional use directions, restrictions, rotational crop intervals and precautions.

Drexel Chemical Company

1700 Channel Avenue • Post Office Box 13327 • Memphis, Tennessee 38113-0327

Phone: (901) 774-4370 • Fax: (901) 774-4666 • E-Mail: info@drexchem.com • www.DrexChem.com

SINCE 1972