

Product Bulletin



Dow AgroSciences LLC

9330 Zionsville Road

Indianapolis, IN 46268-1054 USA

Curtail*

EPA Reg. No. 62719-48

2(ee) Recommendation[†]

(For Distribution and Use Only in the States of Minnesota, North Dakota, and South Dakota)

Reduced Rates for Control of Annual Broadleaf Weeds in Barley and Wheat

ATTENTION

[†] This recommendation is permitted under FIFRA 2(ee) and has not been submitted to or approved by the EPA or state lead pesticide agency.

- It as a violation of Federal law to use this product in a manner inconsistent with its labeling.
- Read and follow all applicable directions for use, precautions and limitations on the product label attached to the container for Starane.

Directions for Use

Curtail* herbicide is normally recommended at application rates of from 2 to 2 2/3 pints per acre for control of annual and perennial broadleaf weeds, including Canada thistle.

To control labeled annual broadleaf weeds only, Curtail may be applied at 1 ½ pints per acre. Apply Curtail from the 4 leaf-tillering stage up to the jointing stage of wheat or barley. Refer to the product label for Curtail for applicable use directions, precautions and restrictions.

To control or suppress labeled annual broadleaf weeds, apply Curtail after maximum emergence of the target weeds but before they exceed 3 inches in height or diameter (for rosettes). Reduced rates of Curtail may suppress, but will not provide control of perennial weeds such as Canada thistle.

buckwheat, wild[†]
buffalobur[†]

chamomile, false
(scentless)

chamomile, mayweed

cocklebur, common

horseweed

ladysthumb[†]

lambsquarters, common

lettuce, prickly

marshelder

mustard, tumble (Jim Hill)

mustard, wild

nightshade, black

nightshade, cutleaf

nightshade, eastern black

nightshade, hairy

pennycress, field

pigweed, redroot[†]

ragweed, common

ragweed, giant

shepherdspurse

smartweed, Pennsylvania[†]

sowthistle, annual

sunflower, common

velvetleaf

wormwood, biennial

[†] These weeds may only be suppressed, especially in cool growing conditions or at advanced growth stages.

*Trademark of Dow AgroSciences LLC

D06-033-012

Issued: 11/21/02

Initial printing.