MATERIAL SAFETY DATA SHEET



OHP, INC.
P.O. BOX 230, MAINLAND, PA 19451
800-659-6745

Revision Date: 11/17/2010 Approval Date: 11/17/2010

TRANSPORTATION EMERGENCY (24 hours a day)

CHEMTREC:(800)-424-9300

SiroccoTM

EPA Registration Number: 400-582-59807

I. PRODUCT IDENTIFICATION

Product Name Sirocco

Product Use Description : Plant Protection Agent

II. HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW

WARNING!	
Form	Liquid
Color	Off white to light tan
Odor	Mild
Hazard Summary	Harmful if swallowed.
OSHA HAZARDS	THIS MATERIAL IS
HAZARDOUS UNDER THE CRITER	RIA OF THE FEDER-

AL OSHA HAZARD COMMUNICATION STANDARD

Potential Health Effects

29CFR 1910.1200.

PRIMARY ROUTES

OF ENTRY :: Skin contact Inhalation

INHALATION :: May cause irritation of respiratory tract.

SKIN :: May irritate skin.

EYES :: May irritate eyes.

INGESTION Harmful if swallowed.

III. COMPOSITION/INFORMATION ON INGREDIENTS

Hazardous Components

Component	CAS-No.	Weight percent
BIFENAZATE	149877-41-8	43.2%
propane-1,2-diol	57-55-6	5 -10%
Abamectin	71751-41-2	2.2%

IV. FIRST AID MEASURES

First aid procedures:

INHALATION Call a POISON CENTER

or doctor/physician.

SKIN CONTACT Remove contaminated

clothing and shoes.

Call a POISON CENTER

or doctor/physician.

EYE CONTACT Call a POISON CENTER

or doctor/physician.

INGESTION Call a physician or poison

control center immediately.

Do not induce vomiting

without medical advice.

V. FIRE FIGHTING MEASURES

FLAMMABLE PROPERTIES

Flash Point: >230°F (100°C)
Lower Explosion Limit: Remarks: no data

available

Upper Explosion Limit: Remarks: no data

available

FIRE FIGHTING

Suitable extinguishing

media Extingishing media -

large fires

Alcohol-resistant foam

(on small fires)

Carbon dioxide (CO2)

Dry chemical

MATERIAL SAFETY DATA SHEET

SiroccoTM

EPA Registration Number: 400-582-59807

Unsuitable extinguishing

media Water spray jet

Further information Prevent fire extinguishing

water from contaminating surface water or the $\dot{}$

ground water system.

Protective equipment and precautions for firefighters

Specific hazards

during fire fighting : Burning produces irritant

fumes.

Exposure to decompostion products may be a

hazard to health.

Special protective equipment

for fire-fighters Body covering protective

clothing, full "turn-out" gear.

Self-contained breathing apparatus.

VI. ACCIDENTAL RELEASE MEASURES

Personal precautions: Wear suitable protective

equipment.

Avoid contact with skin

and eyes.

 $\textbf{Environmental precautions} \ \dots \ \text{Should not be released}$

into the environment.

Do not flush into surface

water or sanitary sewer

system.

Avoid subsoil penetration.

Methods for containment /

Methods for cleaning up . .: Dam up.

Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust).

Pick up and transfer to properly labelled containers.

Large spills should be collected mechanically

(remove by pumping) for disposal.

VII.HANDLING AND STORAGE

HANDLING

Handling procedures Handle in accordance

with good industrial hygiene and safety practice.

Avoid contact with skin and eyes.

Avoid inhalation of vapour or mist.

Use with adequate ventilation.

Wash thoroughly after handling.

STORAGE

Requirements for storage

areas and containers: Keep in a dry, cool place.

Other data Stable under

recommended storage conditions.

VIII. EXPOSURE CONTROLS/PERSONAL PROTECTION

Exposure Guidelines

Components with workplace control parameters

Components / CAS-No.	Value / Basis / Update	Control parameters	Further information
propane-1,2-diol	TWA	10 mg/m3	
57-55-6	US WEEL		
	2008-01-01		

Engineering measures

Personal protective equipment

Eye protection Safety glasses with

side-shields

Hand protection: Impervious gloves

Skin and body protection ...: Impervious clothing

Respiratory protection ...: When workers are facing

concentrations above the exposure limit they must

use appropriate certified respirators.

IX. PHYSICAL AND CHEMICAL PROPERTIES

Appearance

Form liquid

Color off-white to light tan

Odor mild

Safety data

Flash point > 230° F (110° C)

Lower explosion limit: Note: no data available **Upper explosion limit**: Note: no data available

pH ca. 7.2

Boiling point/boiling range ... 212° F (100° C)

Vapour pressure Note: similar to water

Water solubility Note: dispersible

Viscosity, dynamic 333 mPa.s

at 68° F (20° C)

MATERIAL SAFETY DATA SHEET

SiroccoTM

EPA Registration Number: 400-582-59807

X. STABILITY AND REACTIVITY **Abamectin** EC50: 0.00034 mg/l Materials to avoid Remarks:

Exposure time: 48 h Strong oxidizing agents

Species: Daphnia magna

(Water flea)

Toxicity to algae bases

Abamectin > 100 mg/l Hazardous decomposition

Exposure time: 9 d products Note: Carbon oxides Species: Scenedesmus **Hazardous reactions** Hazardous polymerization

species

does not occur.

Strong acids and strong

Further information on ecology

Additional ecological

information There is no data available

for this product.

XI. TOXICOLOGICAL INFORMATION

Acute oral toxicity LD50: > 310 mg/kg

Species: rat

Acute inhalation toxicity LC50: > 0.52 - 2.4 mg/l

Species: rat

Acute dermal toxicity LD50: > 5,000 mg/kg

Species: rat

Skin irritation Species: rabbit

Result: Slight irritation

Eye irritation Species: rabbit

Result: Mild eye irritation

Sensitization Species: guinea pig

Result: Did not cause sensitization on laboratory

animals.

XIII. DISPOSAL CONSIDERATIONS

Further information : In accordance with local

and national regulations.

XIV. TRANSPORT INFORMATION

DOT

Description of the goods: Pesticides, liquid, toxic,

n.o.s.

: (Abamectin, Bifenazate)

Packing group ||| Limited quantity exemption possible

IATA

Description of the goods: Pesticides, liquid, toxic,

: (Abamectin, Bifenazate)

Class 6.1

Packing group III

IMDG

Description of the goods: Pesticides, liquid,

toxic, N.O.S.

(Abamectin, Bifenazate)

Packing group |||

EmS Letter 1 F-A EmS Letter 2 S-A Marine pollutant Yes

Abamectin, Bifenazate

XII. ECOLOGICAL INFORMATION

Toxicity to fish

BIFENAZATE LC50: 0.76 mg/l

Exposure time: 96 h Species: Oncorhynchus mykiss (rainbow trout)

LC50: 0.58 ma/l

Exposure time: 96 h Species: Lepomis machrochirus (Bluegill)

Abamectin LC50: 0.0036 mg/l

Exposure time: 96 h Species: Oncorhynchus mykiss (rainbow trout) LC50: 0.0096 ma/l Exposure time: 96 h Species: Lepomis machrochirus (Bluegill)

Toxicity to daphnia and other aquatic invertebrates.

BIFENAZATE LC50: 0.5 mg/l

Exposure time: 48 h Species: Daphnia magna

(Water flea)

Page 3 of 4

MATERIAL SAFETY DATA SHEET Sirocco[™]

EPA Registration Number: 400-582-59807

XV. REGULATORY INFORMATION

OSHA Hazards : This material is hazardous

under the criteria of the Federal OSHA Hazard

Communication Standard 29CFR 1910.1200.

SARA 311/312 Hazards : Acute Health Hazard

Chronic Health Hazard

The components of this product are reported in the following . . .

inventories:

TSCA Not On TSCA Inventory

XVI. OTHER INFORMATION


Further information

HMIS Classification : Health hazard: 2

Flammability: 1 Physical hazards: 0 PPI: Ask supervisor or safety specialist for handling instructions

NFPA Classification Health hazard: 2

Fire Hazard: 1 Reactivity Hazard: 0



The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

Sirocco is a trademark of OHP. Inc.



OHP987832 11/10