

# Lime Sulfur ULTRA

# Safety Data Sheet

Revision Date: October 16th, 2019

## 1. Identification

1.1 Product Name: LIME SULFUR ULTRA

## 1.2 Other Identification:

Chemical Family: Calcium Polysulfide

Formula: CaSx

EPA Registration Number: 71096-11

CAS Number: 1344-81-6

Product: 27% Calcium Polysulfide

#### 1.3 Recommended Uses:

Fungicide, Insecticide, Miticide

#### 1.4 Manufacturer:

#### **OR-CAL Inc.**

29454 Meadowview Rd. Junction City, OR 97448 541-689-4413 (Office) 541-689-5026 (FAX) www.orcalinc.com

EPA Establishment No. 52251-OR-005

### 1.5 Emergency Contact:

CHEMTREC

1-800-424-9300 (US and Canada)

National Pesticide Information Center:

1-800-858-7378

American Association of Poison Control Centers:

1-800-222-1222

## 2. Hazards

#### 2.1 Hazard Classification:

#### Health:

Acute Oral Toxicity	Category 4
Acute Dermal Toxicity	Category 4
Acute Inhalation Toxicity	Category 4
Skin Corrosion/Irritation	Category 2
Eye Damage/Irritation	Category 2A

## **GHS Hazard Categories:**

1(Severe), 2/A (Serious), 3(Moderate), 4(Slight), 5(Minimal)

**Physical:** Corrosive to copper and aluminum

## 2.2 Signal Word(s):

Danger (USEPA Stamped Label) Warning (GHS)

## 2.2.1 Hazard Statements (GHS):

Harmful if swallowed
Harmful in contact with skin
Harmful if inhaled
Causes skin irritation
Causes serious eye irritation
Corrosive
Harmful to aquatic life

## 2.2.2 Symbol(s):







#### 2.2.3 Precautionary Statement:

- Wash hands thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco, or using the toilet.
- Do not eat, drink or smoke when using this product.
- Wear protective gloves, eye protection, and protective clothing when handling this product. See section 8 for complete list of PPF.
- Take off contaminated clothing and wash it before reuse.
- As soon as possible, wash thoroughly and change into clean clothing after handling or using this product.
- Have the product label or container with you when calling the poison control center or doctor, or going for treatment.
- Avoid breathing mist and use only outdoors in a well-ventilated area.
- Do not allow release to aquatic waterways.
- **2.3 Unclassified Hazard(s):** Do not mix Lime Sulfur ULTRA with acids or phosphate fertilizer products. Deadly and potentially extremely flammable hydrogen sulfide gas may be emitted.
- 2.4 Unknown Toxicity Ingredient: None identified at this time

# 3. Composition/Information on Ingredient

#### 3.1 Product Composition:

Chemical Name	Formula	CAS No.	WT % A.I.	EINECS No.
Calcium Polysulfide	CaSx or KSx	1344-81-6	27%	215-709-2
Reaming Components	Water	NA	73%	NA

## 4. First Aid Measures

## 4.1 Symptoms/Effects:

**Acute:** Extremely toxic if swallowed. Decomposition occurs in the digestive tract releasing hydrogen sulfide gas. Causes skin irritation and may produce systemic toxicity by skin absorption. Corrosive to eyes and causes eye irritation and damage. Solution causes alkaline burns

Chronic: No known chronic effects

#### 4.2 Eyes:

If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Get medical advice/attention if irritation persists.

#### 4.3 Skin:

If on skin: Rinse off immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice. Take off contaminated clothing and wash it before reuse.

### 4.4 Ingestion:

If swallowed: Call a poison control center or doctor immediately for treatment advice. Rinse mouth. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by the poison control center or doctor. Do not give anything by mouth to an unconscious person.

### 4.5 Inhalation:

If inhaled: Move person to fresh air and keep person comfortable for breathing. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth if possible. Call a poison control center or doctor for further treatment advice.

## 5. Firefighting Measures

**5.1 Flammable properties:** (See section 9 for additional properties)

Do not introduce acids into a vessel containing calcium polysulfide solution. Acids may form highly toxic and extremely flammable hydrogen sulfide gas.

#### 5.2 Extinguishing Media:

5.2.1 Suitable Extinguishing Media:

Water, Foam, Carbon Dioxide, Dry Chemical

5.2.2 Unsuitable Extinguishing Media:

Not Applicable

## **5.3 Protection of Firefighters:**

5.3.1 Specific Hazards Arising from the Chemical Physical Hazards:

Heating (flames) of closed or sealed containers may cause violent rupture of container due to thermal expansion of compressed gases.

### Chemical Hazards:

Heating causes release of hydrogen sulfide vapors. Hydrogen

sulfide is a highly flammable gas and gas/air mixtures can be explosive. It may travel to sources of ignition and flash back. Vapors are irritating to eyes, nose, throat and respiratory tract.

5.3.2 Protective Equipment and Precautions for Firefighters:

Wear NIOSH approved self-contained breathing apparatus due to the possible presence of gases and the irritating nature of the product.

#### 5.4 Additional Information:

National Fire Protection Association (NFPA) Ratings:

Health	2
Flammability	0
Reactivity	0
Special	NA

Hazard Rating: 4 (severe), 3 (serious), 2 (moderate), 1 (slight), 0 (minimal.)

## 6. Accidental Release Measures

#### **6.1 Personal Precautions:**

Use Personal Protective Equipment specific in section 8. Remove contaminated clothing and wash affected skin areas with soap and water.

#### **6.2 Environmental Precautions:**

Keep spill out of open bodies of water and municipal sewers unless allowed under NPDES (National Pollutant Discharge Elimination System) permit. Avoid release to the aquatic environment because of potential aquatic toxicity.

#### 6.3 Methods of Containment

Small Release:

Absorb spillage onto sand, earth or any suitable absorbent material. Shovel up absorbed material and place in drums for disposal as a chemical waste.

## Large Release:

Shut off release if safe to do so. Dike spill area with earth, sand or other inert absorbent material to prevent runoff into surface waterways (potential aquatic toxicity).

#### 6.4 Method for Cleanup:

Small Release:

For small areas shovel up absorbed material and place in drums for disposal as a chemical waste.

#### Large Release:

Dike and contain the spill with neutral or alkaline material (e.g. sand, earth, etc.). Transfer as much liquid as possible to containers for recovery using portable pumps and hoses. Transfer contaminated diking material to treatment facility making sure to follow NPDES permit requirements.

## 7. Handling and Storage

## 7.1 Handling:

Avoid prolonged or repeated contact with the skin. Avoid contact with eyes. See section 8 for a complete list of PPE to wear when handling this product.

#### 7.2 Storage:

Store product in a secure locked place, inaccessible to children, pets, and livestock. Make sure the location is cool and dry. Keep container tightly closed with no exposure to air when not in use. Store at a maximum temperature of 110°F and minimum temperature of 7°F.Do not store adjacent to acids. Label solution as an alkaline liquid with proper warning use and handling. Check with the USEPA or OSHA to make sure you are compliant with their regulations.

# 8. Exposure Control/Personal Protection

#### 8.1 Exposure Guidelines:

8.1.1 OSHA (TWA, STEL):

< 20 ppm of hydrogen sulfide

8.1.2 ACGIH (TLV, STEL):

< 10 ppm of hydrogen sulfide

#### 8.2 Engineering Controls:

Use adequate exhaust ventilation to prevent inhalation of product vapors. Keep eye wash/safety shower in areas where commonly used.

## 8.3 Personal Protective Equipment (PPE):

8.3.1 Eye/Face Protection:

Goggles or faceshield

## 8.3.2 Skin Protection:

Coveralls over long-sleeved shirt and long pants, chemical resistant gloves made of

any waterproof material, chemical resistant footwear plus socks, chemical resistant apron when mixing, loading or cleaning equipment, and chemical-resistant headgear for overhead exposure.

8.3.3 Respiratory Protection:

NIOSH approved respirator.

8.3.4 Hygiene Considerations:

Wash hands thoroughly after handling this product before eating, drinking, chewing gum, using tobacco, or using the toilet. Change clothing immediately after finished handling this product.

## 9. Physical and Chemical Properties

9.1 Appearance: Ruby red liquid

9.2 Odor: Rotten eggs

9.3 Odor Threshold: Not Available

9.4 pH: 11-12

9.5 Melting Point/Freezing Point: Not applicable/ 5 °F

9.6 Boiling Point: 215 °F9.7 Flash Point: Not Available

9.8 Evaporation Rate: (Butyl Acetate=1) Not Available

9.9 Flammability: Not applicable

9.10 Upper/Lower Flammability Limits: Not Applicable

9.11 Vapor Pressure: Not Available9.12 Vapor Density: (Air=1) Not Available

**9.13 Relative Density:** 1.250-1.280 (10.6 lbs. per gal.)

9.14 Solubility: Very soluble in water
9.15 Partition Coefficient: Not Available
9.16 Auto-ignition Temperature: >200 °F
9.17 Decomposition Temperature: 165°F

**9.18 Viscosity:** 1.76-1.88 cts

**9.19 Storage life:** At recommended conditions a minimum of

2 years

# 10. Stability and Reactivity

10.1 Reactivity: Strong oxidizers and acids

**10.2 Chemical Stability:** Stable if undiluted and not mixed with other chemicals.

**10.3 Possibility of Hazardous Reactions:** The introduction of acids may form toxic and highly flammable hydrogen sulfide gas. Do not use aluminum and copper fittings as they will corrode.

**10.4 Conditions to Avoid:** Direct sunlight, excessive heat and freezing conditions.

**10.5 Incompatible Materials:** Oxidizing agents, acids, zinc, and corrosive to aluminum and copper

10.6 Hazardous Decomposition Products: Hydrogen sulfide

## 11. Toxicological Information

**11.1 Oral:** Oral Rat (female) LD50: > 920 mg/kg **11.2 Dermal:** Dermal Rabbit LD50: >2000 mg/kg.

11.3 Inhalation: INH-Rat LC50: 3.6 mg/l (4 ½ hr. exposure) 11.4 Eye: Corrosive >41.3 Maximum Avg. Score (Wash) in Rabbits

11.5 Chronic/Carcinogenicity: Data not available

11.6 Teratology: Data not available11.7 Reproduction: Data not available11.8 Mutagenicity: Data not available

**11.9 Other:** "...it has been determined that the use of products containing calcium polysulfide as the sole active ingredient would not present a human health hazard to the

general public." (USEAP, RED)

## 12. Ecological Information

#### 12.1 Ecotoxicity:

Green Algae EC 50: 14.1 ppm Honey Bee LD 50: >25 μg ai/Bee

Avian LD 50: 560 ai/kg

Bobwhite Quail Dietary LC 50: >5000 ai/ppm

Mallard Duck LC 50: >5000 ai/ppm

**12.2** Persistence & Degradability: "Calcium Polysulfide present in moist soils and/or on moist foliage is expected to dissociate rapidly; therefore, run-off and erosion into surface water, as present calcium polysulfide, should be negligible." (USEPA, RED)

**12.3 Bioaccumulative Potential:** This product is not

bioaccumulative

12.4 Mobility in Soil: No data available

12.5 Other Adverse Effects: None known at this time

**Note:** Ecological Information derived from United States. Environmental Protection Agency.

Reregistration Eligibility Document for Inorganic Polysulfides.

30 September. 2005<

http://www.epa.gov/pesticides/reregistration/REDs/inorgani
c polysulfides red.pdf.>

# **13. Disposal Considerations**

Pesticide wastes are acutely hazardous. Improper disposal of excess pesticide, spray mixture, or rinsate is a violation of Federal Law. If these wastes cannot be disposed of according

to label instructions, contact your State Pesticide or Environmental Control Agency. Consult International, Federal, Tribal, State, and local agencies for disposal regulations.

## 14. Transport Information

#### 14.1 Basic Shipping Description:

14.1.1 UN Number: Not listed

14.1.2 UN proper shipping name: Not regulated by

DOT

14.1.3 Class: Not Applicable

14.1.4 Packing Group: Not applicable

14.1.5 Hazardous Substance: No

#### 14.2 Additional Information:

14.2.1 Other DOT Requirements: (not regulated by DOT)

14.2.1.1 Reportable Quantity: No

14.2.1.2 Placard(s): Not Applicable

14.2.1.3 Labels(s): Not Applicable

14.2.2 USCG Classification: Not Available

14.2.3 International Transportation:

14.2.3.1 IMO:

Environmentally hazardous substance

liquid, n.o.s., UN Number: UN3082, Class 9

(calcium polysulfide)

14.2.3.2 IATA:

Non-hazardous under IATA regulations

14.2.3.3 TDG (Canada):

Not regulated

14.2.3.4 ADR (Europe):

Environmentally hazardous substance

liquid, n.o.s (Calcium polysulfide)

14.2.3.5 ADG (Australia):

Environmentally hazardous substance,

liquid, n.o.s. (Calcium polysulfide)

14.2.3.6 RR STCC:

2899980

14.2.4 Emergency Response Guide: Not Listed

14.2.5 ERAP-Canada: Not Required

14.2.6 Special Precautions: Consult appropriate

authorities before shipping this product.

# 15. Regulatory Information

## 15.1 U.S. Federal Regulations:

15.1.1 OSHA: This product meets the criteria of the Federal OSHA Hazard Communication Standard 29 CFR §1910.1200

OR-CAL Inc. | Lime Sulfur ULTRA

15.1.2 TSCA: This product is listed

15.1.3 CERCLA: Reportable Quantity- Not Applicable

15.1.4 SARA Title III:

15.1.4.1 Extremely Hazardous Substance

(EHS): No

15.1.4.2 Section 312 (Tier II) Ratings:

See SECTION 2. Hazard Identification-GHS

Classification

15.1.4.3 Section 313 (FORM R): No

15.1.5 RCRA (Resource Conservation & Recovery Act)

Status: Not Applicable

15.1.6 CAA (Hazardous Air Pollutant/HAP): Not

Applicable

#### 15.2 International Regulations:

15.2.1 Canada:

15.2.1.1 WHMIS: Class E

15.2.1.2 DSL/NDSL: Listed on NDSL, Record

No. 28636

#### 15.3 State Regulations:

CA Proposition 65: Not listed

## 16. Other Information

#### 16.1 Use of Substance/Preparation:

16.1.1 Lime Sulfur ULTRA is used as a Fungicide, Insecticide, and Miticide for Listed Fruits, Nuts, Ornamentals, and Roses. It's not for residential use or application to residential sites. Consult the Label for listed application sites. You must read the entire label before use. The label is the Law, noncompliance will result in civil or criminal penalties.

16.1.2 Lime Sulfur ULTRA is prepared by mixing water to make a spray solution as determined by the label instructions. You must read the entire label before use.

#### 16.2 Abbreviations:

ACGIH: American Conference of Gov. Industrial Hygienists

ADG: Australian Dangerous Goods

ADR: Carriage of Dangerous Goods by Road (Europe)

A.I. Active Ingredient

CAA: Clean Air Act

CAS: Chemical Abstracts Service Registry Number

CERCLA: Comprehensive Environmental Response

Compensation and Liability Act

DSL/NDSL: Domestic/Non-Domestic Substance List

ERAP: Emergency Response Assistance Plan (Canada)

FIFRA: Federal Insecticide, Fungicide, and Rodenticide Act

GHS: Globally Harmonized System of Classification

IATA: Integrated Approaches to Testing and Assessment

IMO: International Maritime Organization

NA: Not Applicable

OSHA: Occupational Safety and Health Administration

PEL: Permissible Exposure Limit

RCRA: Resource Conservation and Recovery Act STCC: Standard Transportation Commodity Code TDG: Transportation of Dangerous Goods (Canada)

TLV: Threshold Limit Values

TSCA: Toxic Substance Control Act Inventory TWA: Time Weighted Average (8 hours)

USEPA: United States Environmental Protection Agency WHMIS: Workplace Hazardous Materials information System

Revised October 16<sup>th</sup>, 2019 to include the instruction to consult tribal governing bodies when appropriate and to recognize them as equal to those of their federal

counterparts. The non-mandatory environmental pictogram indicating aquatic toxicity was added to section 2. Clarification of federal regulations in section 15.1.4.2. Updated company logo.

The information compiled in this safety data sheet is believed to be accurate and is given in good faith, but it is the user's responsibility to determine the suitability of this information for the adoption of necessary safety precautions. No warranty or guarantee, expressed or implied, is made regarding performance, stability or otherwise, of this product, as the manner and conditions of use, handling, storage and other factors may involve other additional safety or performance considerations. No suggestions for use are intended as, and nothing herein shall be constructed as a recommendation to infringe any existing patents or violate International, Federal, State, Tribal, or local laws.