



FIFRA Section 24(c) Special Local Need (SLN) Label

FOR DISTRIBUTION AND USE ONLY WITHIN THE STATE OF OREGON

Glufosinate-ammonium	GROUP	10	Herbicide
----------------------	-------	----	-----------

LIFELINE[®] HERBICIDE

EPA Reg. No. 70506-310

EPA SLN No. OR-200002

FOR USE ON GRASS GROWN FOR SEED PRODUCTION TO CONTROL GRASS WEED SPECIES

This label is valid until December 31, 2027 or until otherwise amended, withdrawn, cancelled or suspended.

ACTIVE INGREDIENT:

Glufosinate-ammonium	24.5%*
OTHER INGREDIENTS.....	75.5%
TOTAL.....	100.0%

*Equivalent to 2.34 pounds of active ingredient per U.S. gallon.

KEEP OUT OF REACH OF CHILDREN

CAUTION

Si usted no entiende la etiqueta, busque a alguien para que se la explique a usted en detalle. (If you do not understand the label, find someone to explain it to you in detail.)

ENVIRONMENTAL HAZARDS

Follow all applicable directions, restrictions, and precautions in the Environmental Hazards section of the label affixed to the main container of Lifeline Herbicide.

APPLICATION DIRECTIONS FOR LIFELINE HERBICIDE GRASS GROWN FOR SEED PRODUCTION

It is a violation of Federal law to use this product in a manner inconsistent with its labeling. THIS SLN LABEL AND THE LABEL AFFIXED TO THE MAIN CONTAINER OF LIFELINE HERBICIDE MUST BE IN THE POSSESSION OF THE USER AT THE TIME OF PESTICIDE APPLICATION. FOLLOW ALL APPLICABLE DIRECTIONS, RESTRICTIONS, WORKER PROTECTION STANDARD REQUIREMENTS, AND PRECAUTIONS ON THIS SLN LABEL AND THE LABEL AFFIXED TO THE MAIN CONTAINER OF LIFELINE HERBICIDE.

Sold By: UPL NA INC.
630 Freedom Business Center, Suite 402
King of Prussia, PA 19406



FIFRA Section 24(c) Special Local Need (SLN) Label

For use on grasses grown for seed production; such as, perennial ryegrass, tall fescue or bentgrass.

Tolerance of grasses to LIFELINE Herbicide is species dependent. Species tolerance in descending order is: 1) perennial ryegrass; 2) tall fescue; 3) bentgrass; 4) fine fescue; and 5) *Poa* species. For example, perennial ryegrass tends to be more tolerant to LIFELINE Herbicide than the *Poa* species.

Directed shielded sprays are suggested in fine fescue species, orchardgrass and *Poa* species grown for seed production. Broadcast applications made after first node development can increase the potential for crop injury and yield loss.

DO NOT apply LIFELINE Herbicide when grass grown for seed production is stressed due to drought, heat, frost, flooding, poor fertility, diseases, insects, or other reason.

Stunting of grass grown for seed production may occur following application and, in some instances, seed yields may be adversely affected.

DO NOT broadcast apply LIFELINE Herbicide on fine fescue, orchardgrass, or *Poa* species grown for seed.

WEEDS SUPPRESSED OR CONTROLLED:

<i>Poa annua</i>	Manna Grass
<i>Poa trivialis</i>	<i>Bromus</i> species (suppression only)

APPLICATION TIMING

For best weed control and crop safety, apply when the grass seed crop is actively growing in the fall and/or spring to minimize potential for crop injury.

Fall Broadcast Application. For severe weed pressure in newly established grass seedling fields, applications may occur after the 1st tiller of the crop is established, but do not exceed a rate of 10 fluid ounces per acre. For established fields with a minimum of 4 tillers, do not exceed a rate of 16.5 fluid ounces per acre. Do not make applications after December 1st in either seedling or established grass seed stands. Use a minimum of 20 gallons of water per acre at 30-40 psi.

If additional control is required in the spring, one spring broadcast application may also be made.

Spring Broadcast Application. Apply to actively growing grass seed fields in the 4-6 tiller growth state at a rate of 16.5 – 20.0 fluid ounces per acre. Do not make applications after April 1st except when severe weed pressure necessitates control.

Spring Hooded or Shielded Directed Spray. To avoid excessive crop phytotoxicity, use a hooded or shielded sprayer. Apply by directing spray between rows and using shielded directed sprayers to prevent spray contact with crop plants. Adjust shields to prevent spray from contacting the crop. Apply 55.0 fluid ounces per acre with shielded directed spray when the weeds are less than 8 inches tall. Apply 82.0 fluid ounces per acre with shielded directed spray when the weeds are 8 inches or taller.



FIFRA Section 24(c) Special Local Need (SLN) Label

RESTRICTIONS

- **DO NOT** graze in treated areas for one year (365 days) following application.
- If a hooded or shielded direct spray application is made, do not also make a broadcast application.
- **DO NOT** make more than one hooded or shielded direct spray application per crop year.
- **DO NOT** make more than two broadcast applications per crop year (one in the fall and one in the spring).
- **DO NOT** apply product aerially.
- **DO NOT** apply this product through any type of irrigation system.
- **DO NOT** allow product to drift off the intended field of grass grown for seed production. Drift control is the responsibility of the applicator. Refer to local state laws, regulations, and guidelines for proper application to avoid off-target movement.

By using this product for this labeled use, user and/or grower indemnifies UPL NA INC. (UPL) from all liability for failure to perform and/or crop damage from the use of Lifeline Herbicide on grass grown for seed production only.

This product, when used on grass grown for seed production may lead to crop injury, loss, or damage. Because of the risk of failure to perform or crop damage, all such use is at the user and/or grower's risk. UPL recommends that the user and/or grower test this product in order to determine its suitability for such intended use. UPL makes this product available to the user and/or grower solely to the extent the benefit and utility, in the sole opinion of the user and/or grower outweigh the potential injury associated with the use of this product. The decision to use or not to use this herbicide must be made by each individual user and/or grower on the basis of possible crop injury from Lifeline Herbicide, the severity and type of weed infestation, the cost of alternative weed controls, and other factors. UPL will not be responsible for crop injury from tank mixtures of Lifeline Herbicide with other herbicides or adjuvants to grasses grown for seed production.

If the preceding terms and conditions are unacceptable, do not open the product. Return the unopened Lifeline Herbicide immediately. These terms and conditions are required by UPL NA Inc. and not specified by the U.S. EPA or the State of Oregon.

04/07/2025

Sold By: UPL NA INC.
630 Freedom Business Center, Suite 402
King of Prussia, PA 19406