



Safety Data Sheet

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

Initial Preparation Date: 08.11.2025

Page 1 of 12

SECTION 1: Identification

Product Identifier

Product Name: Privster WDG

Product code: EPA Reg. No.: 91234-405



Recommended Use of the Product and Restriction on Use

Relevant Identified Uses: Water-dispersible granular insecticide

Uses Advised Against: Any use other than specified above.

Reasons Why Uses Advised Against: Not determined or not applicable.

Manufacturer or Supplier Details

Manufacturer:

United States

Atticus, LLC

940 NW Cary Parkway

Suite 200

Cary, North Carolina 27513

(984) 465-4754

Emergency Telephone Number:

For Chemical Emergency

CHEMTREC

1-800-424-9300 (24 hours)

+1-703-527-3887 (24 hours)

Collect calls accepted

For Emergency Medical Treatment Information

SAFETYCALL

1-844-685-9173 (24 hours)

SECTION 2: Hazard(s) Identification

GHS Classification:

Combustible Dust

Acute toxicity (oral), category 4

Specific target organ toxicity - single exposure, category 2

Specific target organ toxicity - repeated exposure, category 1

Acute aquatic hazard, category 2

Chronic aquatic hazard, category 1

Label elements

Hazard Pictograms:



Safety Data Sheet

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

Initial Preparation Date: 08.11.2025

Page 2 of 12

Privster WDG

Signal Word: Danger

Hazard statements:

Comb. dust May form combustible dust concentrations in air.

H371 May cause damage to organs (central nervous system).

H372 Causes damage to organs through prolonged or repeated exposure.

H302 Harmful if swallowed

H401 Toxic to aquatic life

H410 Very toxic to aquatic life with long lasting effects

Precautionary Statements:

P101 If medical advice is needed, have product container or label at hand

P102 Keep out of reach of children

P103 Read label before use

P260 Do not breathe dust, fumes, gas, mist, vapors or spray.

P264 Wash hands and exposed skin thoroughly after handling

P270 Do not eat, drink or smoke when using this product

P273 Avoid release to the environment

P308+P311 IF exposed or concerned: Call a POISON CENTER or doctor

P314 Get medical advice or attention if you feel unwell.

P301+P312 IF SWALLOWED: Call a POISON CENTER or doctor if you feel unwell.

P330 Rinse mouth

P391 Collect spillage

P405 Store locked up

P501 Dispose of contents and container in accordance with federal, state and local regulations.

Hazards Not Otherwise Classified: None

SECTION 3: Composition/Information on Ingredients

Identification	Name	Weight %
CAS Number: 173584-44-6	Indoxacarb	20
CAS Number: 1332-58-7	Kaolin	62-67
CAS Number: 112926-00-8	Silica gel	0.5-1.5

Additional Information:

NOTE: Ingredients not precisely identified are proprietary or non-hazardous. Values are not product specifications.

SECTION 4: First Aid Measures

Description of First Aid Measures

General Notes:

Have the product container or label with you when calling a poison control center or doctor, or going for treatment. You may also contact SafetyCall at 1-844-685-9173 for emergency medical treatment information. For Chemical Emergency: spill, leak, fire, exposure or accident, call CHEMTREC day or night within USA and Canada at 1-800-424-9300 or +1-703-527-3887 (collect calls accepted).

Show this Safety Data Sheet to the doctor in attendance.

After Inhalation:

Safety Data Sheet

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

Initial Preparation Date: 08.11.2025

Page 3 of 12

Privster WDG

If inhaled, remove person to fresh air and place in a position comfortable for breathing. Keep person at rest. If breathing is difficult, administer oxygen. If breathing has stopped, provide artificial respiration. If experiencing respiratory symptoms, seek medical advice/attention.

After Skin Contact:

Remove contaminated clothing and shoes. Rinse skin with copious amounts of water [shower] for several minutes. Launder contaminated clothing before reuse. If symptoms develop or persist, seek medical advice/attention.

After Eye Contact:

Immediately rinse eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Continue to rinse for at least 15 minutes. If eye irritation develops or persists, seek medical advice/attention.

After Swallowing:

If swallowed, DO NOT induce vomiting unless told to do so by a physician or poison control center. Rinse mouth with water. Never give anything by mouth to an unconscious person. If spontaneous vomiting occurs, place on the left side with head down to prevent aspiration of liquid into the lungs. If symptoms develop or persist, seek medical advice/attention.

Most Important Symptoms and Effects, Both Acute and Delayed

Acute Symptoms and Effects:

May cause damage to organs. Effects are dependent on exposure (dose, concentration, contact time).

Delayed Symptoms and Effects:

Causes damage to organs through prolonged or repeated exposure. Effects are dependent on exposure (dose, concentration, contact time).

Symptoms of exposure may be delayed.

Immediate Medical Attention and Special Treatment

Specific Treatment:

If exhibiting symptoms of exposure, seek prompt medical attention.

Notes for the Doctor:

Treat symptomatically.

SECTION 5: Firefighting Measures

Extinguishing Media

Suitable Extinguishing Media:

On small fires use water spray, alcohol-resistant foam, dry chemical or carbon dioxide. On large fires use alcohol-resistant foam or water spray.

Unsuitable Extinguishing Media:

Do not use water jet.

Specific Hazards During Fire-Fighting:

Thermal decomposition may produce irritating/toxic fumes/gases.

This material is capable of forming flammable dust clouds in air, which, if ignited, can produce a dust cloud explosion.

Special Protective Equipment for Firefighters:

Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full-face piece operated in positive pressure mode.

Special precautions:

Avoid contact with skin, eyes, hair and clothing. Do not breathe fumes/gas/mists/aerosols/vapors/dusts. Move containers from fire area if safe to do so. Use water spray/fog for cooling fire exposed containers. Avoid unnecessary run-off of extinguishing media which may cause pollution.

Safety Data Sheet

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

Initial Preparation Date: 08.11.2025

Page 4 of 12

Privster WDG

Violent reactions may result from the use of a water jet or halogenated extinguishing agents. When using extinguishers, avoid dispersing combustible dust into the air. Aim extinguishers directly at the base of the flames and apply the agent as gently as possible. Overall, give preference to using medium to wide spray patterns rather than solid streams. Use only non-sparking tools. Fire fight from a protected location or maximum possible distance. Use water spray/fog for cooling fire exposed containers. Avoid unnecessary run-off of extinguishing media which may cause pollution.

SECTION 6: Accidental Release Measures

Personal Precautions, Protective Equipment, and Emergency Procedures:

Evacuate unnecessary personnel. Ventilate area. Extinguish any sources of ignition. Wear recommended personal protective equipment (see Section 8). Do not get on skin, eyes or on clothing. Avoid breathing mist, vapor, dust, fume and spray. Do not walk through spilled material. Wash thoroughly after handling. Remove contaminated clothing and launder before reuse.

Environmental Precautions:

Prevent further leakage or spillage if safe to do so. Prevent from reaching drains, sewers and waterways. Discharge into the environment must be avoided.

Methods and Material for Containment and Cleaning Up:

Avoid dust generation or stirring up of dust. Use only non-sparking tools. Ground all equipment used for recovery and clean up. Vacuum up and place in suitable containers for future disposal. Only use vacuum cleaners approved for dust collection. Dispose of in accordance with all applicable regulations (see Section 13).

Reference to Other Sections:

For personal protective equipment see Section 8. For disposal see Section 13.

SECTION 7: Handling and Storage

Precautions for Safe Handling:

Use appropriate personal protective equipment (see Section 8). Use only with adequate ventilation. Avoid breathing mist/vapor/spray/dust. Do not eat, drink, smoke, or use personal products when handling chemical substances. Avoid contact with skin, eyes and clothing. Wash affected areas thoroughly after handling. Keep away from incompatible materials (See Section 10). Keep containers tightly closed when not in use.

Conditions for Safe Storage, Including Any Incompatibilities:

Store in cool, dry, well-ventilated location out of direct sunlight. Keep away from food and beverages. Protect from freezing and physical damage. Store away from heat, open flames and other sources of ignition. Keep container tightly sealed. Store away from incompatible materials (See Section 10).

SECTION 8: Exposure Controls/Personal Protection

Only those substances with limit values have been included below.

Occupational Exposure Limit Values:

Country (Legal Basis)	Substance	Identifier	Permissible concentration
United States	Indoxacarb	173584-44-6	TWA: 1 mg/m ³ (Respirable dust (Supplier))
ACGIH	Silica gel	112926-00-8	8-Hour TWA: 0.025 mg/m ³ (Respirable particulate matter)
	Kaolin	1332-58-7	8-Hour TWA: 2 mg/m ³ (respirable particulate matter, containing no asbestos and <1 % crystalline silica)

Safety Data Sheet

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

Initial Preparation Date: 08.11.2025

Page 5 of 12

Privster WDG

Country (Legal Basis)	Substance	Identifier	Permissible concentration
OSHA	Silica gel	112926-00-8	8-Hour TWA-PEL: 0.8 mg/m ³ (Silica, amorphous, including diatomaceous earth)
	Silica gel	112926-00-8	TWA: 6 mg/m ³
	Kaolin	1332-58-7	8-Hour TWA-PEL: 15 mg/m ³ (total dust)
	Kaolin	1332-58-7	8-Hour TWA-PEL: 5 mg/m ³ (respirable fraction)
NIOSH	Silica gel	112926-00-8	8-Hour TWA: 6 mg/m ³ (Silica, amorphous)
	Silica gel	112926-00-8	IDLH: 3000 mg/m ³ (Silica, amorphous)
	Kaolin	1332-58-7	REL-TWA: 10 mg/m ³ (total dust [up to 10 hr])
	Kaolin	1332-58-7	REL-TWA: 5 mg/m ³ (respirable dust [up to 10 hr])
United States(California)	Silica gel	112926-00-8	8-Hour TWA-PEL: 6 mg/m ³
	Kaolin	1332-58-7	8-Hour TWA-PEL: 2 mg/m ³ (respirable dust, containing no asbestos and <1% crystalline silica)

Biological Limit Values:

No biological exposure limits noted for the ingredient(s).

Information on Monitoring Procedures:

Not determined or not applicable.

Appropriate Engineering Controls:

Emergency eye wash stations and safety showers should be available in the immediate vicinity of use or handling. Provide adequate ventilation to maintain the airborne concentrations of vapor, mists, and/or dusts below the applicable workplace exposure limits, while observing recognized national standards (or equivalent).

Personal Protection Equipment

Eye and Face Protection:

Safety glasses or goggles. Use eye protection equipment that has been tested and approved by recognized national standards (or equivalent).

Skin and Body Protection:

Chemical resistant, impervious gloves approved by the appropriate standards. Gloves must be inspected prior to use. Avoid skin contact with used gloves. Appropriate techniques should be used to remove used gloves and contaminated clothing. Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product. Ensure that all personal protective equipment is approved by recognized national standards (or equivalent).

Respiratory Protection:

If engineering controls do not maintain airborne concentrations below the applicable workplace exposure limits, or to an acceptable level (if exposure limits have not been established), a respirator approved by recognized national standards (or equivalent) must be worn.

General Hygienic Measures:

When handling chemical products, do not eat, drink or smoke. Wash hands after handling, before breaks,

Safety Data Sheet

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

Initial Preparation Date: 08.11.2025

Page 6 of 12

Privster WDG

and at the end of the workday. Avoid contact with skin, eyes and clothing. Wash contaminated clothing before reuse. Perform routine housekeeping.

SECTION 9: Physical and Chemical Properties

Information on Basic Physical and Chemical Properties

Appearance	Tan granule
Odor	Mildly sweet
Odor threshold	Not determined or not available.
pH	8.83 (1% dispersion)
Melting point/freezing point	Not determined or not available.
Initial boiling point/range	Not determined or not available.
Flash point (closed cup)	Not determined or not available.
Evaporation rate	Not determined or not available.
Flammability (solid, gas)	Not determined or not available.
Upper flammability/explosive limit	Not determined or not available.
Lower flammability/explosive limit	Not determined or not available.
Vapor pressure	Not determined or not available.
Vapor density	Not determined or not available.
Density	0.493 g/cm ³ (30.8 pounds/cubic foot) at indoor ambient temperature
Relative density	Not determined or not available.
Solubilities	Not determined or not available.
Partition coefficient (n-octanol/water)	Not determined or not available.
Auto/Self-ignition temperature	Not determined or not available.
Decomposition temperature	Not determined or not available.
Dynamic viscosity	Not determined or not available.
Kinematic viscosity	Not determined or not available.
Explosive properties	Not determined or not available.
Oxidizing properties	Not determined or not available.

SECTION 10: Stability and Reactivity

Reactivity:

Not reactive under recommended handling and storage conditions.

Chemical Stability:

Stable under recommended handling and storage conditions.

Possibility of Hazardous Reactions:

Hazardous reactions are not anticipated under recommended conditions of handling and storage.

Conditions to Avoid:

Flames, hot surfaces, mechanical sparks and electrostatic discharges can serve as ignition sources for this material. Electrical equipment should be compatible with the flammability characteristics of this material.

The flammability characteristics will be made worse if the material contains traces of flammable solvents or is handled in the presence of flammable solvents.

Incompatible Materials:

Strong oxidizing agents

Safety Data Sheet

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

Initial Preparation Date: 08.11.2025

Page 7 of 12

Privster WDG

Hazardous Decomposition Products:

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

SECTION 11: Toxicological Information

Acute Toxicity

Assessment:

Harmful if swallowed.

Product Data:

Route	Result
Oral	LD50 Rat: 1,909 mg/kg
Dermal	LD50 Rat: > 5,000 mg/kg
Inhalation	LC50 Rat: > 4.8 mg/L (4 hr (dust/mist))

Substance Data:

Name	Route	Result
Indoxacarb	oral	LD50 Rat: 179 (F) / 843 (M) mg/kg
	dermal	LD50 Rat: > 5,000 mg/kg

Skin Corrosion/Irritation

Assessment: Based on available data, the classification criteria are not met.

Product Data:

No irritation (rabbit)

Substance Data:

Name	Result
Indoxacarb	Not a dermal irritant

Serious Eye Damage/Irritation

Assessment: Based on available data, the classification criteria are not met.

Product Data:

No irritation (rabbit)

Substance Data:

Name	Result
Indoxacarb	Not an eye irritant

Respiratory or Skin Sensitization

Assessment: Based on available data, the classification criteria are not met.

Product Data:

Not a dermal sensitizer

Substance Data:

Name	Result
Indoxacarb	May cause sensitization by skin contact (guinea pig)

Carcinogenicity

Assessment: Based on available data, the classification criteria are not met.

Product Data: No data available.

Substance Data:

Safety Data Sheet

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

Initial Preparation Date: 08.11.2025

Page 8 of 12

Privster WDG

Name	Species	Result
Indoxacarb		No evidence of carcinogenicity

International Agency for Research on Cancer (IARC):

Name	Classification
Silica gel	Group 3
Kaolin	Not Applicable

National Toxicology Program (NTP):

Name	Classification
Silica gel	Not Applicable
Kaolin	Not Applicable

OSHA Carcinogens: Not applicable

Germ Cell Mutagenicity

Assessment: Based on available data, the classification criteria are not met.

Product Data:

No data available.

Substance Data:

Name	Result
Indoxacarb	No evidence of mutagenic effects

Reproductive Toxicity

Assessment: Based on available data, the classification criteria are not met.

Product Data:

No data available.

Substance Data:

Name	Result
Indoxacarb	No toxicity to reproduction

Specific Target Organ Toxicity (Single Exposure)

Assessment:

May cause damage to organs.

Product Data:

No data available.

Substance Data:

Name	Result
Indoxacarb	May cause damage to organs (Central nervous system)

Specific Target Organ Toxicity (Repeated Exposure)

Assessment:

Causes damage to organs through prolonged or repeated exposure.

Product Data:

No data available.

Substance Data:

Name	Result
Indoxacarb	Causes damage to organs (Blood, Nervous system) through prolonged or repeated exposure.

Safety Data Sheet

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

Initial Preparation Date: 08.11.2025

Page 9 of 12

Privster WDG

Aspiration toxicity

Assessment: Based on available data, the classification criteria are not met.

Product Data:

No data available.

Substance Data: No data available.

Information on Likely Routes of Exposure:

No data available.

Symptoms Related to the Physical, Chemical, and Toxicological Characteristics:

No data available.

Other Information:

Information in this section is provided from a similar formulation.

SECTION 12: Ecological Information

Acute (Short-Term) Toxicity

Assessment:

Toxic to aquatic life.

Toxic to fish and aquatic invertebrates.

Highly toxic to bees exposed to direct treatment or to residues on blooming crops or weeds (Honeybee LD50: 0.068 µg/bee).

Product Data: No data available.

Substance Data:

Name	Result
Indoxacarb	Fish LC50 Rainbow trout: 0.352 mg/L (96 hr)
	Aquatic Invertebrates EC50 Daphnia: 2.94 mg/L (96 hr)
	Aquatic Invertebrates LC50 Mysid shrimp: > 0.126 mg/L (96 hr)
	Aquatic Plants EC50 Algae: > 0.177 mg/L (96 hr)
	Fish LC50 Channel catfish: 0.29 mg/L (96 hr)

Chronic (Long-Term) Toxicity

Assessment:

Very toxic to aquatic life with long lasting effects.

Product Data: No data available.

Substance Data: No data available.

Persistence and Degradability

Product Data: No data available.

Substance Data:

Name	Result
Indoxacarb	Not readily biodegradable

Bioaccumulative Potential

Product Data: No data available.

Substance Data: No data available.

Mobility in Soil

Product Data: No data available.

Substance Data: No data available.

Results of PBT and vPvB assessment

Product Data:

PBT assessment: This product does not contain any substances that are assessed to be a PBT.

vPvB assessment: This product does not contain any substances that are assessed to be a vPvB.

Safety Data Sheet

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

Initial Preparation Date: 08.11.2025

Page 10 of 12

Privster WDG

Substance Data:

PBT assessment: This product does not contain any substances that are assessed to be a PBT.

vPvB assessment: This product does not contain any substances that are assessed to be a vPvB.

Other Adverse Effects: No data available.

SECTION 13: Disposal Considerations

Disposal Methods:

PESTICIDE DISPOSAL: Pesticide wastes are toxic. Do not contaminate water, food, or feed by storage or disposal. Improper disposal of excess pesticide, spray mixture, or rinsate is a violation of Federal Law. Dispose of excess or waste pesticide by use according to label directions, or contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA Regional Office for guidance.

Contaminated packages:

CONTAINER DISPOSAL: Nonrefillable and refillable containers. Refer to the product label for specific container disposal instructions.

SECTION 14: Transport Information

United States Transportation of Dangerous Goods (49 CFR DOT)

UN Number	Not regulated
UN Proper Shipping Name	Not regulated
UN Transport Hazard Class(es)	None
Packing Group	None
Environmental Hazards	None
Special Precautions for User	None
Additional Information	This information is not intended to convey all specific regulatory or operational requirements/information relating to this product. Transportation classifications may vary by container volume and may be influenced by regional or country variations in regulations. Additional transportation system information can be obtained through an authorized sales or customer service representative. It is the responsibility of the transporting organization to follow all applicable laws, regulations and rules relating to the transportation of the material.

International Maritime Dangerous Goods (IMDG)

UN Number	UN3077
UN Proper Shipping Name	Environmentally hazardous substance, solid, N.O.S. (indoxacarb)
UN Transport Hazard Class(es)	9  
Packing Group	III
Environmental Hazards	Marine Pollutant
Special Precautions for User	None
Excepted Quantities	≤ 11 lbs. (5 kg) in strong outer packaging

Safety Data Sheet

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200


Initial Preparation Date: 08.11.2025

Page 11 of 12

Privster WDG

Additional Information	This information is not intended to convey all specific regulatory or operational requirements/information relating to this product. Transportation classifications may vary by container volume and may be influenced by regional or country variations in regulations. Additional transportation system information can be obtained through an authorized sales or customer service representative. It is the responsibility of the transporting organization to follow all applicable laws, regulations and rules relating to the transportation of the material.
-------------------------------	--

International Air Transport Association Dangerous Goods Regulations (IATA-DGR)

UN Number	UN3077
UN Proper Shipping Name	Environmentally hazardous substance, solid, N.O.S. (indoxacarb)
UN Transport Hazard Class(es)	9 
Packing Group	III
Environmental Hazards	Marine Pollutant
Special Precautions for User	None
Additional Information	This information is not intended to convey all specific regulatory or operational requirements/information relating to this product. Transportation classifications may vary by container volume and may be influenced by regional or country variations in regulations. Additional transportation system information can be obtained through an authorized sales or customer service representative. It is the responsibility of the transporting organization to follow all applicable laws, regulations and rules relating to the transportation of the material.

SECTION 15: Regulatory Information

United States Regulations

Inventory Listing (TSCA): All ingredients are listed-active or exempt.

Significant New Use Rule (TSCA Section 5): None of the ingredients are listed.

Export Notification under TSCA Section 12(b): None of the ingredients are listed.

SARA Section 302 Extremely Hazardous Substances: None of the ingredients are listed.

SARA Section 313 Toxic Chemicals: None of the ingredients are listed.

CERCLA: None of the ingredients are listed.

RCRA: None of the ingredients are listed.

Section 112(r) of the Clean Air Act (CAA): None of the ingredients are listed.

Massachusetts Right to Know:

112926-00-8	Silica gel	Listed
1332-58-7	Kaolin	Listed

New Jersey Right to Know:

112926-00-8	Silica gel	Listed
1332-58-7	Kaolin	Listed

New York Right to Know: None of the ingredients are listed.

Pennsylvania Right to Know:

Safety Data Sheet

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

Initial Preparation Date: 08.11.2025

Page 12 of 12

Privster WDG

112926-00-8	Silica gel	Listed
1332-58-7	Kaolin	Listed

California Proposition 65: None of the ingredients are listed.

Additional information:

FIFRA: All pesticides are governed under the Federal Insecticide, Fungicide, and Rodenticide Act (FIFRA). This chemical is a pesticide product registered by the Environmental Protection Agency and is subject to certain labeling requirements under federal pesticide law. These requirements differ from the classification criteria and hazard information required for safety data sheets, and for workplace labels of non-pesticide chemicals. The regulatory information presented outside of this FIFRA section is pertinent only when this product is handled outside of normal use and application as a pesticide. This product is excluded from listing requirements under EPA/TSCA. The following is the hazard information as required on the pesticide label:

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION. Harmful if swallowed. Harmful if absorbed through skin. Causes moderate eye irritation. Harmful if inhaled. Avoid contact with skin, eyes or clothing. Wash hands thoroughly with soap and water after handling. Avoid breathing (dust, vapor or spray mist). Remove contaminated clothing and wash clothing before reuse. Prolonged or frequently repeated skin contact may cause allergic reactions in some individuals.

ENVIRONMENTAL HAZARDS

This pesticide is toxic to fish and aquatic invertebrates. Do not apply directly to water, or to areas where surface water is present, or to intertidal areas below the mean high water mark. Do not contaminate water when disposing of equipment washwater or rinsate.

This product is highly toxic to bees exposed to direct treatment or to residues on blooming crops or weeds. Do not apply this product or allow it to drift to blooming crops or weeds while bees are foraging in or adjacent to the treatment area.

PHYSICAL OR CHEMICAL HAZARDS

Do not mix or allow to come in contact with oxidizing agents. Hazardous chemical reaction may occur.

SECTION 16: Other Information

Abbreviations and Acronyms: None

Disclaimer:

This Safety Data Sheet (SDS) serves different purposes than and DOES NOT REPLACE OR MODIFY THE EPA APPROVED PRODUCT LABELING (attached to and accompanying the product container). This SDS provides important health, safety, and environmental information for employers, employees, emergency responders and others handling large quantities of the product in activities generally other than product use, while the labeling provides that information specifically for product use in the ordinary course. To the extent consistent with applicable law, neither Atticus, LLC nor Seller be liable for any incidental, consequential or special damages resulting from the use or handling of this product. TO THE EXTENT CONSISTENT WITH APPLICABLE LAW, THE EXCLUSIVE REMEDY OF THE USER OR BUYER, AND THE EXCLUSIVE LIABILITY OF ATTICUS, LLC AND SELLER FOR ANY AND ALL CLAIMS, LOSSES, INJURIES OR DAMAGES (INCLUDING CLAIMS BASED ON BREACH OF WARRANTY, CONTRACT, NEGLIGENCE, TORT, STRICT LIABILITY OR OTHERWISE) RESULTING FROM THE USE OR HANDLING OF THIS PRODUCT, SHALL BE THE RETURN OF THE PURCHASE PRICE OF THE PRODUCT OR, AT THE ELECTION OF ATTICUS, LLC OR SELLER, THE REPLACEMENT OF THE PRODUCT.

NFPA: 1-1-0

Initial Preparation Date: 08.11.2025

End of Safety Data Sheet