



Nair Lux Wax™ (NA GHS 2015)

Safety Data Sheet

According to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations and according to the Hazardous Products Regulation (February 11, 2015).

Date of Issue: 6/12/2024

Version: 1.0

SECTION 1: IDENTIFICATION

Product Identifier

Product Form: Mixture

Product Name: Nair Lux Wax™ (NA GHS 2015)

Product Code: 7833V2

Intended Use of the Product

Depilatory wax

Name, Address, and Telephone of the Responsible Party

Company

Church & Dwight Co. Inc.
500 Charles Ewing Blvd
Ewing Township, NJ 08628
T 1-800-524-1328

www.churchdwight.com

Company

Church and Dwight Canada Corp.
5485 Ferrier
Montreal, Qc, H4P 1M6

www.churchdwight.ca

www.econsumeraffairs.com/churchdwight/contactus

Emergency Telephone Number

Emergency Number : For Medical Emergency: 1-888-234-1828 (USA and Canada), 952-853-1925 (Outside USA and Canada)
For Chemical Emergency: VelocityEHS (800)255-3924 (North America) +1 (813)248-0585 (International)

SECTION 2: HAZARDS IDENTIFICATION

This product is labeled in accordance with regulations administered by the Consumer Product Safety Commission (CPSC) and the Food and Drug Administration (FDA). The use pattern and exposure in the workplace are generally not consistent with those experienced by consumers. The requirements of the Occupational Safety and Health Administration applicable to this SDS differ from the labeling requirements of the CPSC and FDA and, as a result, this SDS may contain additional health hazard information not pertinent to consumer use and not found on the product label.

Classification of the Substance or Mixture

GHS-US/CA Classification

Hazardous to the aquatic environment – Acute Hazard Category 3 H402

Hazardous to the aquatic environment – Chronic Hazard Category 3 H412

Label Elements

GHS-US/CA Labeling

Hazard Statements (GHS-US/CA) : H402 - Harmful to aquatic life.
H412 - Harmful to aquatic life with long lasting effects.

Precautionary Statements (GHS-US/CA) : P273 - Avoid release to the environment.
P501 - Dispose of contents/container in accordance with local, regional, national, territorial, provincial, and international regulations.

Other Hazards

Exposure may aggravate pre-existing eye, skin, or respiratory conditions.

Hazards Not Otherwise Classified (HNOC): Contains Isoeugenol(97-54-1). May produce an allergic reaction.

Unknown Acute Toxicity (GHS-US/CA)

No additional information available

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

Mixture

Name	Product Identifier	% *	GHS Ingredient Classification
Paraffin waxes and Hydrocarbon waxes	(CAS-No.) 8002-74-2	7 - 13	Combustible Dust
Phenol, 2,6-bis(1,1-dimethylethyl)-4-methyl-	(CAS-No.) 128-37-0	0.1 - 1	Eye Irrit. 2B, H320 Aquatic Acute 1, H400 Aquatic Chronic 1, H410

Nair Lux Wax™ (NA GHS 2015)

Safety Data Sheet

According To Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules And Regulations And According To The Hazardous Products Regulation (February 11, 2015).

			Comb. Dust
Mica	(CAS-No.) 12001-26-2	0.1 - 1	Not classified.
Titanium dioxide	(CAS-No.) 13463-67-7	0.1 - 1	Not classified.
Benzyl acetate	(CAS-No.) 140-11-4	0.035 – 0.07	Flam. Liq. 4, H227 Aquatic Acute 2, H401 Aquatic Chronic 3, H412
Isoamyl acetate	(CAS-No.) 123-92-2	0.021 – 0.035	Flam. Liq. 3, H226 Aquatic Acute 3, H402
n-Amyl acetate	(CAS-No.) 628-63-7	0.001 – 0.007	Flam. Liq. 3, H226 STOT SE 3, H335 Aquatic Acute 3, H402
Silica, amorphous	(CAS-No.) 7631-86-9	< 0.01	Not classified.

Full text of H-statements: see section 16

*Percentages are listed in weight by weight percentage (w/w%) for liquid and solid ingredients. Gas ingredients are listed in volume by volume percentage (v/v%). The actual concentration of ingredient(s) is withheld as a trade secret in accordance with the Hazardous Products Regulations (HPR) SOR/2015-17 and 29 CFR 1910.1200.

SECTION 4: FIRST AID MEASURES

Description of First-aid Measures

General: Never give anything by mouth to an unconscious person. If you feel unwell, seek medical advice (show the label where possible).

Inhalation: When symptoms occur: go into open air and ventilate suspected area. Obtain medical attention if breathing difficulty persists.

Skin Contact: Remove contaminated clothing. Drench affected area with water for at least 5 minutes. Obtain medical attention if irritation develops or persists.

Eye Contact: Rinse cautiously with water for at least 5 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Obtain medical attention if irritation develops or persists.

Ingestion: Rinse mouth. Do NOT induce vomiting. Obtain medical attention.

Most Important Symptoms and Effects Both Acute and Delayed

General: Not expected to present a significant hazard under anticipated conditions of normal use.

Inhalation: Prolonged exposure may cause irritation.

Skin Contact: Prolonged exposure may cause skin irritation.

Eye Contact: May cause slight irritation to eyes.

Ingestion: Ingestion may cause adverse effects.

Chronic Symptoms: None expected under normal conditions of use.

Indication of Any Immediate Medical Attention and Special Treatment Needed

If exposed or concerned, get medical advice and attention. If medical advice is needed, have product container or label at hand.

SECTION 5: FIRE-FIGHTING MEASURES

Extinguishing Media

Suitable Extinguishing Media: Water spray, fog, carbon dioxide (CO₂), alcohol-resistant foam, or dry chemical.

Unsuitable Extinguishing Media: Do not use a heavy water stream. Use of heavy stream of water may spread fire.

Special Hazards Arising From the Substance or Mixture

Fire Hazard: Not considered flammable but may burn at high temperatures.

Explosion Hazard: Product is not explosive.

Reactivity: Hazardous reactions will not occur under normal conditions.

Advice for Firefighters

Precautionary Measures Fire: Exercise caution when fighting any chemical fire.

Firefighting Instructions: Use water spray or fog for cooling exposed containers.

Protection During Firefighting: Do not enter fire area without proper protective equipment, including respiratory protection.

Hazardous Combustion Products: Carbon oxides (CO, CO₂). Acrolein. Unidentified organic compounds. Smoke.

Other Information: Do not allow run-off from fire fighting to enter drains or water courses.

Nair Lux Wax™ (NA GHS 2015)

Safety Data Sheet

According To Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules And Regulations And According To The Hazardous Products Regulation (February 11, 2015).

Reference to Other Sections

Refer to Section 9 for flammability properties.

SECTION 6: ACCIDENTAL RELEASE MEASURES

Personal Precautions, Protective Equipment and Emergency Procedures

General Measures: Avoid prolonged contact with eyes, skin and clothing.

For Non-Emergency Personnel

Protective Equipment: Use appropriate personal protective equipment (PPE).

Emergency Procedures: Evacuate unnecessary personnel.

For Emergency Personnel

Protective Equipment: Equip cleanup crew with proper protection.

Emergency Procedures: Upon arrival at the scene, a first responder is expected to recognize the presence of dangerous goods, protect oneself and the public, secure the area, and call for the assistance of trained personnel as soon as conditions permit. Ventilate area.

Environmental Precautions

Prevent entry to sewers and public waters. Avoid release to the environment.

Methods and Materials for Containment and Cleaning Up

For Containment: Contain solid spills with appropriate barriers and prevent migration and entry into sewers or streams.

Methods for Cleaning Up: Clean up spills and dispose of waste safely. Recover the product by vacuuming, shoveling or sweeping. Transfer spilled material to a suitable container for disposal. Contact competent authorities after a spill.

Reference to Other Sections

See Section 8 for exposure controls and personal protection and Section 13 for disposal considerations.

SECTION 7: HANDLING AND STORAGE

Precautions for Safe Handling

Precautions for Safe Handling: Avoid prolonged contact with eyes, skin and clothing. Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work.

Hygiene Measures: Handle in accordance with good industrial hygiene and safety procedures.

Conditions for Safe Storage, Including Any Incompatibilities

Technical Measures: Comply with applicable regulations.

Storage Conditions: Keep container closed when not in use. Store in a dry, cool place. Keep/Store away from direct sunlight, extremely high or low temperatures and incompatible materials.

Incompatible Materials: Strong acids, strong bases, strong oxidizers.

Specific End Use(s)

Depilatory wax

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

Control Parameters

For substances listed in section 3 that are not listed here, there are no established exposure limits from the manufacturer, supplier, importer, or the appropriate advisory agency including: ACGIH (TLV), AIHA (WEEL), NIOSH (REL), OSHA (PEL), or Canadian provincial governments.

Paraffin waxes and Hydrocarbon waxes (8002-74-2)		
USA ACGIH	ACGIH OEL TWA	2 mg/m ³ (fume)
USA NIOSH	NIOSH REL (TWA)	2 mg/m ³ (fume)
Alberta	OEL TWA	2 mg/m ³ (fume)
British Columbia	OEL TWA	2 mg/m ³ (fume)
Manitoba	OEL TWA	2 mg/m ³ (fume)
New Brunswick	OEL TWA	2 mg/m ³ (fume)
Newfoundland & Labrador	OEL TWA	2 mg/m ³ (fume)
Nova Scotia	OEL TWA	2 mg/m ³ (fume)
Nunavut	OEL STEL	4 mg/m ³
Nunavut	OEL TWA	2 mg/m ³
Northwest Territories	OEL STEL	4 mg/m ³
Northwest Territories	OEL TWA	2 mg/m ³
Ontario	OEL TWA	2 mg/m ³ (fume)

Nair Lux Wax™ (NA GHS 2015)

Safety Data Sheet

According To Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules And Regulations And According To The Hazardous Products Regulation (February 11, 2015).

Prince Edward Island	OEL TWA	2 mg/m ³ (fume)
Québec	VEMP (OEL TWAEV)	2 mg/m ³ (fume)
Saskatchewan	OEL STEL	4 mg/m ³
Saskatchewan	OEL TWA	2 mg/m ³
Yukon	OEL STEL	6 mg/m ³ (fume)
Yukon	OEL TWA	2 mg/m ³ (fume)
Phenol, 2,6-bis(1,1-dimethylethyl)-4-methyl- (128-37-0)		
USA ACGIH	ACGIH OEL TWA	2 mg/m ³ (inhalable fraction and vapor)
USA ACGIH	ACGIH chemical category	Not Classifiable as a Human Carcinogen
USA NIOSH	NIOSH REL (TWA)	10 mg/m ³
Alberta	OEL TWA	10 mg/m ³
British Columbia	OEL TWA	2 mg/m ³ (inhalable; inhalable aerosol and vapour)
Manitoba	OEL TWA	2 mg/m ³ (inhalable fraction and vapor)
New Brunswick	OEL TWA	2 mg/m ³ (inhalable fraction and vapor)
Newfoundland & Labrador	OEL TWA	2 mg/m ³ (inhalable fraction and vapor)
Nova Scotia	OEL TWA	2 mg/m ³ (inhalable fraction and vapor)
Nunavut	OEL STEL	4 mg/m ³ (inhalable fraction and vapour)
Nunavut	OEL TWA	2 mg/m ³ (inhalable fraction and vapour)
Northwest Territories	OEL STEL	4 mg/m ³ (inhalable fraction and vapour)
Northwest Territories	OEL TWA	2 mg/m ³ (inhalable fraction and vapour)
Ontario	OEL TWA	2 mg/m ³ (inhalable fraction and vapor)
Prince Edward Island	OEL TWA	2 mg/m ³ (inhalable fraction and vapor)
Québec	VEMP (OEL TWAEV)	2 mg/m ³ (inhalable fraction and vapour)
Saskatchewan	OEL STEL	4 mg/m ³ (inhalable fraction and vapour)
Saskatchewan	OEL TWA	2 mg/m ³ (inhalable fraction and vapour)
Yukon	OEL STEL	20 mg/m ³
Yukon	OEL TWA	10 mg/m ³
Titanium dioxide (13463-67-7)		
USA ACGIH	ACGIH OEL TWA	0.2 mg/m ³ (nanoscale respirable particulate matter) 2.5 mg/m ³ (finescale respirable particulate matter)
USA ACGIH	ACGIH chemical category	Confirmed Animal Carcinogen with Unknown Relevance to Humans
USA OSHA	OSHA PEL (TWA) [1]	15 mg/m ³ (total dust)
USA NIOSH	NIOSH REL (TWA)	2.4 mg/m ³ (CIB 63-fine) 0.3 mg/m ³ (CIB 63-ultrafine, including engineered nanoscale)
USA IDLH	IDLH	5000 mg/m ³
Alberta	OEL TWA	10 mg/m ³
British Columbia	OEL TWA	10 mg/m ³ (total dust) 3 mg/m ³ (respirable fraction)
Manitoba	OEL TWA	0.2 mg/m ³ (nanoscale-nanoscale respirable particulate matter) 2.5 mg/m ³ (finescale-finescale respirable particulate matter)
New Brunswick	OEL TWA	10 mg/m ³
Newfoundland & Labrador	OEL TWA	0.2 mg/m ³ (nanoscale-nanoscale respirable particulate matter) 2.5 mg/m ³ (finescale-finescale respirable particulate matter)
Nova Scotia	OEL TWA	0.2 mg/m ³ (nanoscale-nanoscale respirable particulate matter) 2.5 mg/m ³ (finescale-finescale respirable particulate matter)

Nair Lux Wax™ (NA GHS 2015)

Safety Data Sheet

According To Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules And Regulations And According To The Hazardous Products Regulation (February 11, 2015).

		matter)
Nunavut	OEL STEL	20 mg/m ³
Nunavut	OEL TWA	10 mg/m ³
Northwest Territories	OEL STEL	20 mg/m ³
Northwest Territories	OEL TWA	10 mg/m ³
Ontario	OEL TWA	10 mg/m ³
Prince Edward Island	OEL TWA	0.2 mg/m ³ (nanoscale-nanoscale respirable particulate matter) 2.5 mg/m ³ (finescale-finescale respirable particulate matter)
Québec	VEMP (OEL TWAEV)	10 mg/m ³ (containing no Asbestos and <1% Crystalline silica-total dust)
Saskatchewan	OEL STEL	20 mg/m ³
Saskatchewan	OEL TWA	10 mg/m ³
Yukon	OEL STEL	20 mg/m ³
Yukon	OEL TWA	30 mppcf 10 mg/m ³
Silica, amorphous (7631-86-9)		
USA OSHA	OSHA PEL (TWA) [1]	6 mg/m ³
USA OSHA	OSHA PEL (TWA) [2]	20 mppcf (80mg/m ³ /%SiO ₂)
USA NIOSH	NIOSH REL (TWA)	6 mg/m ³
USA IDLH	IDLH	3000 mg/m ³
Yukon	OEL TWA	300 particle/mL (as measured by Konimeter instrumentation (Silica) 20 mppcf (as measured by Impinger instrumentation (Silica) 2 mg/m ³ (respirable mass (Silica)
Mica (12001-26-2)		
USA ACGIH	ACGIH OEL TWA	0.1 mg/m ³ (respirable particulate matter)
USA OSHA	OSHA PEL (TWA) [1]	20 mppcf (<1% Crystalline silica-respirable dust)
USA OSHA	OSHA PEL (TWA) [2]	20 mppcf (<1% Crystalline silica) (See 20 CFR 1910.1000 TABLE Z-3)
USA NIOSH	NIOSH REL (TWA)	3 mg/m ³ (containing <1% Quartz-respirable dust)
USA IDLH	IDLH	1500 mg/m ³ (containing <1% quartz)
Alberta	OEL TWA	3 mg/m ³ (respirable)
British Columbia	OEL TWA	3 mg/m ³ (respirable)
Manitoba	OEL TWA	0.1 mg/m ³ (respirable particulate matter)
New Brunswick	OEL TWA	3 mg/m ³ (respirable fraction)
Newfoundland & Labrador	OEL TWA	0.1 mg/m ³ (respirable particulate matter)
Nova Scotia	OEL TWA	0.1 mg/m ³ (respirable particulate matter)
Nunavut	OEL STEL	6 mg/m ³ (respirable fraction)
Nunavut	OEL TWA	3 mg/m ³ (respirable fraction)
Northwest Territories	OEL STEL	6 mg/m ³ (respirable fraction)
Northwest Territories	OEL TWA	3 mg/m ³ (respirable fraction)
Ontario	OEL TWA	3 mg/m ³ (respirable particulate matter)
Prince Edward Island	OEL TWA	0.1 mg/m ³ (respirable particulate matter)
Québec	VEMP (OEL TWAEV)	3 mg/m ³ (containing no Asbestos and <1% Crystalline silica-respirable dust)
Saskatchewan	OEL STEL	6 mg/m ³ (respirable fraction)
Saskatchewan	OEL TWA	3 mg/m ³ (respirable fraction)
Yukon	OEL TWA	20 mppcf
Benzyl acetate (140-11-4)		

Nair Lux Wax™ (NA GHS 2015)

Safety Data Sheet

According To Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules And Regulations And According To The Hazardous Products Regulation (February 11, 2015).

USA ACGIH	ACGIH OEL TWA [ppm]	10 ppm
USA ACGIH	ACGIH chemical category	Not Classifiable as a Human Carcinogen
Alberta	OEL TWA	61 mg/m ³
Alberta	OEL TWA	10 ppm
British Columbia	OEL TWA	10 ppm
Manitoba	OEL TWA	10 ppm
New Brunswick	OEL TWA	10 ppm
Newfoundland & Labrador	OEL TWA	10 ppm
Nova Scotia	OEL TWA	10 ppm
Nunavut	OEL STEL	20 ppm
Nunavut	OEL TWA	10 ppm
Northwest Territories	OEL STEL	20 ppm
Northwest Territories	OEL TWA	10 ppm
Ontario	OEL TWA	10 ppm
Prince Edward Island	OEL TWA	10 ppm
Québec	VEMP (OEL TWA EV)	10 ppm
Saskatchewan	OEL STEL	20 ppm
Saskatchewan	OEL TWA	10 ppm
Isoamyl acetate (123-92-2)		
USA ACGIH	ACGIH OEL TWA [ppm]	50 ppm (Pentyl acetate, all isomers)
USA ACGIH	ACGIH OEL STEL [ppm]	100 ppm (Pentyl acetate, all isomers)
USA OSHA	OSHA PEL (TWA) [1]	525 mg/m ³
USA OSHA	OSHA PEL (TWA) [2]	100 ppm
USA NIOSH	NIOSH REL (TWA)	525 mg/m ³
USA NIOSH	NIOSH REL TWA [ppm]	100 ppm
USA IDLH	IDLH [ppm]	1000 ppm
Alberta	OEL STEL	532 mg/m ³
Alberta	OEL STEL	100 ppm
Alberta	OEL TWA	266 mg/m ³
Alberta	OEL TWA	50 ppm
British Columbia	OEL STEL	100 ppm (Pentyl acetate, all isomers)
British Columbia	OEL TWA	50 ppm (Pentyl acetate, all isomers)
Manitoba	OEL STEL	100 ppm (Pentyl acetate, all isomers)
Manitoba	OEL TWA	50 ppm (Pentyl acetate, all isomers)
New Brunswick	OEL STEL	100 ppm (Pentyl acetate, all isomers)
New Brunswick	OEL TWA	50 ppm (Pentyl acetate, all isomers)
Newfoundland & Labrador	OEL STEL	100 ppm (Pentyl acetate, all isomers)
Newfoundland & Labrador	OEL TWA	50 ppm (Pentyl acetate, all isomers)
Nova Scotia	OEL STEL	100 ppm (Pentyl acetate, all isomers)
Nova Scotia	OEL TWA	50 ppm (Pentyl acetate, all isomers)
Nunavut	OEL STEL	100 ppm (Pentyl acetate, all isomers)
Nunavut	OEL TWA	50 ppm (Pentyl acetate, all isomers)
Northwest Territories	OEL STEL	100 ppm (Pentyl acetate, all isomers)
Northwest Territories	OEL TWA	50 ppm (Pentyl acetate, all isomers)
Ontario	OEL STEL	100 ppm (Pentyl acetate, all isomers)
Ontario	OEL TWA	50 ppm (Pentyl acetate, all isomers)
Prince Edward Island	OEL STEL	100 ppm (Pentyl acetate, all isomers)
Prince Edward Island	OEL TWA	50 ppm (Pentyl acetate, all isomers)
Québec	VECD (OEL STEV)	100 ppm (Pentyl acetates)
Québec	VEMP (OEL TWA EV)	50 ppm (Pentyl acetates)
Saskatchewan	OEL STEL	100 ppm (Pentyl acetate, all isomers)

Nair Lux Wax™ (NA GHS 2015)

Safety Data Sheet

According To Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules And Regulations And According To The Hazardous Products Regulation (February 11, 2015).

Saskatchewan	OEL TWA	50 ppm (Pentyl acetate, all isomers)
Yukon	OEL STEL	655 mg/m ³
Yukon	OEL STEL	125 ppm
Yukon	OEL TWA	525 mg/m ³
Yukon	OEL TWA	100 ppm
n-Amyl acetate (628-63-7)		
USA ACGIH	ACGIH OEL TWA [ppm]	50 ppm (Pentyl acetate, all isomers)
USA ACGIH	ACGIH OEL STEL [ppm]	100 ppm (Pentyl acetate, all isomers)
USA OSHA	OSHA PEL (TWA) [1]	525 mg/m ³
USA OSHA	OSHA PEL (TWA) [2]	100 ppm
USA NIOSH	NIOSH REL (TWA)	525 mg/m ³
USA NIOSH	NIOSH REL TWA [ppm]	100 ppm
USA IDLH	IDLH [ppm]	1000 ppm
Alberta	OEL STEL	532 mg/m ³
Alberta	OEL STEL	100 ppm
Alberta	OEL TWA	266 mg/m ³
Alberta	OEL TWA	50 ppm
British Columbia	OEL STEL	100 ppm (Pentyl acetate, all isomers)
British Columbia	OEL TWA	50 ppm (Pentyl acetate, all isomers)
Manitoba	OEL STEL	100 ppm (Pentyl acetate, all isomers)
Manitoba	OEL TWA	50 ppm (Pentyl acetate, all isomers)
New Brunswick	OEL STEL	100 ppm (Pentyl acetate, all isomers)
New Brunswick	OEL TWA	50 ppm (Pentyl acetate, all isomers)
Newfoundland & Labrador	OEL STEL	100 ppm (Pentyl acetate, all isomers)
Newfoundland & Labrador	OEL TWA	50 ppm (Pentyl acetate, all isomers)
Nova Scotia	OEL STEL	100 ppm (Pentyl acetate, all isomers)
Nova Scotia	OEL TWA	50 ppm (Pentyl acetate, all isomers)
Nunavut	OEL STEL	100 ppm (Pentyl acetate, all isomers)
Nunavut	OEL TWA	50 ppm (Pentyl acetate, all isomers)
Northwest Territories	OEL STEL	100 ppm (Pentyl acetate, all isomers)
Northwest Territories	OEL TWA	50 ppm (Pentyl acetate, all isomers)
Ontario	OEL STEL	100 ppm (Pentyl acetate, all isomers)
Ontario	OEL TWA	50 ppm (Pentyl acetate, all isomers)
Prince Edward Island	OEL STEL	100 ppm (Pentyl acetate, all isomers)
Prince Edward Island	OEL TWA	50 ppm (Pentyl acetate, all isomers)
Québec	VECD (OEL STEV)	100 ppm (Pentyl acetates)
Québec	VEMP (OEL TWA EV)	50 ppm (Pentyl acetates)
Saskatchewan	OEL STEL	100 ppm (Pentyl acetate, all isomers)
Saskatchewan	OEL TWA	50 ppm (Pentyl acetate, all isomers)
Yukon	OEL STEL	780 mg/m ³
Yukon	OEL STEL	150 ppm
Yukon	OEL TWA	525 mg/m ³
Yukon	OEL TWA	100 ppm

Exposure Controls

Appropriate Engineering Controls: For occupational/workplace settings: Suitable eye/body wash equipment should be available in the vicinity of any potential exposure. Ensure adequate ventilation, especially in confined areas. Ensure all national/local regulations are observed.

Nair Lux Wax™ (NA GHS 2015)

Safety Data Sheet

According To Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules And Regulations And According To The Hazardous Products Regulation (February 11, 2015).

Personal Protective Equipment: For occupational/workplace settings and bulk quantities: Gloves. Protective clothing. Protective goggles.



Materials for Protective Clothing: For occupational/workplace settings and bulk quantities: Chemically resistant materials and fabrics.

Hand Protection: For occupational/workplace settings and bulk quantities: Wear protective gloves.

Eye Protection: For occupational/workplace settings and bulk quantities: Chemical safety goggles.

Skin and Body Protection: For occupational/workplace settings and bulk quantities: Wear suitable protective clothing.

Respiratory Protection: For occupational/workplace settings and bulk quantities: If exposure limits are exceeded or irritation is experienced, approved respiratory protection should be worn. In case of inadequate ventilation, oxygen deficient atmosphere, or where exposure levels are not known wear approved respiratory protection.

Other Information: When using, do not eat, drink or smoke.

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

Information on Basic Physical and Chemical Properties

Physical State	: Solid
Appearance	: Yellow wax
Odor	: Characteristic
Odor Threshold	: No data available
pH	: No data available
Evaporation Rate	: No data available
Melting Point	: No data available
Freezing Point	: No data available
Boiling Point	: No data available
Flash Point	: No data available
Auto-ignition Temperature	: No data available
Decomposition Temperature	: No data available
Flammability	: No data available
Lower Flammable Limit	: No data available
Upper Flammable Limit	: No data available
Vapor Pressure	: No data available
Relative Vapor Density at 20°C	: No data available
Relative Density	: No data available
Specific Gravity	: No data available
Solubility	: No data available
Partition Coefficient: N-Octanol/Water	: No data available
Viscosity	: No data available

SECTION 10: STABILITY AND REACTIVITY

Reactivity:

Hazardous reactions will not occur under normal conditions.

Chemical Stability:

Stable under recommended handling and storage conditions (see section 7).

Possibility of Hazardous Reactions:

Hazardous polymerization will not occur.

Conditions to Avoid:

Direct sunlight, extremely high or low temperatures, and incompatible materials. Avoid creating or spreading dust.

Incompatible Materials:

Strong acids, strong bases, strong oxidizers.

Hazardous Decomposition Products:

Thermal decomposition may produce: Carbon oxides (CO, CO₂). Acrolein. Unidentified organic compounds.

Nair Lux Wax™ (NA GHS 2015)

Safety Data Sheet

According To Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules And Regulations And According To The Hazardous Products Regulation (February 11, 2015).

SECTION 11: TOXICOLOGICAL INFORMATION

Information on Toxicological Effects - Product

Acute Toxicity (Oral): Not classified.

Acute Toxicity (Dermal): Not classified.

Acute Toxicity (Inhalation): Not classified.

LD50 and LC50 Data:

No additional information available

Skin Corrosion/Irritation: Not classified.

Eye Damage/Irritation: Not classified.

Respiratory or Skin Sensitization: Not classified.

Germ Cell Mutagenicity: Not classified.

Carcinogenicity: Not classified.

Specific Target Organ Toxicity (Repeated Exposure): Not classified.

Reproductive Toxicity: Not classified.

Specific Target Organ Toxicity (Single Exposure): Not classified.

Aspiration Hazard: Not classified.

Symptoms/Injuries After Inhalation: Prolonged exposure may cause irritation.

Symptoms/Injuries After Skin Contact: Prolonged exposure may cause skin irritation.

Symptoms/Injuries After Eye Contact: May cause slight irritation to eyes.

Symptoms/Injuries After Ingestion: Ingestion may cause adverse effects.

Chronic Symptoms: None expected under normal conditions of use.

Information on Toxicological Effects - Ingredient(s)

LD50 and LC50 Data:

Paraffin waxes and Hydrocarbon waxes (8002-74-2)	
LD50 Oral Rat	> 5000 mg/kg (Source: CHEMVIEW)
LD50 Dermal Rabbit	> 3600 mg/kg (Source: NLM_CIP)
Phenol, 2,6-bis(1,1-dimethylethyl)-4-methyl- (128-37-0)	
LD50 Oral Rat	> 2930 mg/kg (Species: Sprague-Dawley)
LD50 Dermal Rat	> 2000 mg/kg (Source: JAPAN_GHS)
Titanium dioxide (13463-67-7)	
LD50 Oral Rat	> 10000 mg/kg (Source: IUCLID)
LC50 Inhalation Rat	5.09 mg/l/4h
Silica, amorphous (7631-86-9)	
LD50 Oral Rat	7900 mg/kg (Source: ATSDR)
LD50 Dermal Rabbit	> 2000 mg/kg (No deaths)
LC50 Inhalation Rat	> 58.8 mg/l/4h
Benzyl acetate (140-11-4)	
LD50 Oral Rat	2490 mg/kg (Source: JAPAN_GHS)
LD50 Dermal Rabbit	> 5000 mg/kg (Source: JAPAN_GHS)
n-Amyl acetate (628-63-7)	
LD50 Oral Rat	6500 mg/kg (Source: NLM_HSDB)
Phenol, 2,6-bis(1,1-dimethylethyl)-4-methyl- (128-37-0)	
IARC Group	3
Titanium dioxide (13463-67-7)	
IARC Group	2B
OSHA Hazard Communication Carcinogen List	In OSHA Hazard Communication Carcinogen list.
Silica, amorphous (7631-86-9)	
IARC Group	3
Benzyl acetate (140-11-4)	
IARC Group	3

Nair Lux Wax™ (NA GHS 2015)

Safety Data Sheet

According To Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules And Regulations And According To The Hazardous Products Regulation (February 11, 2015).

SECTION 12: ECOLOGICAL INFORMATION

Toxicity

Ecology - General: Harmful to aquatic life with long lasting effects.

Phenol, 2,6-bis(1,1-dimethylethyl)-4-methyl- (128-37-0)	
EC50 - Crustacea [1]	0.48 mg/l (Exposure time: 48 h - Species: Daphnia magna)
EC50 Other Aquatic Organisms 2	0.43 mg/l (Exposure time: 72 h - Species: Desmodesmus subspicatus)
NOEC Chronic Fish	0.053 mg/l
NOEC Chronic Crustacea	0.069 mg/l (Species: Daphnia magna)
Silica, amorphous (7631-86-9)	
LC50 Fish 1	5000 mg/l (Exposure time: 96 h - Species: Brachydanio rerio [static] Source: IUCLID)
EC50 - Crustacea [1]	7600 mg/l (Exposure time: 48 h - Species: Ceriodaphnia dubia)
Benzyl acetate (140-11-4)	
LC50 Fish 1	4 mg/l
NOEC Chronic Fish	0.92 mg/l
Isoamyl acetate (123-92-2)	
LC50 Fish 1	11.1 mg/l (Exposure time: 96 h - Species: Danio rerio)
EC50 - Crustacea [1]	205 mg/l
n-Amyl acetate (628-63-7)	
LC50 Fish 1	650 mg/l (Exposure time: 96 h - Species: Lepomis macrochirus [static])
EC50 - Crustacea [1]	53 mg/l

Persistence and Degradability

Nair Lux Wax™ (NA GHS 2015)	
Persistence and Degradability	May cause long-term adverse effects in the environment.

Bioaccumulative Potential

Nair Lux Wax™ (NA GHS 2015)	
Bioaccumulative Potential	Not established.
Phenol, 2,6-bis(1,1-dimethylethyl)-4-methyl- (128-37-0)	
BCF Fish 1	230 – 2500
Log POW	5.1
Silica, amorphous (7631-86-9)	
BCF Fish 1	no bioaccumulation expected
Benzyl acetate (140-11-4)	
Log POW	1.96 at 25 °C (at pH 7)
Isoamyl acetate (123-92-2)	
Log POW	2.7 (at 35 °C)

Mobility in Soil

No additional information available

Other Adverse Effects

Other Information: Avoid release to the environment.

SECTION 13: DISPOSAL CONSIDERATIONS

Waste Disposal Recommendations: Dispose of contents/container in accordance with local, regional, national, territorial, provincial, and international regulations.

Ecology - Waste Materials: Avoid release to the environment. This material is hazardous to the aquatic environment. Keep out of sewers and waterways.

Nair Lux Wax™ (NA GHS 2015)

Safety Data Sheet

According To Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules And Regulations And According To The Hazardous Products Regulation (February 11, 2015).

SECTION 14: TRANSPORT INFORMATION

The shipping description(s) stated herein were prepared in accordance with certain assumptions at the time the SDS was authored, and can vary based on a number of variables that may or may not have been known at the time the SDS was issued.

In Accordance with DOT

Not regulated for transport

In Accordance with IMDG

Not regulated for transport

In Accordance with IATA

Not regulated for transport

In Accordance with TDG

Not regulated for transport

SECTION 15: REGULATORY INFORMATION

US Federal and International Regulations

Paraffin waxes and Hydrocarbon waxes (8002-74-2)

Listed on the United States TSCA (Toxic Substances Control Act) inventory - Status: Active
Listed on the Canadian DSL (Domestic Substances List)
Listed on the EEC inventory EINECS (European Inventory of Existing Commercial Chemical Substances)
Listed introduction on Australian Industrial Chemicals Introduction Scheme (AICIS Inventory)
Listed on PICCS (Philippines Inventory of Chemicals and Chemical Substances)
Listed on the Japanese ENCS (Existing & New Chemical Substances) inventory
Listed on KECL/KECI (Korean Existing Chemicals Inventory)
Listed on IECSC (Inventory of Existing Chemical Substances Produced or Imported in China)
Listed on NZIoC (New Zealand Inventory of Chemicals)
Listed on the Japanese ISHL (Industrial Safety and Health Law)
Listed on INSQ (Mexican National Inventory of Chemical Substances)
Listed on the TCSI (Taiwan Chemical Substance Inventory)
Listed on the NCI (Vietnam - National Chemical Inventory)
Listed on Thailand Existing Chemicals Inventory (DIW)

Phenol, 2,6-bis(1,1-dimethylethyl)-4-methyl- (128-37-0)

Listed on the United States TSCA (Toxic Substances Control Act) inventory - Status: Active
Listed on the Canadian DSL (Domestic Substances List)
Listed on the EEC inventory EINECS (European Inventory of Existing Commercial Chemical Substances)
Listed on the Canadian IDL (Ingredient Disclosure List)
Listed introduction on Australian Industrial Chemicals Introduction Scheme (AICIS Inventory)
Listed on PICCS (Philippines Inventory of Chemicals and Chemical Substances)
Listed on the Japanese ENCS (Existing & New Chemical Substances) inventory
Listed on KECL/KECI (Korean Existing Chemicals Inventory)
Listed on IECSC (Inventory of Existing Chemical Substances Produced or Imported in China)
Japanese Pollutant Release and Transfer Register Law (PRTR Law)
Listed on NZIoC (New Zealand Inventory of Chemicals)
Listed on the Japanese ISHL (Industrial Safety and Health Law)
Listed on INSQ (Mexican National Inventory of Chemical Substances)
Listed on the TCSI (Taiwan Chemical Substance Inventory)
Listed on the NCI (Vietnam - National Chemical Inventory)
Listed on Thailand Existing Chemicals Inventory (DIW)

Titanium dioxide (13463-67-7)

Listed on the United States TSCA (Toxic Substances Control Act) inventory - Status: Active
Listed on the Canadian DSL (Domestic Substances List)
Listed on IARC (International Agency for Research on Cancer)
Listed on the EEC inventory EINECS (European Inventory of Existing Commercial Chemical Substances)
Listed introduction on Australian Industrial Chemicals Introduction Scheme (AICIS Inventory)
Listed on PICCS (Philippines Inventory of Chemicals and Chemical Substances)

Nair Lux Wax™ (NA GHS 2015)

Safety Data Sheet

According To Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules And Regulations And According To The Hazardous Products Regulation (February 11, 2015).

Listed on the Japanese ENCS (Existing & New Chemical Substances) inventory
Listed on KECL/KECI (Korean Existing Chemicals Inventory)
Listed on IECSC (Inventory of Existing Chemical Substances Produced or Imported in China)
Listed on NZIoC (New Zealand Inventory of Chemicals)
Listed on the Japanese ISHL (Industrial Safety and Health Law)
Listed on INSQ (Mexican National Inventory of Chemical Substances)
Listed on the TCSI (Taiwan Chemical Substance Inventory)
Listed on the NCI (Vietnam - National Chemical Inventory)
Listed on Thailand Existing Chemicals Inventory (DIW)

Silica, amorphous (7631-86-9)

Listed on the United States TSCA (Toxic Substances Control Act) inventory - Status: Active
Listed on the Canadian DSL (Domestic Substances List)
Listed on the EEC inventory EINECS (European Inventory of Existing Commercial Chemical Substances)
Listed on the Canadian IDL (Ingredient Disclosure List)
Listed introduction on Australian Industrial Chemicals Introduction Scheme (AICIS Inventory)
Listed on PICCS (Philippines Inventory of Chemicals and Chemical Substances)
Listed on the Japanese ENCS (Existing & New Chemical Substances) inventory
Listed on KECL/KECI (Korean Existing Chemicals Inventory)
Listed on IECSC (Inventory of Existing Chemical Substances Produced or Imported in China)
Listed on NZIoC (New Zealand Inventory of Chemicals)
Listed on the Japanese ISHL (Industrial Safety and Health Law)
Listed on INSQ (Mexican National Inventory of Chemical Substances)
Listed on the TCSI (Taiwan Chemical Substance Inventory)
Listed on the NCI (Vietnam - National Chemical Inventory)
Listed on Thailand Existing Chemicals Inventory (DIW)

Mica (12001-26-2)

Listed on the Canadian DSL (Domestic Substances List)
Listed on the Canadian IDL (Ingredient Disclosure List)
Listed introduction on Australian Industrial Chemicals Introduction Scheme (AICIS Inventory)
Listed on PICCS (Philippines Inventory of Chemicals and Chemical Substances)
Listed on KECL/KECI (Korean Existing Chemicals Inventory)
Listed on IECSC (Inventory of Existing Chemical Substances Produced or Imported in China)
Listed on NZIoC (New Zealand Inventory of Chemicals)
Listed on INSQ (Mexican National Inventory of Chemical Substances)
Listed on the TCSI (Taiwan Chemical Substance Inventory)
Listed on the NCI (Vietnam - National Chemical Inventory)
Listed on Thailand Existing Chemicals Inventory (DIW)

Benzyl acetate (140-11-4)

Listed on the United States TSCA (Toxic Substances Control Act) inventory - Status: Active
Listed on the Canadian DSL (Domestic Substances List)
Listed on the EEC inventory EINECS (European Inventory of Existing Commercial Chemical Substances)
Listed introduction on Australian Industrial Chemicals Introduction Scheme (AICIS Inventory)
Listed on PICCS (Philippines Inventory of Chemicals and Chemical Substances)
Listed on the Japanese ENCS (Existing & New Chemical Substances) inventory
Listed on KECL/KECI (Korean Existing Chemicals Inventory)
Listed on IECSC (Inventory of Existing Chemical Substances Produced or Imported in China)
Japanese Pollutant Release and Transfer Register Law (PRTR Law)
Listed on NZIoC (New Zealand Inventory of Chemicals)
Listed on the Japanese ISHL (Industrial Safety and Health Law)
Listed on INSQ (Mexican National Inventory of Chemical Substances)
Listed on the TCSI (Taiwan Chemical Substance Inventory)
Listed on the NCI (Vietnam - National Chemical Inventory)
Listed on Thailand Existing Chemicals Inventory (DIW)

Nair Lux Wax™ (NA GHS 2015)


Safety Data Sheet

According To Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules And Regulations And According To The Hazardous Products Regulation (February 11, 2015).

Isoamyl acetate (123-92-2)	
Listed on the United States TSCA (Toxic Substances Control Act) inventory - Status: Active Listed on the Canadian DSL (Domestic Substances List) Listed on the EEC inventory EINECS (European Inventory of Existing Commercial Chemical Substances) Listed on the Canadian IDL (Ingredient Disclosure List) Listed introduction on Australian Industrial Chemicals Introduction Scheme (AICIS Inventory) Listed on PICCS (Philippines Inventory of Chemicals and Chemical Substances) Listed on the Japanese ENCS (Existing & New Chemical Substances) inventory Listed on KECL/KECI (Korean Existing Chemicals Inventory) Listed on IECSC (Inventory of Existing Chemical Substances Produced or Imported in China) Listed on NZIoC (New Zealand Inventory of Chemicals) Listed on the Japanese ISHL (Industrial Safety and Health Law) Listed on INSQ (Mexican National Inventory of Chemical Substances) Listed on the TCSI (Taiwan Chemical Substance Inventory) Listed on the NCI (Vietnam - National Chemical Inventory) Listed on Thailand Existing Chemicals Inventory (DIW)	
CERCLA RQ	5000 lb listed under Amyl acetate
n-Amyl acetate (628-63-7)	
Listed on the United States TSCA (Toxic Substances Control Act) inventory - Status: Active Listed on the Canadian DSL (Domestic Substances List) Listed on the EEC inventory EINECS (European Inventory of Existing Commercial Chemical Substances) Listed on the Canadian IDL (Ingredient Disclosure List) Listed introduction on Australian Industrial Chemicals Introduction Scheme (AICIS Inventory) Listed on PICCS (Philippines Inventory of Chemicals and Chemical Substances) Listed on the Japanese ENCS (Existing & New Chemical Substances) inventory Listed on KECL/KECI (Korean Existing Chemicals Inventory) Listed on IECSC (Inventory of Existing Chemical Substances Produced or Imported in China) Listed on NZIoC (New Zealand Inventory of Chemicals) Listed on the Japanese ISHL (Industrial Safety and Health Law) Listed on INSQ (Mexican National Inventory of Chemical Substances) Listed on the TCSI (Taiwan Chemical Substance Inventory) Listed on the NCI (Vietnam - National Chemical Inventory) Listed on Thailand Existing Chemicals Inventory (DIW)	
CERCLA RQ	5000 lb

US State Regulations

California Proposition 65

 **WARNING:** This product can expose you to Titanium dioxide, which is known to the State of California to cause cancer. For more information go to www.P65Warnings.ca.gov.

Chemical Name (CAS No.)	Carcinogenicity	Developmental Toxicity	Female Reproductive Toxicity	Male Reproductive Toxicity
Titanium dioxide (13463-67-7)	X			
Paraffin waxes and Hydrocarbon waxes (8002-74-2)				
U.S. - New Jersey - Right to Know Hazardous Substance List U.S. - Pennsylvania - RTK (Right to Know) List U.S. - Massachusetts - Right To Know List				
Phenol, 2,6-bis(1,1-dimethylethyl)-4-methyl- (128-37-0)				
U.S. - New Jersey - Right to Know Hazardous Substance List U.S. - Pennsylvania - RTK (Right to Know) List U.S. - Massachusetts - Right To Know List				
Titanium dioxide (13463-67-7)				
U.S. - New Jersey - Right to Know Hazardous Substance List U.S. - Pennsylvania - RTK (Right to Know) List				

Nair Lux Wax™ (NA GHS 2015)

Safety Data Sheet

According To Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules And Regulations And According To The Hazardous Products Regulation (February 11, 2015).

U.S. - Massachusetts - Right To Know List
Silica, amorphous (7631-86-9)
U.S. - Pennsylvania - RTK (Right to Know) List
U.S. - Massachusetts - Right To Know List
Mica (12001-26-2)
U.S. - New Jersey - Right to Know Hazardous Substance List
U.S. - Pennsylvania - RTK (Right to Know) List
U.S. - Massachusetts - Right To Know List
Benzyl acetate (140-11-4)
U.S. - New Jersey - Right to Know Hazardous Substance List
Isoamyl acetate (123-92-2)
U.S. - New Jersey - Right to Know Hazardous Substance List
U.S. - Pennsylvania - RTK (Right to Know) List
U.S. - Massachusetts - Right To Know List
U.S. - Pennsylvania - RTK (Right to Know) - Environmental Hazard List
n-Amyl acetate (628-63-7)
U.S. - New Jersey - Right to Know Hazardous Substance List
U.S. - Pennsylvania - RTK (Right to Know) List
U.S. - Massachusetts - Right To Know List
U.S. - Pennsylvania - RTK (Right to Know) - Environmental Hazard List

Canadian Regulations

Paraffin waxes and Hydrocarbon waxes (8002-74-2)
Listed on the Canadian DSL (Domestic Substances List)
Phenol, 2,6-bis(1,1-dimethylethyl)-4-methyl- (128-37-0)
Listed on the Canadian DSL (Domestic Substances List)
Titanium dioxide (13463-67-7)
Listed on the Canadian DSL (Domestic Substances List)
Silica, amorphous (7631-86-9)
Listed on the Canadian DSL (Domestic Substances List)
Mica (12001-26-2)
Listed on the Canadian DSL (Domestic Substances List)
Benzyl acetate (140-11-4)
Listed on the Canadian DSL (Domestic Substances List)
Isoamyl acetate (123-92-2)
Listed on the Canadian DSL (Domestic Substances List)
n-Amyl acetate (628-63-7)
Listed on the Canadian DSL (Domestic Substances List)

SECTION 16: OTHER INFORMATION, INCLUDING DATE OF PREPARATION OR LAST REVISION

Date of Preparation or Latest Revision : 06/12/2024

Other Information : This document has been prepared in accordance with the SDS requirements of the OSHA Hazard Communication Standard 29 CFR 1910.1200 and Canada's Hazardous Products Regulations (HPR) SOR/2015-17.
This product is labeled in accordance with regulations administered by the Consumer Product Safety Commission (CPSC) and the Food and Drug Administration (FDA). The use pattern and exposure in the workplace are generally not consistent with those experienced by consumers. The requirements of the Occupational Safety and Health Administration applicable to this SDS differ from the labeling requirements of the CPSC and FDA and, as a result, this SDS may contain additional health hazard information not pertinent to consumer use and not found on the product label.

Nair Lux Wax™ (NA GHS 2015)

Safety Data Sheet

According To Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules And Regulations And According To The Hazardous Products Regulation (February 11, 2015).

GHS Full Text Phrases:

H226	Flammable liquid and vapor
H227	Combustible liquid
H320	Causes eye irritation
H335	May cause respiratory irritation
H400	Very toxic to aquatic life
H401	Toxic to aquatic life
H402	Harmful to aquatic life
H410	Very toxic to aquatic life with long lasting effects
H412	Harmful to aquatic life with long lasting effects

Glossary of Data Source Abbreviations

ATSDR: Agency for Toxic Substances and Disease Registry (U.S. Department of Health and Human Services)	FOOD_JOURN: Food Research Journal (1956)
AU_WES: Australia WES	IARC: The International Agency for Research on Cancer
CHEMVIEW: ChemView (U.S. Environmental Protection Agency)	IDLH: National Institute for Occupational Health and Safety Immediately Dangerous to Life or Health Value Profiles
EC_RAR: European Commission Renewal Assessment Report	IUCLID: International Uniform Chemical Information Database
EC_SCOEL: European Commission Scientific Committee on Occupational Exposure Limits	JAPAN_GHS: Japan GHS Basis for Classification Data
ECETOC: European Centre for Ecotoxicology and Toxicology of Chemicals Reports	JP_J-CHECK: Japan J-Check
ECHA_API: European Chemicals Agency API	KR_NIER: South Korea National Institute of Environmental Research Evaluations
ECHA_RAC: ECHA Committee for Risk Assessment	NICNAS: Australia National Industrial Chemicals Notification and Assessment Scheme
EFSA: European Food Safety Authority	NIOSH: National Institute for Occupational Health and Safety (U.S. Department of Health and Human Services)
EPA: U.S. Environmental Protection Agency	NLM_CIP: National Library of Medicine ChemID plus database
EPA_AEGL: Acute Exposure Guideline Levels (U.S. Environmental Protection Agency)	NLM_HSDB: National Library of Medicine Hazardous Substance Data Bank
EPA_FIFRA: Federal Insecticide, Fungicide, and Rodenticide Act Reregistration Eligibility Decision (U.S. Environmental Protection Agency)	NLM_PUBMED: National Library of Medicine PubMed database
EPA_HPV: High Production Volume Chemicals (U.S. Environmental Protection Agency)	NTP: National Toxicology Program
EPA_TRED: Risk Assessment for Tolerance Reassessment Eligibility Decision (U.S. Environmental Protection Agency)	NZ_CCID: New Zealand Chemical Classification and Information Database
EU_CLH: European Union Harmonised Classification and Labelling Proposal	OECD_EHSP: Environment, Health, and Safety Publication (Organisation for Economic Co-operation and Development)
EU_RAR: European Union Risk Assessment Report	OECD_SIDS: Screening Information Data Sets (Organisation for Economic Co-operation and Development)
	WHO: World Health Organization

This Product Safety Data Sheet is offered solely for your information, consideration and investigation. Church & Dwight Co., Inc. provides no warranties; either expressed or implied, and assumes no responsibility for the accuracy or completeness of data contained herein. Church & Dwight Co., Inc. urges persons receiving this information to make their own determination as to the information suitability for their particular application.

Church&Dwight NA GHS SDS 2015